
	A 159 637	MCENT IRE OBSERVAT TECHNICA	ANGE SOUTH IONS CLIMAT. L APPLICATIO	CAROLINA/CO .(U) AIR FO NS CENTER S	OLUMBIA LII DRCE ENVIR SCOTT A	MITED SURFACE DMMENTAL DEC 84 F/G 4/2	1/ <b>4</b> /2	
UNI	ACCILIENT	II AFFIAL	7//5-827041			770 472		
	_			<u> </u>		_ ↓		
-								
				-				
					_			



DATA PROCESSING BRANCH

USAFETAC

Air Weather Service (MAC)

DISTRIBUTION STATEMENT A

Approved for public released
Distribution Unlimited

Distribution Unlimited

ASHEVILLE, N. C.

85 10 03 073

a 1847 April 19

## REVIEW AND APPROVAL STATEMENT

The second secon

Mayor & M. G. Don

٠ ξ

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE

AD-A159639

	REPORT DOCUM	MENTATION	PAGE	,	
Ta REPORT SECURITY CLASSIFICATION		to RESTRICTIVE	MARKINGS	· · · · · · · · · · · · · · · · · · ·	
Unclassified 2a SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION	I/AVAILABILITY OF	REPORT	
2b DECLASSIFICATION / DOWNGRADING SCHEDU	ı E	Approved	for public r	elease;	
2B DECEASSIFICATION / DOWNGRADING SCHEDU		distri	bution unlimi	ted.	
4 PERFORMING ORGANIZATION REPORT NUMBE	R(S)	1	ORGANIZATION REA		5)
usafetac/ds-84/04/		USAFETA	C/DS-84/04/	,	
6a NAME OF PERFORMING ORGANIZATION	6b OFFICE SYMBOL (If applicable)	7a NAME OF M	ONITORING ORGANI	IZATION	
USAFETAC/OL-A	(п аррисание)	USAF. TA	c		
6c. ADDRESS (City, State, and ZIP Code)		76 ADDRESS (CA	ty, State, and ZIP Co	ode)	
Federal Building Asheville, NC 28801		Scott A	FB, IL 62225-	-5438	
8a NAME OF FUNDING/SPONSORING ORGANIZATION	8b OFFICE SYMBOL (If applicable)	9 PROCURLMEN	T INSTRUMENT IDEN	NTIFICATION NU	JMBER
8c AUDRESS (City, State, and ZIP Code)	<u> </u>	10 SOURCE OF	FUNDING NUMBERS		
		PROGRAM ELEMENT NO		TASK NO	WORK UNIT
		İ			
13 TYPE OF REPORT 13b TIME CO Data Summary FROM JU, 16 SUPPLEMENTARY NOTATION	OVERED U 74 TO MAY 84	14 DATE OF REPO	ORT (Year, Month, De 84	ay) 15 PAGE	COUNT 120
17 COSATI CODES	18 SUBJECT TERMS (	Continue on revers	e if necessary and i	identify by bloc	ck number)
FIELD GROUP SUB GROUP  04 02	*climatolo	gy *weather	Meteorolo	ogical cond	ditions
01 01	<u>[</u>		(	continued	over)
A statistical data summary of MCENTIRE A, This summary is similar to the (RUSSWO), but is based on data i.e., those that take weather The summary is in five parts: PART C, Surface Winds; PART Summaries; and PART F, Press See USAFETAC/TN-8 001 (AD-A1 Surface Weather On orvations instructions for a constructions.	surface weather  NGB 500TH  e Revised Unifor a collected from observations le PART A, Weath D, Ceiling and ure Summaries. 32186), An Aid	r observation AROLINA rm Summary of limited-dutess than 24 for Condition Visibility; Note that P. for Using the complete description	f Surface Wea ty weather ob hours a day, s and Atmosph PART E, Psy ART B, Precip e Revised Uni	ther Observing st 7 days a wateric Pheno chrometric itation, i form Summa contents a	tations; week. omena; cs omitted. ary of
UNCLASSIFIED/UNLIMITED EX SAME AS F	RPT DTIC USERS		Unclassifi		
22a NAME OF RESPONSIBLE INDIVIDUAL Marie Wakefield			(Include Area Code) ~2625	1	YMBOL PAC/LDD

DD FORM 1473, 84 MAR

83 APR edition may be used until exhausted All other editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

# UNCLASSIFIED

18. Subject terms cont.

winds precepitation

temperature

visibility

barometric pressure sky cover

relative humidity psychrometric data

ceiling

Limited Surface Observations Climatic Summary LISOCS

MCENTIRE ANGB SOUTH CAROLINA


COLUMBIA SOUTH CAROLINA

CONGAREE AGB

EASTONER SOUTH CAROLINA

USSC 723105

The number that identifies the station in this summary is an AWS Master Station Catalog number. This number is comprised of the WMO number with the addition of a suffix zero; or, in cases where there is no designated WMO number, a 5-digit number created in agreement with WMO rules, plus a sixth qualifying digit. These numbers (also referred to as DATSAV or USAFETAC numbers) uniquely identify each of more than 15,000 reporting stations around the world. This is the provenance of the number (e.g., MSC 999999) which will appear on future OL-A standard products.



OPERATING LOCATION "A" USAFETAC, ASHEVILLE NC

# LIMITED SURFACE OBSERVATIONS CLIMATIC SUMMARIES (LISOCS)

DEFINITION: A RUSSWO-like set of summaries of hourly observations for the station's normal operating hours.

Hourly Observations: Those record or record-special observations recorded at established hourly intervals.

#### General Comments:

- 1. The hourly data are screened to exclude extraneous or occasional hours outside the normal observing hours.
- 2. A brief description preceeds each summary.
- 3. Summaries containing "TOTALS" and "ALL HOURS" are only from the hours summarized. These values are representative only for the operating hours.
- 4. The monthly and annual "ALL HOURS" summaries are not presented because they are not representative, and would result in meaningless or biased values.
  - 5. There are no "Sky Cover" nor "Sea Level Pressure" summaries for METAR stations.

Table of Contents: AWS Form 2 "Station History"

Part 1: Weather Conditions

Part 2: Surface Winds

Part 3: Ceiling Versus Visibility; Sky Cover

Part 4: Daily High, Low, Mean Temperatures; Max High and Min Low Temperatures;
Psychrometric Tables; Mean and Standard Deviation of Temperatures; Relative Humidity

Part 5: Station Pressure; Sea Level Pressure

Standard 3-Hour Groups: All summaries having diurnal variations are summarized in 3-hour periods corresponding to the following sets of hourly observations and limited to normal observation reporting hours (LST):

0000-0200	1200-1400
0300-0500	1500-1700
0600-0800	1800-2000
0900-1100	2100-2300

Note that the first and last hour groups may or may not contain all three hours. See hours summarized on front cover to determine which hours are included in these two hour groups.

	O ON SUMMARY	STATION NAME		LATIT	UDE	LONGITUDE	FIELD ELEV	FT) CALL	SIGN	MMO MUMP
7231	.05	MCENTIRE AGB SC/EASTOVER		N :	33 55	W 080 48	251		MMT	
		STATION LOCATION	ON A	ND II	NSTRU	MEN1	ATION	HIST	ORY	
OF OF		GEOGRAPHICAL LOCATION & NAME	TYPE OF	<u> </u>	LOCATION	LATITUDE	LONGITUDE		ON ABOVE MSL	CBS
LOCATION			STATION	FROM	TO	<del> </del>		FIELD (FT)	HT BARD.	DA"
1 2 3	-ame	e AGB E <b>astover</b> SC	AGB Same Same	Mar 59 Oct 61 Nov 61	Sep 61 Oct 61 24 Nov61	N 33 55 Same Same	W 080 48 Same Same	251 Same Same	None 243	10=24 10=24 10=24
4	et: dea	activated 24 Nov 61 and ed 5 Sep 62	Same	1	4 Sep 62		N/A	N/A	Same N/A	AVS.
5	Mathtir	re AGB SC	AGB	5 Sep 62		N 33 55	W 080 48	251	261	24
6	ame		Same	Mar 64	Feb 69	Same	Same	Same	296	24
7	ame		Same	Mar 69	Dec 74	Same	Same	Same	2H.V	24
}	an∈		Same	Jan 75	Feb 77	Same	Same	Same	24 %	Mon-Fri Sat-ou:
9	ame		Same	Feb 77	Dec 83	Same	Same	Same	241	Jame
NUMBER Of	DATE OF	SURFACE WIND	EGUIPMENT	INFORMATION			DE MARKE AN	NITIONAL FALL	OMPH* 00 05	ASON FOR CHANGE
LOCATION	CHANGE	LOCATION		TYPE OF TRANSMITT	TYPE OF RECORDER	CROUND CROUND	REMARKS, RU	DITIONAL EVOI		
1	Mar 59	Located on top of hangar		Selsyn	None	100 ft	RO-362 F	elocate	d to Ope	rations
2	Feb 61	Located 175 ft from Base C	perati	on AN/GMQ	-14 MI20	4A 10 ft	Bldg #24	9 Room	135 Feb	77.
3	24 Nov61	Station deactivated.		]		1	1			
4	5 Sep 62	Located on roof of Base Or			1		J			
5	Mar 64	Located 400 ft N of control 125 ft from Taxi Strip.	I towe	r, AN/GMQ	Same	11 ft	1			
6	Feb 67	Located 1100 ft from end of 31, and 700 ft SW of center			-1 None	13 ft				
7	Mar 69	runway. Located 775 ft SW from cer 375 ft from end of runway	terlin	- 1	RO-36	2 Same				
8	D <b>e</b> c 70	Same		same	Same	Same				•

CONTINUED OR REVERSE SIDE

USAFETAC FORM NOV75 0-19 (OL A) PREVIOUS ECUTIONS OF THIS FORM ARE DESOLETE.

MBER OF	DATE	SURFACE WIND EQUIPMENT IN	FOR MATION			
OF ATION	OF CHANGE	LOGATION	TYPE OF TRANSMITTER	TYPE OF RECORDER	HT ABOVE CROUND	REMARKS, ADDITIONAL EQUIPMENT. OR REASON FOR CHANGE
•)	Feb 77	Located approx 1000 ft SW from centerline, approx 2000 ft from end rnwy 32.	Same	R0=362	5 ft	
		•	*			
			<u>.</u>	]		
		-				

68-6073

١ ن

OPERATING LOCATION "A" USAFETAC, ASHEVILLE NC

#### WEATHER CONDITIONS

PART 1

This summary is a percentage frequency occurrence of various atmospheric phenomena and obstructions to vision, derived from hourly observations, and is presented by month by the available 3-hour groups.

Thunderstorms -- All reported occurrences of thunderstorm, tornado, and waterspout.

Rain and/or drizzle--All liquid precipitation, falling to the ground, not freezing.

Freezing rain and/or freezing drizzle (glaze) -- Precipitation falling in liquid form, but freezing on contact with an unheated surface.

Snow and/or sleet (ice pellets)--Included are snow, snow pellets, sleet, snow grains, ice crystals, and ice pellets. (Snow pellets also known as soft hail.)

Hail--Occurrences of hail.

Percentage of observations with precipitation—Included in this category are the observations when one or more of the above phenomena occurred. Since more than one type of precipitation may be reported in the same observation, the sum of the individual categories may exceed the percentage of the observations with precip.

Fog--Included are fog, ice fog, and ground fog.

Smoke and/or haze--Occurrences of smoke, haze, or combinations of smoke and haze are included.

Blowing snow--Occurrences of blowing snow.

Dust and/or sand--Included are blowing dust, blowing sand, and dust.

Blowing spray--This item if reported, is not shown in a separate category on this form but is included in the computation Percentage of Observations with Obstructions to Vision, below.

Percentage of observations with obstructions to vision—Included in this category are the observations when one or more of the above obstructions to vision occurred. Since more than one type of obstruction may be reported in the same observation, the sums of the individual categories may exceed the percentage total columns. Also, although precipitation may reduce visibility, it is not considered an obstruction to vision for purposes of this summary; therefore, the percentage total of obstructions to vision need not reflect the total observations with reduced visibility.

Continued on Reverse

- NOTE: 1. For METAR stations beginning Jan 68 and Synoptic reporting stations, only the highest order of atmospheric phenomena was reported, recorded on the AWS Forms 10a, and transmitted longline. Beginning Jan 70, METAR stations recorded all atmospheric phenomena on the AWS Form 10a, but transmitted longline only the highest order. For example, if the observation consisted of rain, fog and smoke, only the rain was transmitted longline. Our data base, as a result, contains only rain for that observation. Because of these reporting procedures the summaries for METAR and Synoptic reporting stations are highly questionable in the hourly summaries. This primarily effects the obstruction to vision columns, but may also have minor effects on the precipitation columns.
- 2. When the value of ".0" appears in the summaries, it represent one or more occurrences amounting to less than .05 percent.

AL TOTAL TOLLTON FOR ASSERT

#### **WEATHER CONDITIONS**

_			
	STATION NAME	_ <u>^ 5 - 8 4</u>	1.5.171
STATION	STATION NAME	YEARS	MONTH

# TO SOCIATABLE FOR JUSTONY OF DECERBED FOR SEATHER CONTITIONS THOSE HOUSEN PURSERVATIONS.

MONTH	HOURS (LST)	THUNDER.	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	S OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
! 		:					1						
		-											
; <del></del>			1	• •	1 • 1	~	12.0	¿÷•€.	201				
	-11	-	1	. 7	• 4		11.0	71.6	4			<u> </u>	ذ :
	1 -1 -		11.	. ?			1-01.	17.02	ے و ذ			. 17 aŭ	
	1 -1:		. 7	• 2			از و د	1 . 3	406			14.	
<del></del> ;	. ; +7		<u>, , q</u>		1.1		11.	12.9	2.3			1:	
	1-23		11.2		• •		11.	13.5	1.7			14	
					!	- <u>-</u>	+			•			
							·					•	
					!							<del></del>	
TOTALS	······································		·	· · · · · · · · · · · · · · · · · · ·		<del></del>						<u> </u>	

USAFETAC FORM 0-10-5(QL A), PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

SOFT SERVICE CARE

# **WEATHER CONDITIONS**

STATION	STATION NAME	7: - 2 4 YEARS	MONTH
SIAHON	STATION TAME	TEAKS	MONTH

. C PEANE ERECHANCY OF OCCUPANTION OF WANTHE

MONTH	HOURS (LST.)	THUNDER- STORMS		FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	S OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
	<u> </u>			i									
		·		•			· · · · · · · · · · ·			ļ			
		·		4			1504	75.3	ده ن			. خالف	غية
			<b>2</b> *:	بذه	. <u></u>	<u>.</u>	_1	11.3	ە د ئ	<u> </u>			
·	1 -1.	<u></u>	1 2 • 1		_ 1=4	• 14	11.4.	11.2		-		14.1	<u>. i</u> .
	1 -1	:	€ 3				17.4	17.7				11.3	
+	=====	<b>ند</b>	1	أستع بالأ			-1-07	11.3				14	57
	<u> </u>	1		1		<del>-</del>		<u> 11 ez</u>				1	
•		•		•								•	
			-	•			1					· · · · · ·	<del>-</del>
		†	<u>-</u> _	<del></del>								 	
TOTALS				1			1000	14.4	, ,				4.7

USAFETAC FORM 0-10-5(QL A), PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

 $\mathbf{I}$ 

1700 1701 - 1804 1804 (1806)

# **WEATHER CONDITIONS**

STATION	STATION NAME	Ting (4) YEARS	мойтн
JIANON		T EPING	

CONTACT FOLLOGISMS OF OCCURRENCE OF ALATHER CONTINUE TROP HOUSELY DESERVATIONS

MONTH	HOURS LST	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	S OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
				•									
	<u> </u>									•			
	<u>.</u>	• •	<u>• 1</u>	: : !			1	<u> </u>	7.,	ļ 			<u> 556</u>
. =	<u>-: i</u>	· <del>-</del> -	1	<u> </u>	• 4	• .2	11	14.1	7.1	+		14	23:
	1 -1-		2 • 5		•	• 1		7.8	4 - 3			. 11.:.	
	. <u>1</u>	1 . 5	1.8				•	<u> </u>	3.5	+	2	1.41	
		·		ļi			-	5.3			3	11.1	
	1-23				•1	<del></del>	١,٠٤	y <u>.s</u>		-		11	<u> </u>
	i •	i .	· · · · · · · · · · · · · · · · · · ·			<del></del>							
	· •						1					·	
								<del> </del>		ļ			
TOTALS		i	و و			1	2.5	ر م	. 4		1	15	47.5

USAFETAC JULY 64 0-10-5(QL A), PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

**WEATHER CONDITIONS** 

STATION

TO CONTAIN FREQUENCY OF ONE PRENCH OF WENTHUS INVESTIGATIONS FROM HOUSEY OBSERVATIONS

MONTH	HOURS (LST)	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND: OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
<u> </u>	. <u></u>	+					ļ			! !	·	<del></del>	
	_	ļ					<u> </u>						
	-:	1 1.4	1.				<u> </u>	2.07	د ما			·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	
	<u>-1</u>	1 2	Ç .	<u> </u>			5	9.1	<u> </u>		!	. 13./.	<u>:_</u> _i
	1 -1	1	ا و د	<u> </u>		<u> </u>		1_4		:	!	1.1	243
	1 -1	1 10		·			; <u>7.1</u> ,	4.1	lat	-		L. <u>50</u> 4	1
		1.	ا ع خ	ļ	·			ن و تا			•	5.44	717
	1-2		4.	; <del>!</del>			. 4.	7.5		! 	<u> </u>	0.1	
	<u></u>	<u> </u>		<u> </u>						i 		· •	
			·				<del> </del>		-		-	<del></del>	
				<u> </u>						: 	!		
	<del></del> -	<del> </del>		!				-		-		<del>  </del>	
TOTALS		1.1	• 4				أ أ أ	5.7	3		L	11.	45.1

USAFETAC JULY 64 0-10-5(OL. A), PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

The state of the s

717 717 117 Stevillor At

#### **WEATHER CONDITIONS**

MONTH -

STATION	STATION NAME	LAKS
-(	UP TABLE FORDERNOS OF GOODBRENCH OF WEAT COUNTRY STOM HOURLY OBSERVATIONS	≃(°>

монтн	HOURS (LST.)	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	S OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
	<u></u>												
			ļ 	:   								<del> </del>	
	i ! <del></del>	• 1	3 • <i>1</i>				: . ?	, <b>5</b> , 5	<u> </u>		l		<u> ::7</u>
	11	• •	4 . 2				4 • 6	<b>5 •</b> 4	12.;			. 17	:_)
<del></del>	1 -1 -	• 7	5.6	<u>.</u>			5.6	2.5		<u> </u>		1:0.	<u> </u>
	1 -1"		3.0				ي د	3.5	7.0			14.5	731
	·? J	4	7.				7.0	4.8	De:	 <del> </del> -		1100	7
	<u>ز - !</u>	4 • 5	<b>5</b> • 1			<u> </u>	5.5	5.6	5.4			1:	<u> </u>
	 				:		1						
												<del></del>	<del></del>
TOTALS		• 3	ړو د					٤ . ٤	10.2			16.04	4.42

USAFETAC  $^{\text{FORM}}_{\text{JULY 64}} = 0.10 \cdot 5 (\text{OL}, \text{Å})$ , previous editions of this form are obsolete

- - -

-

. \_\_\_

--- --

Para Carrier Carrier (A. S. The source in the state

## **WEATHER CONDITIONS**

STATION	STATION NAME	7.4	MÖNTH

# Control for the concurrence of the weather control for hopem deservations

монтн	HOURS (L.S.T.)	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND: OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
	<u> </u>	•						_				<b>.</b>	
	, <u>-</u> ~	ļ									-	<del>,</del>	
	<u> </u>			i				33.2	د. 77	<u> </u>		47	· · · · ·
	-13	• 1,		i			1	4 . 4	17.1			21	
	11	<u> </u>				<del> </del>		1.7	12•3	<del></del>		. 13	<u> </u>
;	1 -1.	7.7					- 6-1	1.5	1607	<del></del> -	<b></b>	14.4	
!	1 -5	7 • 13	7 • 5				7	4.0	12.50			11.4	7 s
	1-23	F • 5	5.5	-			5.9	3.2		· •		<u>, 1°•1,</u>	
				-						<del> </del>	:		
TOTALS			11				2.4	7.5	1.				46.5

to the following Architectures (The Control of Transfer of Transfe

# **WEATHER CONDITIONS**

STATION	STATION NAME	74 = 4 ° YEARS	MONTH

TAKE FOR SOME BOUND PRESENCE OF ASSESSED AND STATES OF ASSESSED AND SOME

MONTH	HOURS ,LST:	THUNDER- STORMS		FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	OBS WITH	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
_ ن				· · · · · · · ·			· 		<del>-</del>	•		•	
	<u>.</u> :			·					<u></u>	<del>-</del>			
	·	. • 7	<u> </u>			<u></u>		<u> </u>		<b>.</b>		. 12.1.	
		•	3.5				·	<u>4 ec.</u>		<b>.</b>		. 25.45.	21-
	1 -1	7.	4 • 1	i			4.1	1.3	ه فاعتبات	···· · ·		4	11_
	<u>1</u>	17.02	<u> </u>	1			<u> </u>		<u> </u>	• · · · · ·		_ <del>27</del> .	
		1 • 2	7.3	<u>.                                    </u>			7.5	<u>+, 7,</u>		<b></b>			. 711
	: <u>-2</u> 2	<u> </u>	· •	<u>.</u>					19.4	<del></del>			141
	· 	<del> </del>		· · · · · · · · · · · · · · · · · · ·						+		·-····································	
	<u> </u>			i	-		+			ļ			
	:   <del> </del>	!								j		+	
		<b></b>								ļ			
TOTALS		• 1	′. <b>.</b> 4				. 4	<u>. 4</u>	27.5	i L		31.1.	475

USAFETAC FORM 0-10-51 OL A), PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

\* 1

## **WEATHER CONDITIONS**

- 1	1997年 - 1998年 - 1997年 -	~ u = t 7	• •
STATION	STATION NAME	YEARS	MONTH
STARON	STATION NAME	TEARS	MONTH

# TO DESCRIPTION OF ACCEPACING OF ACCIDENCE OF

нтиом	HOURS (LST)	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	S OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
	<u> </u>	·					: !					·······	
	·	·	L	<u> </u>			· · · · · · · · · · · · · · · · · · ·						
	<u> </u>	<u></u>	4.00	ļ			<u> </u>	47.7	3	<u></u>		<u> </u>	13
	-11	4	<u> </u>				<u> </u>		76.5	<u></u>			
	1 -1	4 4	303	1			1 1.2	1.3	16.0	· 		1	<u>93'</u>
	<u>i -1</u>	10.2	<u> </u>	ļ 			+		1/•1	·		<u> </u>	
	1 - 7	/ . 7	5.9	İ			<u> </u>	4 • 4.	17.3	<u> </u>	· ·	27	
	1-27	4.	<i>F</i> • :	İ				<u></u>	<u>. 1500</u>			1:	<u> </u>
	! ! !		<del></del>	·					-				
		1		•			-						
				}			<del>                                     </del>						
												-	
TOTALS	i 	5	4.				4.0	11.5	شوند 2			1 28 4	4833

USAFETAC PORM 0-10-5(QL A), PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

# **WEATHER CONDITIONS**

	Catalan to F	74-8 *	
STATION	STATION NAME	YEARS	MONTH

#### TO USE HAME ENERGY NOW OF DECURRENCE OF KHAT ME REACTIONS OF ON HOUSEY PROBERYATIONS

MONTH	HOURS (LST)	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	% OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
	0-5		·				<u> </u>		<del> </del>	! !			
	<del>-</del>	i •	! : <del>!</del> -								!		
	· - · -	•3	1.4				7.0	<u></u>	1			<u>. 65.e7.</u>	-47
	-11	• 1	7 • 4	ļ			7.4	11.4	10.5			25.1	391
	1 -1-	1.	7.0				7.0	3.9	11.0			16.4	وي
	1 -1	3.4	2					7 و ذ	17.5	<u> </u>		13.	75.
	1 -30	?•9	5.3				6.3	ر و ب	11.5		·	17.	741
	1-2	7 • ž	7.1				7.1	9.4	9.6			1.85.	45.
	<u> </u>				· · · · · · · · · · · · · · · · · · ·							·	
					-				· <del></del>			<del>*</del>	
			ļ 				+					-	
*****							+	·	· · · · · · · · · · · · · · · · · · ·			-	
TOTALS		1.	7.5				7	14.4	13.4			25 . 41	4543

USAFETAC  $\frac{\text{FORM}}{\text{JULT 64}}$  0-10-5(OL A), PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

4

### **WEATHER CONDITIONS**

STATION	STATION NAME	74-27 YEARS	MONTH

L OF THESE TRANSPORT OF ACCIPATIONS OF ACATHESE CONTINIONS OF ACCIDANT

MONTH	HOURS (LS.T)	THUNDER STORMS		FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	S OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
	-	:						!				•	
-	<u>_3_=u</u>	i :								· ·		1	
		i	• • •	: L <del>-</del>			0	31.0	7.4			34 .4	
	1	• •	4.				<u> </u>	9.9	دوائ			. 1: • 7.	013
	1 -1	: <b>.1</b> .	4.2	· 			204	<u> 9</u>	آ و ذ	·		. 4.	i_
	<u> </u>	i	• 4	<u></u>			4 . 4					<u> </u>	<del></del>
	<u></u>	- · ·	<u>ز و ر</u>						201				761
	1-2	ļ	لود					4 . 6		·			<u> </u>
	· 	<del>}</del>		·———		·				·			
				· · ·						· •————	<del></del> ·	•	
									···		·		
TOTALS								<u> </u>	и. с			17	47

USAFETAC FORM 0-10-5(QL A), PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

وره ومعهم

....

-----

10 1. Institution (44.0) 10 11 10 2000 In (44.0)

## **WEATHER CONDITIONS**

•	SENTIAL LARE INC	74	6.27
STATION	STATION NAME	YEARS	MONTH

# THE CONTACT FOR SOME REPORT OF ACATHET CHARLES OF ACATHET

MONTH	HOURS LST	THUNDER- STORMS	RAIN AND OR DRIZZLE	FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW	DUST AND OR SAND	* OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
<u></u>													
									-		·		
		• 2	: • 1		• 4		1	3 . • 2	4		<u> </u>		£ 4 7
	<u>- · !</u>	• • •	<u>• i</u>				• 1	1-02	غود		· 		
	1 -1	1	1.3	+			7	. ಕ.ರ	4 . 4	· · · · · · · · · · · · · · · · · · ·	i	. 11.	965
	11	·	<b>6</b> •				6.	د و ن	- 49	+			<u> </u>
·	<u> </u>	<u>.</u>	7.4	ļ			7.4	9.7	3.4			1204	7.65
	1-73	l <u>•</u> 2	<b>9 •</b> ⊆				9.5	11.4	غاه غاه		·	15.1	685
		· • i										•	
	·								· <del></del>		<u> </u>	•	
							-						
TOTALS			7.0				7.6	13.2	·			16.7.	<del></del>

USAFETAC PORM 0-10-5(OL A), PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

٠,

#### **WEATHER CONDITIONS**

STATION	STATION NAME	TH-3T YEARS	HTHOM

N. C. STATL FREEDITH CY OF OCCUPATIONS OF WESTHER C. DIFTINGS TABN. HOUREN. DESERVATIONS.

MONTH	HOURS (LST)	THUNDER- STORMS		FREEZING RAIN & OR DRIZZLE	SNOW AND/OR SLEET	HAIL	% OF OBS WITH PRECIP.	FOG	SMOKE AND OR HAZE	BLOWING SNOW		S OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
;	<u></u>	-					<del> </del>				· · · · · · · · · · · · · · · · · · ·	·	
	-	<u> </u>		-	- 1	,	<del> </del>	·		<u> </u>			
			11.	<del> </del>			11	24.6		<u> </u>		1100	- 332
	-11	• 1.	12.1	ļ			1.41	17.8	<u></u>			<u>- 21</u>	37
	1 -1	4	1.05	ti			<u>, 1,00%</u>	lue?				<u>. 13.41</u>	_ <u>_ ¥43</u>
	<u>, -1</u>	-3		<del></del>				11.4	نعنــــ			12.5.	
	<u>-1</u>	- 1	1303	L			1604	12.8	lsi	<u> </u>		<u>. 13.4.</u>	711
	1-2	ļ ———					704	14.5	1.5				_ <u>50</u> 2
<u></u>	<u> </u>					<del></del>	1						
								- <del></del>		<del>!</del>		•	
												i	
TOTALS			1				1.00	15.3	2.3			1.7	4 2 7 5

USAFETAC NUMBER 0-10-5(QL A), PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

# **WEATHER CONDITIONS**

STATION	STATION NAME	Tu = 34 YEARS	MONTH

THE CONTACT FATTOM ROW OF OCCUPATIONS OF WEATHER DANGER AND FINAL PROPERTY OF SERVATIONS

монтн	HOURS (LS.T.)	THUNDER- STORMS		FREEZING RAIN & OR DRIZZLE	SNOW AND OR SLEET	HAIL	% OF OBS WITH PRECIP	fOG	SMOKE AND OR HAZE	BLOWING SHOW	DUST AND OR SAND	S OF OBS WITH OBST TO VISION	TOTAL NO OF OBS
				- 4			11.4	17.0		<u> </u>	·	. 1: . I.	6:7£
			<u> </u>			• ]	10.3	14.4	3,6			1:.1	42.7
: • • •	<del>-</del>		,	•	• -4	1	9.0	1 < . 0	4, , 3		• 1	. 15	4725
		1.1					6.6	3.7	3.3	! 			5551
,			t. • 2	:				<u>5 • 6</u>	آويا	: -		. 1	451.
		<u> </u>	<u> 5.4</u>	ļ				7 • 5	1:00	<del>,</del>			4112
ر ر			5.4	, 			5.4	5 . 4	27.9	<u> </u>		<u> </u>	4750
,		• 5	4.				4.0	11.5	٠	ļ		. 24. <b>9.</b>	4633
		1 1	1.5				7.	14.4	13.4		, <del>-</del>	<u>, 25 • 8,</u>	4:44
		.	., •				3.0	7.4	4.9			13.	4772
4		- 3			•		7.6	13.2	4.4			1:.7	447
o (			1				20.0	15.3	2.3			17.5	4:74
TOTALS		_ 1.	7.4	. 1	• 🕹	•	7.5	11.9	÷ • 4		• 1	25.00	

USAFETAC JULY 64 0-10-5(OL A), PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

OPERATING LOCATION "A" USAFETAC, ASHEVILLE NC

SURFACE WINDS

PART 2

Presented in this part are various tabulations of surface winds as follows:

Bivariate percentage frequency tabulations: Derived from hourly observations, these tabulations are a percentage frequency of wind directions to 16 compass points and calm vs ll wind speed (knots) increments in Beaufort classifications. Percentages are shown for both directions and speed, and in addition the mean wind speed is given for each direction.

A separate category is provided on the form for variable winds, which are reported in some data sources. In these data where light and variable winds are reported with no directions but with speeds given, the speeds will be summarized in the appropriate groups opposite the column headed VRBL.

These tables are prepared for all years combined, by month by available 3-hour groups.

A percentage frequency of ".0" in these tables represents one or more occurrences amounting to less than ".05" percent.

1

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		11-1-	STATION	NAME				4		TEA85			j	7.4 - -
		_				ہا خطف	ATHE						HOURS	
						Ī								
		_				COM	DITION		··					
<b></b>	<del></del>		· · · · · · · · · · · · · · · · · · ·								-			
SPE (KN) Dil	TS)	1 - 3	4 - 6	7 - 10		17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	=;	MEAN WIND SPEED
N	1		11	lal										
Nh.		1	1.7	1.1									. 1.4	- 4
_ N	E	1	1 - 1	<u> </u>				·		•				4.
EN			: 4				i •	·	i	•			1 1.	4.
E		<u> </u>	1.1	• '						•				
ES					1	· · · · · · · · · · · · · · · · · · ·								
SE	E												. 41.	٠. ا
SS	iE		<u> </u>											4.
_ s	1			• •					i					7.
SS		•	•2	• .				i	1					
sy	w		<u>! _ l • l .</u>	• '				i	İ					4.
ws	sw _	1	2.3	• ີ	. 4	• 2	[		I					
[ w	v	1.1		7.1	. 2	• 2								
WN	w i		2.7	1.1	. 4								- 4 2 .	
N	w	1.	. (	. 4	. ?					· ·				7.4
NN VAR	W	. ?	• ?	- 4						ļ	•			<b></b>
CAI		$\sim$		$\overline{}$	$\overline{}$	$\sim$						-	47	
		21.0	25.3	7.5	1.5	.4	>	[ ====	<u> </u>	*	ቁ ·	•	TT .	

TOTAL NUMBER OF OBSERVATIONS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		<del></del>				A 7 - E			<del></del>			HOLRS
					con	DITION						
SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	¢,
N .		7	_ 1					<del> </del>			<del></del>	
NNE .	. • .	·_• '.						·				
NE .	. • :		_ `•_`	· <del>•</del> -								
ENE	. ì• .	•										• • .
Ε	· = ;=•· •	= • • • •	<u> </u>	<u>-• 1</u> .								_ • - •
ESE SE	•		·- · • ·					•				
SSE	• • •	1.5	<u>-</u>	· · · ·				•~			-	
S	•	1 • 1 · ·	•••	. i	· · · · · · · · · · · · · · · · · · ·			· · ·		- •		
ssw			-					<del></del>				1.7
sw	· ·	i •		į				•	-·· ···			
wsw	· i. ·	1.	1.7	• 1	• 1			•		•		
<b>w</b>	,	, u	4.	1.7	• 1	• !						11.:
WNW	• .	• 1	2.									7 ± ∞ .
NW .	1 •	1.1.	•					1				1.
NNW .	• ,	1.	• 7	1				·				<u>.</u>
VARBL	ا	<u>.</u>		ار		برسست. ـ ـ ي		لرل	<u>ح</u> ر – – ب			
CALM	<u>  -×</u> {					$\geq \leq$		$> \leq$	_><	$\geq \leq$	_	16.5
•	23.	37.7	د ۱ ، ۶	3.5		• 1					•	

AL ILIMATELOSE PHANCH

#### SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

TION		1191 .	STATIO	- MANE		<del></del>	<u> </u>	- : 4	<u>-</u>	YEARS				A .
		_					EATUED USS						_1	-1422
						·	~ <b>~</b>						40045	,,,,
						con	DITION							
ſ		1								T				
	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	90	MEAN WIND SPEED
Ī	N		` <u>c</u>	7 ~	7					•	•		2.4.	5.7
1	NNE		5.4							!			7.	1.
1	NE		2.1	1.5	• 1		i <b></b> -			<u> </u>			<del></del> .	5.7
l	ENE		1.	1.1		!			<u> </u>	<u> </u>			لمد.	<u>: 2</u>
L	E	?•	7.5	• =			L			<u> </u>				4.1
L	ESE	<u> </u>	1.4	• 1						<u> </u>			3	٠.٠
	SE	1.1	•	• i	• 1	i				<u> </u>				4.2
	SSE	1.7	1.7	• 7										7.د
	S	:	1.		. 3								<u> </u>	0.4
ĺ	ssw		1.	• 「	. 3								L	. E.3
	sw	1.2	7.1	1.4		!								ک د د
	wsw	1.1	?•7	4.2	5								Eat.	فعظ
[	w	1.7					, ?		!				14	ده
[	WNW	1.	2.3	4.5	. 7					:		· · · · - •	. بغود .	7.1
ſ	NW		1.	3.7	• •				<u> </u>	<u>.                                      </u>				<u> </u>
I	NNW	·i	1 •	2.	• 1				1					5.2
ı	VARBL										• • •	•		
ľ	CALM		$\times$	$\geq \leq$	><	><	$\geq$	$\geq \leq$		$\geq$		>- (	7 • •	
ſ			7	7.4		1	_				1		•	

USAFETAC FORM 0-8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

.

•

TOTAL NUMBER OF OBSERVATIONS

.. -

---

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	•	<u>-' - ' '</u>	STATION				75.	- 4		YEARS				A:
			STATION	HAME						YEARS				ONTH
		_					LATHED LASS							-1704
						-								
							DITION							
					·						·		···	
SPE		[			1			İ						MEAN
IKN		1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 · 55	≥ 56	٩,	SPEED
	1	•	2.3	3.	. 4				-		•			
N	4E	1	1.	1.									.ن.و	عود
N	Ε			•	• 1						•		4	5.2
EN	łE .	• `	٠, ٠	• '	• 1						•			4,4
E		7.1	2.	• !				·			• •			3.0
ES	iE ;	1.	1.4	• 1							•			3.7
SI	E		1.	• !			-			•	+			4
\$5	E	1.	1.1	. 6	•		<del>-</del>				•		3.;	,
s	- 1	1,71	•		. 5		ļ	·			•			5
55	w		1.7	• 5	1						<u>+</u>			4 , 4
51		•	3		. 4		•				··· · · ·			U . 4
WS		, .	2.3	7.5	1.1		·			!			7.	7
W	,		4.7	· 7	1.3	• 5						•		7.4
WN	w	1 •	2.3	4.	1.5		<del></del>			1	•			7.
N/	w		?	1.	- 1	!				<u> </u>	1			ن و ا
- NN	w †	1.	2.6	1.7	, ,		·				• •		مى <u>د</u> . .دەر	5.3
VAR	RBL						<del>                                     </del>				<del></del> •			· · · · · · · · · · · · · · · · · · ·
CA	LM	><	$\sim$					<b>\</b>				`\ <b>`</b>	13	
-						-			$\leftarrow - \rightarrow$		∳€S-LLENY I	Ξ.		
1	N N	1			/ 3		1		1	1				'

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM JUL 64 0-8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		STATION	MAME						EARS			· · ·	A '-
	-				ALL	EATHER CLASS							- 2 - 7 (L 6 T )
				<b>-</b>	co	HDITION							
										_			
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 · 21	22 - 2.	28 - 33	34 - 40	41 - 47	48 55	≥ 56	م	MEA! WIN! SPEE!
N	2.2.	1	_ 1.1.			+						֥ i -	4
NNE						<del>-</del>		· 	<del> </del>			بتهم	4
NE	· - ·	1.1					<u> </u>	ļ		·		. 4 . 7 .	. 4
ENE	1.	_ •		• 1		·		<u> </u>					_4
	1.	• 3				i					<b></b> .	بشوعد	
E												A 7 .	
E ESE		• * '	• 1	and the second s									
E ESE SE			<u>• 1</u>	:					}			1.5	3
ESE		· • - • - •					· 	•		···-	_ · · · ·	1.a i	4
E ESE SE												1.a.i 	

									TOTAL NU	MBER OF OI	SERVATIONS		• •
	23.	15.4	ောဂ		<u> </u>	<u> </u>	L		<u>L.</u>	<u>↓</u>	<u> </u>	12	_2.5
CALM				$\leq \leq$						42		42.4	· ===
			$\overline{}$	~	<del></del>	<b>*</b>	<del>                                     </del>	<del>                                     </del>	<del></del>	<del></del>	<b>本ミニシー</b>	•-	
VARBL	•	├── <u>•</u>				<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del></del>			نمد
NNW	1.	• 7	<del>-</del>		;		† <del></del>	<del></del>	†	·		<del></del>	, ,
NW	1		• 1						!		·		3.3
WNW	1.	1.	•	. 7		Ţ						. 4. a.E	5.0
w	. 1	4.		1.5				·	i	1		llai.	قمځ
WSW	1.	1.2	. 4		i	1	<u> </u>	·		1			فمد
sw	11 •	a	. 7	• 1	· 	-	<del>i</del>	<u> </u>		1	<del></del>	لتعتب	. 4.5
SSW	•	1.4		· · <u></u> · · -	·	· <del></del>	·	·	1 +	·			4.4
<b>S</b>	<u> </u>			4	·		<del> </del>	 	i				تمك
SSE	·	<del>- 3</del> .			·				<u> </u>			* Ī	4.4
. SE	· · · · · ·	•	•1			1		+				1.a ±.,	شعذ
ESE	· · · <del>_ •</del> _ ·	·			·	ļ		·	<u> </u>	<b></b>		. تـه	عمد
	·	• 2 1				<del></del>			<del></del>	+		بيشهد	لامن


#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		STATION	MAME		73 - 14 16485								BO511		
					ALL CAY JED							HOURS , S T			
					COI	MDITION									
SPEED (KNTS) DIR	1 - 3	4 · 6	7 - 10	, 11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 55	≥ 50			#: AN # Ni Setti	
N	1.	1.7	•	• 1		<del></del>							-		
NNE	• 1	1.1	•		•			•	•				-	1.0	
NE	: 1	1.1		• • • •			•	•	•	•	•			. • .	
ENE		1.7		•	•	•	•	•	•	•			• •		
E	•1	:		•	•	•	• -	•-	•	•			•	٠	
ESE						:	•		•	•			• .	***	
SE	•				<b></b> -			• • • •	•	•	•	**	. • -	. •	
SSE	<del>-</del>					<del></del>		•	•	•	•		. • •	-•.	
s -		• • • •		• 1		<del></del>	· ···	•	•	•	•		• •	•	
ssw	• • •	• ( )	<del></del> ,		· — —	<del></del>		·	•	•	•		• •	. • -	
sw	1.	1.1	1.1	:	·	<del>+</del>		•	• -	•	•		••	• ,	
wsw		1.4	• `	i	<del>                                     </del>	<del></del>		<del></del>	•	• •	•	-	• • •	- 4 4	
w		3 • 4	2.4	• 3	·	<del> </del> -		<del>-</del>	+	•			• •	- • •	
WNW		1.4	1.4	.7	<del></del>	<del> </del>		·	• • •	•	•	••	• -	- 1 -	
NW	-:-	• ,	. 4	•	İ	<del>†</del>		<del>+</del>		• -	•	•	•		
NNW		1.		• 7		<del></del>		<del></del>	<del>†</del> · · ·	• •	•	-	<b>*</b> • ′ .	- • •	
VARBL		<del></del> -i		i ——-				<del> </del>	<del>+</del>	•	•	•	•	J• ,	
					<del></del>	<u> </u>	<del></del>	<del></del>	<del>*</del> .	etc	-	_			

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0.8 5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)



TOTAL NUMBER OF OBSERVATIONS

USAFETAC FIRM 0 8 5 (OL A. PPTV JUS EDITIONS OF THIS FORM ARE DASOLETE

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

•			STATION NAME TEADS													
		_		SEL FATUE										HOURS .L S T		
		-		_ · •. · · · · · · · · · · · · · · · · ·			*DITION				-					
SPEEI (KNTS DIR:	ij .	1 · 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	a <sub>ç</sub>	MEAN WIND SPEED		
N		! •		1					···					L.		
NNE		<u>1</u> • •		. !• `.	• .					<u>.</u>				و ي		
NE.			<u>,</u>		<u>. • • .</u> .					• •	•		· • • • ·	رذ		
ENE		1, •	. •		. <u></u>	•	•						. • • .	4		
E .			<u> </u>	• • .			<b></b>							. د		
ESE	**	<u>•</u>		• • • • •										÷ .9		
SÉ								<b>.</b> .				•				
3SE			. •	. • • .									•	، ن		
{ s				•			•		•				•••	7.		
ssw	:		•										. • .	ч,		
sw		1	1.	<u></u> 4 .					•					•		
wsv	<b>.</b> ∐	• 1	1.	1.0			·	<b>.</b>	•					٠,		
_		1		7.7	· -• - ' .		<u>+</u>	·		<b>+</b> -			1.0.	9		
_ wnv	٧	_ •		- 4			· •	·						₩,		
l ww	- 4		<u> </u>	• •			i	Ĺ	ļ	: 		•	1.5.	÷.		
NNA	<i>,</i> "	٠.	1.						i					٠ ډ		
VARE	t B			i i					<u> </u>	Ĭ	1			-		
CALA	A	54.			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		<b>^</b> SK					-	~ 47.7°			
			¥`>		Fig. 1991 . 1991	F : >	<b>#</b>	<b>*</b>	*	*	¥ ≦ :	*	Tt 1			


TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0.8.5 (QL &F PRIV. HIS ECITIONS OF THIS FORM ARE UBSULETE.

ACCOUNTSTATED AND HARDEN STATE OF ACCOUNTS OF A SECOND

#### SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)



TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM | 0 8 5 (OL A) PRE- JUS EDITIONS OF THIS FORM ARE OBSIDERE

promise I

.

\_\_\_\_

..

\*\*

---

AL CLIMATOLOGY ANCH SETTO SERVICE MAL

#### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<u> </u>	STATION	-			75-			EARS.			
						AT JC 2						нои
	<del>-</del> .				CON	DITION						
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	. 11 - 16	17 - 21	22 · 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	a <sub>0</sub>
N	·•	2.1	7,4		• 1							
NNE	•		1.									
NE	'•1		1.4	. 4						••-		
ENE	•	1 • 7		• 1				·				
E	• -	. ?	1.	• 1						•		·•
ESE	1.1		• 1	• 1			·	<u>.                                    </u>	i			رفي• د
SE		1.		• 2					i 			
SSE		?•?		. 4	•———							<u> </u>
ss	1.	1.		• 1					·			
ssw	1 . 3		1 . °	1				·	<del></del>			9.4
sw	• 7		7,4	•	·				ļ	<del> </del>	•	<u> </u>
wsw	1.	· '•·'	4.7	1.1	<del></del>			! 	<u> </u>	·- ·		
w	1.1	3.	4.4							· •		<u>ئىدا</u> .
WNW	• '	7.7	5.	•	<del></del>					· · · · · · ·		<u>. 7. j</u>
NW_			1.7	·	<del></del>		L	-	l 	. ——		<u> </u>
NNW	•	1.	1.3	• 5	l t			i				<u></u> .
VARBL			L	Ļ	Ļ				ļ	<u> </u>	-	
CALM							><			``>×´		1 . 3

TOTAL NUMBER OF OBSERVATIONS

USAFETAC | TOTAL | 0 8 5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

TION		<u></u>	STATIO			<del>_</del>	71	<u>- : 4</u>		YEARS			<del>-</del> -	E 3
		-				the c	<u>`∆†⊣∈</u>						2	<del>-17</del> -
		-			··-	COM	DITION							
	SPEED (KNTS) DIR.	; 1 - 3	4-6	7 - 10	11 - 16	17 - 21	   22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	a <sub>g</sub>	MEAN WIND SPEED
Ī	N .		1.4	_ ;							-			7.
1	NNE		1.2			·			·					.5.
į.	NE	: 	2.	1.	1				<u> </u>	•	•			į.
	ENE	1.	1.4	• 1										4.
[	Ε	1.	2 • i	1.									1.	- 4.
	ESE	1.	1.7	, Li	• 1		:							4.
	SE	1.	1.		• 1	!								
	SSE		1.7	1.7	٠, ۲				*	•		• •		٤.
[	s	1 •	2.4	٦.,	• 1		!		:		•			مف
	ssw		?•	2.1	• 3		i						. <u>5.7</u> .	£.
[	sw	1.	2.1	7.		i			i	1	• -			6.
[	wsw	1.	2.7	7 , 7	• 5				1				. 7.4.	6.
[	w	1.	4.1	4 • `		• 3			1		-	•	1445.	5.6
[	WNW	1	2.5	7 , 1	1.3				1		•		. 1.	7.
	NW	1 .	۲ ،	2.7	. 4		i					•		
[	NNW		2.2						1			•		7.
[	VARBL	11					!			1	•			
ſ	CALM							> <				•	7.1	
ŀ			<b>*</b>	<u> </u>	·	<u></u>		<u> </u>	f :=::: =>	<del>f</del>	rene si	Ψ.		

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0.8.5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

- 41 | 1,18,70109M | 188 | 78 - 740 - 637 | 2 | 364417; 4847

# SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<u> </u>	<u> </u>	STATION	HAME	·		75.	- t 4	,	TEARS			£	<u> </u>
							2 T (2 2 LASS							-2-05
		-				con	IDITION							
	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	°c	MEAN WIND SPEED
-	N .			• ti	• :									
-	NNE	· <b>-</b> - · <del>-</del> ·	·	· · · · · ·			<del></del>						ia	3.5.
-	NE		·					•	<del> </del>	<del></del>			1	<u> </u>
H	ENE	1.	• • •	· - · - · · · · · · ·	•		<del>;</del>	•	<del></del>	t	*···			4.0
_	E	<del></del>					<del> </del>	•		<del> </del>	• •		<u></u>	3.6
	ESE	1.	7	.1		<del></del>	<del> </del>		1	+	•		<u>*</u> **	3.1
	SE	1.	• 1	• ^	• 1	<del></del> -	<del></del>			1		· •		٠.١
	SSE	•	1.7	•	. 4					-			* * * * * * *	7 •
	s	2	1.2	. 7		·	1	1		1	•			4.1
	ssw	.1	.`.?	• 4	• 1	-	ļ		1		•		. 1	4.2
_	SW	1.	1.7	1.5		•		1	<u> </u>		•			5.2
	wsw	1.	1	• 5	• 1		·							4.9
	w	2.	2.4	1.	1.2	!								6.6
	WNW	1.	• £	1.	. 4							<b>.</b>	٠.٠٠ و د	600
	NW	• 7	•	• 5	• ?					i	i		1.1.	6.7
L	NNW		1.7	1.7		I							َ ذَ وَ لَ	5.7
	VARBL	1					i							
	CALM			$\geq <$					$\geq \leq$	$\geq <$			u_•c	
ſ		27 )	1 5	17	, .	1						- 4	1.0	

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{FORM}{JUL..64}$  0-8.5 (OL. A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	ىز خيرا	STATION	MAWE		· · · · · · · · · · · · · · · · · · ·			<del></del> ;	TEARS				F 2
			<del>-</del>			LASS							<del>-27</del>
	_				COM	DIT(ON							
SPEED : (KNTS) DIR	1 - 3	4 - 6 .	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33		41 - 47	48 - 55	≥ 56	o <sub>e</sub>	MEAN WINE SPEES
N												÷ • • • •	
NNE		1	1.										. ت
NE	<u> </u>	1	2	e					<b>.</b>			1.1.	4
ENE	1. 1.	1.										2.2.	
E	·	1.4	•									2 • .7 -	
ESE		1.						· •				2.1.	
SE	• 1;	• 7						•				بشهد	4
SSE		* 7,	•				•					1.4.	4
. S	1	1.1	1.7					· · · · ·	•			. ــهد	5
ssw_						∤ ∔	:	·	·			1	3
SW	· · · ·	1.	1.7	· · · · · · · ·			<del></del>		! ! - <del></del>				خـــ
wsw	<b>↓</b>	1.1.				ļ		· •			-	2.4.	5
. <b>w</b>		1.	<u> </u>						•		· •	. چيھ آ	<b>L</b>
WNW		1.4	<u></u> :	25	2	ļ	<del> </del> -	<del></del>	<del>-</del>				. 6
NW	•		1.					<del> </del>		• = •	•	والمعاشد	ث
NNW	• •	1.	··_ ·•_ ·				<del> </del>	<del> </del>				1	د
VARBL	<b>-</b>	<u> </u>			·<>	<del></del>	\		<del> </del>	· 			
CALM												4 . • 5	


TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0.8.5 (OL. A) PRIVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TO THE SERVICE ALL

#### SURFACE WINDS


## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)



TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM | 0.8.5 (OL A! PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)



SPEED KNTS; DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	a <sub>p</sub>	MEAN WIND SPEED
н			٠										3.7
NNE		•	1 . 1						· .				6.42
NE	: .	. 4	1.4.3.					1					400
ENE		3 3											4.5
. E	• · .	1		-•								$=\frac{1}{2}$	حدد ـ
ESE	1.	1.2										_ • Z.	4.2
SE		• • •											5.1
SSE	•	• 11		.2									٠.1
s "	1 •	1.?	1.1	• ?									4.4
SSW	1.	• 7	•	. 2				T					- 4
sw	1.1	1.											. s. 1
wsw	1.	1.4	1.2									. 1.1.	
w ]	1.	2.5	1 . 2	• 7		1							2.5
WNW	1.		• 4				i						4
NW	<u> </u>	1.1	4									44.	2 a 7.
NNW		1.4	1.1	• ?			1	i					4.1
VARBL	I					*		i	_		_		
CALM	$[\times]$	$\geq 1$			><					``>~:`		3.2.	. =
	2 .	2 3 . 3 .	14.71	1.4						,		. 153	3.4

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)



SPEED KNTS- DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 55	÷ę	MAAM GMIW CAAR
N			11.	٠.`.									
NNE	•		1.77	•									ι <u>.</u>
NE	٠.	•	~ · ·	•		•	· · · ·						
ENE "				•					· - · - · ·				5.
Ε				, ,		•						. ,	
ESE "		•	• • •	• •			• • • • • • • •		•	•			
- S€	· ;•••	•	• •	, .					· · · •				٠,
. SSE	•	• •	• •	•		•				-			
	•	•	•	• 1									. 4
S	• •	•	• •	• .	• 1	•						. • .	. ŝ.
ssw _	, i•,	1.	1.	• : .									. 🖫
5W	٠.	1.	`• .						- · · ·			+ ₹.	<u>e</u> ≠.1
wsw "	1.	2.00	7	٠. ٦									7.
w			•	1.7									
WNW			1.	1.	• 1		•		•	•			 انگا
NW "						• · · · ·				-			
NNW - "		· ; ·	, .	٠, ٠		•				•			52.3
VARBL .	•		1 • .	• .								. 1.4	. ≱∎
		< > > <del>*</del>				جراء جي الحا	<del>ا</del> ر - ب	·		Ç			
CALM	, <del></del>	. •	-	<u>,</u> ₩ ( )	-	> 1	2*1	_> <b>~</b> (_, ,	$\rightarrow$		. •	•	
	¥	- +		- · · · · · · · ·	=-	Transfer or "T	Fi		<u> </u>	. ч	•.	n :	
	2 . 3	5- 6- 1	`• *	4 4	• .7		!					1	٠

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		<u>NIISE i</u>	STATIO	HAME						TEA RS			- 40	A =
		_					AT PER			· · · · · · · · · · · · · · · · · · ·			HOURS	<u>-147</u> ,
						CÓN	DITION							
	SPEED (KNTS) DIR.	1 . 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	1 41 - 47	48 - 55	≥ 56	••	MEAN WIND SPEED
	N			1.3	- 1				<del></del>					4.
[	NNE		1.	1.3							•		1.7.	سون نمنا.
[	NE	. •	1.	1.	• 1									
	ENE			• 45			!	:		i		- · · ·		4.
Ĺ	E	1.	1.	1.4	• ?		i			·			4.5.	نمذ ــــــــــــــــــــــــــــــــــــ
	ESE	1.	1.	1.4			!			!			Hat	5
	SE			1.7	• !								4 . 1 .	
	SSE			2.4	1		<u> </u>		·				. ت م	فمق
- [	5	1	1.7	3.4	5				<u> </u>					المالا
	SSW	1	· · · · · · ·	2 <b>.</b> '	2		ł	i	·	! •	i		===.	عد .
	SW.		<u> </u>	3.0	- 5	• 1	! <b></b>	L	·	! •————— -—	ļi			7.9
- }	wsw	4		3.7			L		<del></del>	•	4	•		. 27
-	w	i : : : : : : : : : : : : : : : : : : :	<u> </u>	1.5			ļ		·		· 		. <u>15.4</u> .	العاد .
ļ	WNW		<u> </u>	4,5	1.1		ļ		•		·		. عمد	. 7.1
	NW	· <del>*</del> <del>-</del> -	• • •	2.	. 5	<u> </u>			<del></del>	; <del> </del> -	·	<b>.</b>		7_3
j	NNW .		· · · · ·	1.7	2	·	· 		<b></b>		· · ·		ننفذ	Leal
	VARBL	ار	ļ	ĘJ			; •		<u> </u>		<u> </u>	<del>س</del> رت د پ	. :	
- 1	CALM			$\geq \leq$		$\geq \leq$			$\downarrow > \leq$	$\geq$		$\geq \leq $	1	.0.0.00
- 1		, ,	77	1.2 5			1				1			,

FUT THE STANTON MAC

# SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

<u> </u>		11723	BTATIO					- : 4		YEARS				A TH
BONTATE			BTATIO				_ 1 Y J D		·					-1772 (LST)
		-					DITION							
	SPEED (KNTS) DIR.	1 · 3	4 - 6	7 - 10	. 11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	٥,,	MEAN WIND SPEED
	N	1.	1.7	1.		1	<del></del>							
	NNE			1.	• 1					<b>+</b> ·	·			
	NE		1.4	. 7				•						5,5
	ENE	i .	1.		•					†	•			4.6
	E	+	, ,		• • •	•		•			•			ڏون
	ESE	1?	h		• 1				·	<u> </u>	•		····	5.1
	SE	<del>+</del>	7.7	1.			!						. خود منهود	5.7
	SSE	1.	2 .	1.6	•	•		<del></del>		<del></del>			ىمىلىكى ئافۇرۇ	<u>تورک</u>
	- s	1 .	; • -	3.7		•		:			•		1132 . 	6.5
	ssw	1.	2.5	7.	÷	•	·			1	<del></del>		· = <del></del> · ·	-ععد تور
	SW	1 - 2	2.5	1.5		•		•			1	• . — •		
	wsw	1.	?.	7.1		• • • • • • • • • • • • • • • • • • • •	·		<del> </del> -		<del></del>		بهفید اورون	0.3
	- w	†		7.		•					+ ·	• • • • •		£.7
	WNW	· ·	2.	5.7	1.7	• · <del></del>	•	1	·	• i	• •		. <u>1.94.</u>	ذه?
i	NW		2.2	7.1	: : - ;	*	•	<del> </del>		i	•			10.
	NNW	† <u>-</u>	1.4	1.5	• 1	<u> </u>	+	† <del></del>		<del></del>	• •			6.7
	VARBL	# <del>-</del> -			ļ		·	·		<del></del>	• · · · · · · · · · · · · · · · · · ·	• • • •		
	CALM		> <										4 • 5	- · - <del></del> -
	·									- · ·	T	F - 7	* *	

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<u>. 1121 :</u>	BTATIC	N NAME			75.	- : 4		YEARS			
					111	IAI-LE						1
	•					LASS						HOURS
						DITION						
						.Dition						
		<del>,</del>		<del></del>		,						
SPEED (KNTS		4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 · 33	34 - 40	41 - 47	48 - 55	≥ 56	•
DIR.	, , , , , ,	4.0	, , ,		i	22 . 27	. 10 - 33	,	41147	40 - 33	_ 50	·
N				- 4		<del></del>			<del></del>	• • • • • • • • • • • • • • • • • • • •		. ,
NNE				1								
NE	• 1		. 7									
ENE	1.	1.1	1.	1	ļ <del></del>	i •				· · · ·		سلما
E		1.1	1		<u> </u>		·		·			نسفت .
ESE		1.5		1	: 	! <del></del>	·		<u> </u>	<u> </u>		بنعث ـ
SE		1 1.3		• 4	<u> </u>	İ	·		<del> </del>			
SSE	ن والمساسلة الما	خافات ،		4	·	<del></del>	·		<del></del>	·		. 4
. S		. 4.		3			<del> </del>		· 			بعددان
SSW	. "À• ]	· <u>&lt;-</u> -		<u> </u>		<del> </del>	ļ	l	<del> </del>	<del> </del> •		<u> </u>
SW.	ļ •	<u> 1</u>	·	!	·		· 			<del> </del>		لمفعد
wsw		•			·	<del> </del>	·		<del></del> -	<del></del>		يقحب
WNW				<u>l•€</u>	- 3		<del></del>		<del></del>	· · · · · ·		<u> </u>
- "NM		1 2 2	<u> </u>	• -		<del> </del>	<del> </del> -		<u> </u>	·····		
NNW			·	<u> </u>		<del></del>	<del> </del>		· 	+		
VARBI			<u> </u>	• 4	3	<del> </del>				<del></del>		ېكىسى د:
CALM												34.0
	-	<del> </del>		+<>				<del></del>		1	S	
<u></u>	1	22.2	12.2	2.4	2	<u> </u>	l		L	11		ليمنسك

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{FORM}}{\text{JUL-64}}$  0-8-5 (**QL-A**) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TAT FILESENIE NACH

# SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	173F <u>)</u>	STATIO					- : 4		YEARS				A D
						CATHER							7-2 s 7 :
	-					LASS		<del></del>					5 (L S T )
	_				cor	IDITION							
	_		—										
			,	· · · · · · · · · · · · · · · · · · ·	·	·		,		·			
SPEED (KNTS) O(R.	1 - 3	4 - 6	7 - 10	: - 11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	90	MEAN WIND SPEED
N		1.5	• . 7										. 4.9
NNE	•	•	<u>• 1</u>					Ī					توند
NE	<b></b> •	1.	• 1	• 1				<u></u>	<u> </u>	·			. 4.5
ENE		1.											4.4
E	•	1.3	• ′										4 . 3
ESE		1.	• 1			<u> </u>		1	i				ء و ت
SE	. 3	2 • •	• 1									. <u> </u>	. 3 <u>. i</u>
SSE	1.	1.5						1		·			4.4
5	ر •	4.5	1.					<u> </u>					4.9
ssw	1.	• A.	•	i 		l				<u> </u>			7 و د
sw	<u> </u>			1		i			<u> </u>	<u> </u>		. <u> </u>	4.3
wsw	• 1	1.	. 1	• 1	• 1			1		L		• • / )	5.7
w	•	1.2	1.7	• 7					<u> </u>	i 			<u> </u>
WNW	1 •	7	•	•1		i				· •-		<b></b>	2 و ت
NW	•	1.	. 4	. 4				Ĺ		·			6.1
NNW	1	1.7	1.7	• 1								ا و د	ەھۇ.
VARBL					I			i _		1			:
CALM							><				><[	4 .	
	23.7	22.7	1 .5	?•?	.1							. 1	2.

USAFETAC  $_{\rm JUL~64}^{\rm FORM}$  0-8-5 (**QL.A**) previous editions of this form are obsolete

-

-- -

- •

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

ON .		<del>114: 3.</del>	STATION	MANE				~~~		YEARS				ō
		-					LATHER LASS				<del></del>		HOURS	
		-				CÓN	DITION				- <del>-</del>			
	SPEED (KNTS) DIR.	1 · 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	<u></u>	_
	N		1.	1	- 2								4.5.	_
Į	NNE	•	1.	_ 1.1:					· 	·				_
	NE	!!	1.7	1.1	• 1			<u> </u>		ļ				
- [	ENE	1.2	1.		• 1				<u> </u>				. تبعث	
	E	1 •	• :	1.1,	• 1									
	ESE	1.	1.2							Ì			yai.	
	SE	1.2	1.	• ^	• 2								7.4 = .	
	SSE	1.>	1.	1.2	• 2			;					4.46.	
[	s	1.	2 • (	7.7	. 7	•								
[	ssw	1.	1.	1.5	• 1								4	
	sw		1.	2.3	• 1	• 5		l	i L		1		4.4	
I.	wsw	1.2	1.	2.1	• 7				i				مشه شا.	
Ĺ	w	i •	2.5	₹.€	1.7	1				İ	i 		I.	
	WNW	! • i	1.	2,4	7	- 1		I					5.34	
[	NW	•	1.1	1.	. 4						i		4.2.4	
Γ	NNW	•	1.6	1.4	• ?	• :			!			T.	4.	
	VARBL								Ì	I	·- ·- ·- ·	-		
P .	CALM											`	15	_

PECTAL COLMATCENSY RANGE CETAC 4 FAT FR SE VICE/FAC

# SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

TION	_ <u>:: (\</u>	1 X + E	STATION	HAME			<u> </u>	- ^ <b>y</b>		YEARS				P T ONTH
							SATHE-							-2022
						•	LASS						MOURS	(L S T )
						co	NDITION							
	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
	N	÷ , ,	1.5				•			:				5.1.
T	NNE	1.	•	1.	• 3		1				•			شعا
Ī	NE	. •	2.0	1.7										5.0
ſ	ENE	• 2		1.			1				•••		4	5.3
[	E	1.	7.7	• -	• ?					1				4.7
Γ	ESE	1.	. 7	• 7									• • • • •	3.2
Γ	SE	• 7	1.5	• 4.										4.6
Г	SSE		• 7		• 2					•			1.7	3.7
Γ	S	• 1	2.4	• -	• 2						• •		2	40-
	ssw		1.7	• "	_								6.5	4.5
ſ	sw	• ,	2 • '	1.	•						· · · · · · · · · · · · · · · · · · ·		، بنوط .	4.2
Ī	wsw	1	1.0	• 7									٠.১	4.4
	w	- 4	7.	1.7	. ?		T				<del></del>	•		

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{FORM}}{\text{JUL-64}}$  0.8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

VARBL CALM

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		<u>. Int 1</u>	STATION	MARK			/5	<u>- 5 4                                  </u>		YEARS			-	#0 T.1	2.1 MTH
		~					ATHER LASS								-212.
				·		COM	DITION			·					
	SPEED (KNTS) DIR.	; 1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 · 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56		*	MEAN WIND SPEED
-	N	*	:	1. 7			<del></del>			·					٠.
Ī	NNE		1.	?.	. 4									4.4	7.
<b>.</b>	NE		1.	1.4								_			-4
	ENE		2.7	2.7	• 1					1			_	- 4	2.
[	E	ذ.	5.2	2.6	. 1						•	_		- 44.	
L_	ESE	<u> </u>	1.	1.	. 2		<u> </u>		<u> </u>		• •			- •	٤.
	SE		2.	1.1	• 5					· ·				3.1.	
1.	SSE		<u> </u>	• 5			<u> </u>			•				4.4.2	٠.
	S		2.31	2.4	1	• 1		•	·	<u> </u>				7	<u>.</u>
1.	ssw	<u>.</u>	1.7	2.7	. 4			·	·	1 • ·				7	L
ļ	sw	1.	2.2.	3.€	1.			<u> </u>	<b></b>		·			7.4.	1.
	wsw	<u>i 1.</u>	1 - 2 • C	<u> </u>			L		: •					1	£.
1.	w		4 . 4	F. 7	1.2	1			•	<del>,</del>				lask.	La
<u> </u>	WNW	1.	1.	7.4	2	1	·			1				441.	5.
	NW	<u> </u>	1.7	2.1	• ?	• 1	<del> </del>		-		·		-	ч. 7.	ti a
i	NNW	<u> </u>	<u>-</u> :	2.7	1		<del></del> -	<b> </b>	<del> </del>	<del>-</del>					1.
-	VARBL		<del> </del>	<del>~</del>		Ļ		<b>_</b> <i>&gt;</i>	·	<del></del>	<u>.</u>		-		
- 1	CALM	$\parallel><$	$\sim$	$\sim$	$\rightarrow$	$\sim$	$\sim$	$\rightarrow$		$\rightarrow$	, >≺:	-		• .	

AL CLIMATOLOGY PLACE TIO CLIC SERVIC MAE

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

									EA RS			
						egura.						1.
					C	LASS						н
		=			CON	MOITION						
SPEED KNTS: DIR	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 · 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	o <sub>o</sub>
N		<b>a.</b> 2.		• ?								
NNE	•	1.1	•	• 2								
NE	• 1		• 7									1.
ENE	•	1 • •	1 • /	• 1		1						
ε _		3.	1 • 4									
ESE	· • • • • • • • • • • • • • • • • • • •	1.	1.									".e
SE		2.1	1.7									. 4 •
SSE "	•	. 4	2.4				<u> </u>	· 				7.
S	1.	3.7	<u> </u>	. ? .		·		! 				
55W _	• 1	1.	<u></u>	·							<b></b>	. <u>E</u> .
sw "	$\frac{1}{2} \cdot \frac{1}{2} +$	1.1	3.3	1.7	• 3		<u> </u>					<u></u>
wsw "	1.	2.	4.7	· <del></del>								.* •
w .:		2.7	5.5	, <del>, , ,</del> ,							<del>-</del>	11.
WNW :	! • ,	2.7	4.7	1.7	ļ	ļ						
NW +	·•¦	• 0	7.	• 0		ļ						العالمة الما
NNW		1.4	• 7	• ?					<del></del>		· · · - •	<u></u> -
VARBL												

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

ION			STATION	MAME				-: +		YEARS			=	DATH
						ALL -	ATHIB						i2	-17
		_				c	LASS						HOURS	(L S T
						сон	DIFION				<del>-</del>			
r														
. Kt	EED NTS, HR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	ه و	MEA WIN SPEE
	Ν			11										
N	INE	• .	•							<b></b>				ع
	NE	•	_•.				<b>-</b>			+			ينصف	4
E	NE	• [	1	• 1						i			بيشه خ	4
	€	1.		_1.5								· — · •	علقه ف	. 4
E	SE		1.	1.7									4.7.	5
	SE	•		1.4	• 1								3.0	£
s	iSE "	•		7 7	•1								i	£
İ	s	· • •		7.5						*				. 5
s	sw	1.	4.3.	2.						1		*		
١,	w	• 1	7.	7.7	. 7					1			. قاعد	Ŀ
i w	∕s <b>w</b> <sup>-</sup>		3.0	7.7	1,4		·					•	7.5.	. <u>.</u>
	w	1.	3 • 5	6.5	7.3								17.2.	_ 7
w	NW "		<u> </u>	4.7	1.3		1		· —				5.4.	7
1	۱w			7.			ļ ———			1				6
- F	NW - #		1.	1.7			<u> </u>				-			ىد
1	RSL .	•		- · - <u>· · · · · · · · · · · · · · · · ·</u>			<del></del>						## Z +	
<b>→</b>	ALM ;	·::: <del> </del>	<del></del>		~	~			~ >	<del>*</del>	<u>、</u> マーン・	• -	5.7	

# SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	इ.इ.च. इ. इ. इ. इ. इ. इ. इ. इ. इ. इ. इ. इ. इ.	STATION	NAME					<del></del> -	YEARS			
	_					ATHE?				*****		HOU
	_				COM	DITION						
SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	o <sub>0</sub>
. N	•	( - 1	1.			<b></b>			<del></del>	• • •		
NNE			• • •			<del></del>	!		·	•		
NE			• -		<del></del>	•		·		•	·	= 4.4
ENE		1.			!	<u> </u>	<del></del>	-		<del></del>		
€	1.	1.1			1	+			<del>                                     </del>	+	· · · · · · · · · · · · · · · · · · ·	- •-
ESE	, ,	•	. 7			1	•		<u> </u>	•		معدد
SE	. 3	2.4				<del>                                     </del>			T			# #.5. * •,5
SSE	. 1	2.1		• !		1	<del>.</del>			•	·· ·- · ·	
s	7.	2.4	2.5		;				<u> </u>			7.4
ssw		2.7				1						
SW		2.4	. 4	• 1		<del>+</del>	i		ļ	··	·	
wsw	1.	1.1	• 1	• 1		1			<u> </u>		<del>-</del>	
w		3.	7.4		1						· · •	1
WNW	!	1.1	7.1	. 4		1						4.
NW		1.4	• 1,			!						
NNW	• `	•	. 7	• 3							<b>-</b>	
VARBL										1	•	
			· · · · · ·			*						7

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{FORM}}{\text{EUL-64}} = 0.8.5$  (**QL. A**) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TAL TUISHTTECOTT RANCH FIT & SERVICE / MAG

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		·	STATION	MAME				<u>- : 4</u>		TEARS				1.0 MONT	<del>-</del> -
		_				ALL .	E A I HER						_	HOURS (L	
						•								HOURS (L	•
		-				co	IDITION								
		-	•	<del></del>				•		ī					
SPEE (KNT DIR	S) 1	- 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	٩	۱ م	MEA WIN SPEI
N			1		. 2										
, NN	E .,	_ • _ ;	• •	<u> </u>	2	· 								1 4	4
NE		•_ /	•	• <u>`</u>					<del></del>	<b></b>					
EN.	E	4 · .,				•	•		·	:				ببالأنفا	_
E		1.			?		•	• • •		•					4
ESI		<u> -1.</u>				: 					<b>.</b>			4	
SE		_ <u>•</u> `.	3	• 2 .			•	•					_		
SSI		<u> </u>	<u> </u>							•					
S		<u>. i.e.</u>	<u> </u>	1.?.										1.1.	
ssv	v	• .	1.1.	• .		l •	•			•					
SW	′ <u>.</u>	1.1.	<u> </u>	• 3											. 4
W51	w	2 • 1	1.1				·	•		•					
_ w		1		. 1.5.			·	•							
wn	w _ <u></u>		· · ·	1.0	, , 5		•	i +		·			. <b></b> – .	<u> </u>	£
NA.	<u> </u>	• 1	!	· · · .	?.		•	·	•	l •	i +			1	4
NN,	<b>~</b>	_ •	1.	_•			•	<u> </u>	<u> </u>	+		-•		ا باده،	4
VAR	BL .	I	<u>i</u>			·		Ĺ			<u> </u>	_			
CAL	M : [ ` >	×/1	\	~~~	[ \		`\\.\ <u>\</u>				$\sim$	^ \ <u>.</u>			

TEX TO SEVEINE A

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<u> </u>	STATION	HAWE		<del>_</del>	<u>75-</u>	· <u> </u>		REARY			<del>-</del>	ONTH
	_		- <del></del>			8 T - 3							<u>                                      </u>
	-				COM	DITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	. 41 - 47	48 · 55	≥ 56	o°.	M W SP
N		1.1	1.										
NNE	•	•	1.	. 7									
NE		1.1	• 7		:								
ENE	•	1 • 1	1.1	•								• _	
E	<u> </u>			- 1					i			<u> </u>	
ESE	<u>l.</u>	1.2	• ^	• 1				•			_		
SE	<u> </u>		107	• ?				•	•	•	=		
SSE .	<del>l •</del>	· · · · · ·	1.1	• 1	·							. •	
5	<u> </u>		7.	• ?				•				7 • s	
ssw	! • 7	1 . 7			•	·		· •	· +				
sw	! • - !	- (-)	7.	• 5	• 1				·	•			
wsw			7.7	. • 5									_
,.₩	! <b>-</b> •			1.7	<u> </u>			•	·	<b>.</b> - · · ·		. Liles.	-
WNW	<u> </u>	1.	7.	• 7	•	<u> </u>		•					
NW	• '	1 • 4		• 4					·				
NNW		1 1	1.1	<u> </u>	+			·	+	· ·			
VARBL				<del> </del>	<u> </u>	~~~ <i>~</i>	<u></u>	· - -	·	<del>-</del>	· .		-
CALM													

USAFETAC FORM 0.8.5 (OL. A) PRIVING CORDING OF THIS FORM ARE ORSOLETE

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION	STATION HAME	75-54	YEARS	WONTH
		ALL ALATHE?		HOURS (LS T)
		COMPLITION	<del></del>	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	°,	MEAN WIND SPEED
N		1.2											٠
NNE		2.3	2,4									1.4	
NE	7.9	1.	1.5	• 1								201.	ئملات
ENE	!	1.	. 7	1								X	4.5
E	1.	2.1		• 1								بنده ک	4 = 3
ESE	1	• 7 :	. 4			1						2.5.	دمنا
SE		• 7										À.oź.	4
SSE	1.		• 1:										3.7
S	. 3	1.5	. 4										غمذ
ssw		1.6				Ī							
sw	• .	1.	. 7	• 1									تعذ
wsw		1.3	1									aai.	ا مد
_ w		1.	1.										
WNW		• 5										2.3.	نمذ
NW		• 4	. 1			1							3 . 3
NNW	•		• 1										. 2.5
VARBL						i							
CALM		><	><	><	><			><				44	
	21.3	2	9.1	_ د		Ī		~	· ·	• • • • • • • • • • • • • • • • • • •		, ~	

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

						<u> 1.7 (€2.</u> LASS				<u>-</u>		HOLRS	
	-				CON	DIYION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 · 27	28 · 33	34 - 40	41 - 47	48 - 55	≥ 56	° <sub>0</sub>	
N	<del></del>	<u>i.1</u>	1.	• 1			<del></del>						
NNE	<u> </u>			• 1				•	•	• •			
NE	• 1	.1						•	•	*			
ENE	1.	7.	1.					:		•			
E	• 1	٠. ن	1.				•					7	
ESE	1.		. 7					•	•	•			
SE		1.5	• ,										_
SSE	1.7	1.		*					•		-		
\$	1.	7	1.				•			•			
ssw	1.	3.3	1.7	• ?						. –		•	
sw		5,-	1.	. ₹			•	·		• •			
wsw		- 3	7.						•	• •			
. w	1		?	. 4					•	• •		. 1	
WNW		<u>}</u> .	• 4	• 1									
NW		•	,				l		•. • · · · · · · · · · · · · · · · · · ·		•		
NNW	•	1.1	•′	··· · ·····								2	
VARBL										• •			-
CALM		$\geq$		$\geq \zeta$		><	$\geq$		$\geq <$			• • • •	
	2.2	43.0	27.4	2.7	• 1					1			
									TOTAL NUA	ABER OF OBSE	RVATIONS		

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

						ALL S	ATHER							-		-14-
						CON	DITION									
_		<del>, , , , , , , , , , , , , , , , , , , </del>				,										
}	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 -	55	≥ 56		٠,	MEAI WINS SPEES
	N	1 - 1		1.												. و:
	NNE	1.	1.	2.7		•										. 5.
[	HE		1.	1.												.5_
<b>[</b>	ENE	. 1	22	1.1						i					1 . 3	4
- [	E		5.3									<del>-</del>				4
	ESE	1.	1.5	1.7		1									1.1.	يد
	SE		2.1	1.7											3 a	
[	SSE		1.	1.7	• 1											5
- [	S	• 3		2,7	. 4					•					للعت	<del></del> .
	ssw	. 1	4.1	3.1	. 4										<u>1.</u>	
E	sw	1.	3.6	7.3	1.3					: •					ن عد ث	٥
	wsw	1.	3.1	2.1	3	1			·		• –		_		. قام ت	
Ĺ	w	1.	4 . 7	3.↑	• ?	1				•		••			Zas.	5
	WNW	1.	. 3	2.4	?				·	•					1.	<b>:</b>
	NW		1.2	1.7		i			<u> </u>						i.9.	. L.
	NNW	1	1.	1.7	• 1					·						. د
	VARBL					I				! *	-	_				
Γ	CALM		> <	> <				><				< [ ]	`. <b>.</b>		• :	

AL TEIMAT LOOM - JANCH 

> NW NNW VARBL CALM

# SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION		<u> </u>	STATION	HABE			1:			EARS				AY
		_		. <u></u>			- <u>4 T ~ F G</u>						HOURS	-17:
		-				co	NDITION							
į		<del></del>							·			. <del></del> <del>.</del>		
	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	1 : 34 - 40 :	41 - 47	48 - 55	≥ 56	•5	MEAN WIND SPEED
	N	1.	2.3	1.4	٠ ٦								3.1.	6.2
[	NNE		1.	1 • 2	<u> </u>									6.7
	NE .	1		1 • 1		<u> </u>								أعمد
ļ	ENE	! • 1	₹. 1	• 7			1		i 		•		<u></u>	4.5
	E	· ·	3.7	• 4							+		1.2	_4.4
1	ESE	1.		• ^		 <del> </del>	ļ						4 • 3	4.6
(	SE			1.4										5.7
	SSE	1	2.3	1.4	• 1			•———————					. <u>5 • 7 :</u>	204
		<u> </u>	4.	3.4	. 5	• 1	1				·			أنده
	ssw_	1.	3.7	2.4	• ₹	·			; 1				1.6.	5.5
	SW	1.	2•≒	? • ٢.	1			L	i		<u> </u>		7 • .	5.7

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{FORM}}{\text{JUL-64}}$  0-8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION	<u></u>	STATION HANE	75 YEARS	MONTH
		ALL cu	17:ER	MOURE (L S T )
		COND	21T1ON	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	٩	MEAN WIND SPEED
N	1	1.1.		43.								\	4.6
NNE		i_2.	· · · · · · · · · · · · · · · · · · ·			i						43.	403
NE	1.	1.	• -								_	- 4	3.3
ENE	1.	1.	• 1					[					ذ م ذ
E	1.	•	• !			!	•			• ·   •			. 3.2
ESE	٠,	1.4	. 1				•					9.44.	3.0
SE	-	2.3											4.2
SSE		2.5	?.?	• 1				·	•			1.1.	الماد الماد
S	~ •	4.7	1.							•			_ 5
ssw	1.	2.				!	-			•			_
sw	1.	1.5					· — —				· · · · - •	lal.	4 a 2
wsw		1.1	7			·		-		· · · · · · · · · · · · · · · · · · ·			م <u>ود</u> نمد
w	<del>-</del>	2.3	1.4	+-				<del></del>	<b></b>		**		
WNW		1.2	$-\frac{1}{1}$	7		·						===.	<u> </u>
NW		- t <sub>4</sub>	· ·			·		i——	<del></del>		_ · · · -•	بعدد	<u>5_7</u>
NNW			- 1					<del></del>					5.9
VARBL		··						<del>                                     </del>			——— <del>—</del>		4
CALM		><	><		><	> <	> <	> <	> <		><.	73.7	
	2 7	25.	11.3	. 3	<del></del>							1 -=== 4 1 - 1 - 1 - 1 - 1	2 3

TAL CLIMATELOSM THANCH TIEC FOT FRISENVICEMBE

# SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

(KNTS) 1 · 3 4 · 6 7 · 10 11 · 16 17 · 21 22 · 27 28 · 33 34 · 40 41 · 47 48 · 55 ≥ 56 % WIN SPEE  N 1 2 3 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	CONDITION  SPEED (KNTS) 1 · 3 4 · 6 7 · 10 11 · 16 17 · 21 22 · 27 28 · 33 34 · 40 41 · 47 48 · 55 ≥ 56 ° c  N 1 2 2 2 3 4 · 6 7 · 10 11 · 16 17 · 21 22 · 27 28 · 33 34 · 40 41 · 47 48 · 55 ≥ 56 ° c		<u>, , , , , , , , , , , , , , , , , , , </u>	STATION	MAME						EARS				NTH
SPEED	SPEED (KNTS) 1 - 3 4 - 6 7 - 10 11 - 16 17 - 21 22 - 27 28 - 33 34 - 40 41 - 47 48 - 55 ≥ 56 %  N														
(KNTS) 1 · 3 4 · 6 7 · 10 11 · 16 17 · 21 22 · 27 28 · 33 34 · 40 41 · 47 48 · 55 ≥ 56 % WIN SPEE  N 1 x 1 x 1 x 1 x 1 x 1 x 1 x 1 x 1 x 1	(KNTS) 1 - 3 4 - 6 7 - 10 11 - 16 17 - 21 22 - 27 28 - 33 34 - 40 41 - 47 48 - 55 ≥ 56 %  N 1 2 3 4 6 7 - 10 11 - 16 17 - 21 22 - 27 28 - 33 34 - 40 41 - 47 48 - 55 ≥ 56 %  NNE 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4						сон	DITION							
NNF	NNE 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	7		<del></del>			_			·					
NNF	NNE 4 44 14 14 14 14 14 14 14 14 14 14 14 1	TS)	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	ه.	MEAN WIND SPEED
	NE 7 7	TS) R.	1 - 3	1.1	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55		*•	SPEEC

SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	٠,	MEAN WIND SPEED
N	1.	1.1	'n					i .		•			4
NNE		• •											4.2
NE	i.	•7						I				1	عَمدُ.
ENE	•	1.			Ī							1.	4.5
E	•	7				!			1	•	•	1.5	<u>ئە</u> د
ESE	٠.	1.7	• 7		Ī								<u> </u>
SE	1.	• າ						•					4
SSE	- •	• ``	• 3				i		<u> </u>				
5	•	4.7	. 4	• ?			!			•			
ssw	•	• 7	• 7									1	
SW	• ′	• 7	• •				!		1	• • • •	•		
wsw	•	• 7	• `	!	!				<del></del>	•	<b>-</b>	1	4 . 3
w		• 🗅	1.7	1	!					•	•		I
WNW	•	- 7	. 4							•	-· •	1	
NW	• •	• .							1	•	•	7	3
NNW	• '	. +								••	- · · •	1.4.	ني و زر
VARBL								i		1			
CALM		$\geq$	><	> <	$\geq$		$\geq$		$\geq$		>== (	50.65	
	21.4	15.	5.	. ?						7 - 25-22 - 13	7	151:	ت ا

TOTAL NUMBER OF OBSERVATIONS	<b></b>

USAFETAC FORM 0-8 5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

14

HE COTMATCEOUR FRANC No. Tation Servicekhac

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

			STATION	HANE						YEARS				##
							11450						*	<u>. L</u>
						c	LASS						HOURS	π. ≆ τ >
						COA	DITION		<del></del>		<del>-</del> -			
		_									<del></del>			
1 (	SPEED KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	۰,	MEAN WIND SPEED
	N	1.1.	1		. ?		l l			<del></del>				4 و
į.	NNE		1	1.	7		i						4	. 2.3
L.	NE	1.	1.	1.7					L				2	نمذ
	ENE	1.	2.2		• • •					1			4.4	4.7
[	E	• `	2 • •		• 1								1	4.3
L.	ESE	1.	1.4				į							4
	SE	1.1	1.											4.2
	SSE	! •	1."	1.7	•1								4.5.	4.5
- 1	\$	- 1	3.4	1.5							:		7.5.	دمد .
1	ssw		2 • 3	1.4	. ?				į.	1			5.1	4
L	sw	1.	₹•4	1.7	. 4	• -								
[	wsw		2.	1.5									. ده	ئمذ
	w	• 1	3.4	2.5	. 4								أخفني	ه و ځ
1	WNW	1.	1.5	1.1	2				<u> </u>	İ			4.4.4.	قمد.
1	NW	•	• 0	• "									لأعده شد	_5_2
	NNW	• ′	. 7	• (	• 1		L						أذعت	5.3
	ARBL													
	CALM		><	><	> <	> <		> <		$\geq$		><	11.9	
77.77									r		T Y	#	4	

TOTAL NUMBER OF OBSERVATIONS 4.1

USAFETAC FORM 0-8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

----

•

LE CL MATCHOSY HANCH LITAC EAT FO SERVICEMPAC

# SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<del></del>	STATION				<u> 7 u - </u>			YEARS				ONTH
	_					LASS							-267
					•								,,,,
	-				COP	IDITION							
SPEED	-									-			
(KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	%	MEAN WIND SPEED
N						<del></del>							4.
NNE	1.	1.	• • • • • • • • • • • • • • • • • • •	. 1								معالم	4.
NE		4.	1.	. 1					<u> </u>			1.2.	
ENE	1.	7	•						I				4.
E	•		• -							· · · · · · · · · · · · · · · · · ·			3.
ESE	•	. 7							1	•		1.4	
SE	i • 1	•							1			1.,	<u>.</u>
SSE		•				i				•		1.5	
_ s	1.	• '	• 1							•			وذ
SSW	•	1.2											ود
SW		2.1				!			1	· - · ·	•		
wsw		2.4				i					•		4.
w		3.5	. 4							· ·			. ئ
WNW	•	1.0										4.2.	. ذ
NW	1.	• 6		· <del></del>					<del></del>	• - • - •	- •	1.	
NNW		•							1		•		۔ د
VARBL				· <del></del>		i			!	· - · ·	•		
CALM		$\searrow$	$\overline{}$				$\searrow$			•	` .	·	

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	· Idf à	STATION	MAME			74	<del></del>	· · · · · · · · ·	YEARS				r <del>ii</del> —
						CATHER LASS		·				HOURS	117
	_				cor	DITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	a <sub>b</sub>	MEAN WIND SPEED
	: +				!			1	-				37220
		1.2		1			·		•			1.=.	٠.
NNE	<u> 1 •</u> ,	·* •	<u> </u>	2		+		<del></del>	<u></u>		<b>-</b>	. Las.	5.
NE			1.		ļ	i •	<del></del>		<del></del>	·		L.1.	. 5.a
ENE	1.4;		7.1		ļ •	·						2.4	_5.
<sup>E</sup>	1.	3.2	1.1;		ļ	i	<del></del>		-			.ن. خ	_4.
ESE	1 •	3.3	. 4			ļ		ļ					4.
SE	1.	1.7	• 7		<u> </u>	<u> </u>	<del></del>		ļ			1.4.	1.
SSE	1 .	1.1	• 1		i +	ļ	•		·		·· ·	4.2.	ه ک
<b>S</b>	• ?!	2.7	• 4		·	ļ	<del> </del>	<del> </del>	<b></b>	· • •	<b>-</b>	4.	4.4
ssw	1 •	1.4	. 4		! <b>+</b>	ļ 	ļ	!		<del></del>			4.
sw	1.1	3.	1.1				L			1			. 4.
wsw	• 3	5.4				L	<u> </u>	·		<u> </u>		.عدد	4.
w	• 3	5.3	4.4	• 3		L	ļ	·		ļi		. خمنات	5_
WNW	1.	1.0	1.7			ļ <u>-</u>				i		- 4a	ه.د
NW	• :	1.	. 7							·	<b>_</b>		_ 4_
NNW	•	1.3									·	1.	. 3.
VARBL	L				L	Ĺ	Ĺ,						
			_		· ~	_		·		1			

USAFETAC FORM 0.8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

HE TETMATCEOUN PHANCH HTSO FOR THE SECTION AS

# SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<del></del>	STATION	NA 8 8						YEARS				OKTH -
						ATHER	<del></del>						-14
					c	LASS						HOURS	(L S T )
	-	_			COM	DITION				_			
	·	<del> </del>										<del> </del>	
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 · 55	≥ 56	۰,	MEA WIN SPEE
N .	1.1		1.						•-				. ئ
NNE	. •	2.4			• 1	•	·		•				2
NE	<u>.</u>	<u> </u>	1.1	1				•	•·				ذ
ENE	1.	3 • 4	1.	• ?				: •					ç
E		4	1.1	• 1			·		•				4
ESE	1.	2.5	•	· 									4
SE	•	7					•		•				. 4
SSE	1.	3.7	• `	• 1			·	•	•			_ 2.1.	
_ S	1.	3.4	1.1	· 		· — — — — — — — — — — — — — — — — — — —	•						
ssw_	1.	2.6	1.			i +	·		! <b></b>				. 4
sw	·	2.4	2.4	• 1	ļ	i	<u> </u>	ļ	·	•		يُعَونُ	£
wsw	•	4.7	<u> </u>	. 1						•			_ 1
w	1.	<u>                                     </u>	5.	1.	·	<u> </u>		<b>.</b>	•	• .		11.	•
WNW	1.	2.3	1.			!		i 	: <del></del>			بالعشا	=
NW	•	1.4	1.1	! 	ļ	!	ļ	<del> </del>	ļ 				£
NNW	<u>.</u>		• ;	1	ļ	! <b>+</b> -		L	! 			بيوفي ال	2
VARBL			. —		Ļ	 	Ļ	Ļ	 <del> </del>	: •			
CALM	><		><		><	><	> <	!><	$\geq <$	><	-	• 1	
		<b>-</b>								r:	<b>.</b> .		-

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	11.5	STATION	HAME -			7+	<del>-</del> A (		YEARS			يـــــــــــــــــــــــــــــــــــــ	NTH.
					211	Датығр							-17
	_					LASS	**,						1L 8 T
					cor	NDITION							
	-												
	1	1				Τ	1	·	,	:			
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	a <sub>0</sub>	ME WI SPI
N .	1					ļ <u>.</u>							
NNE	1.1	. le		<b>.</b>	·			·					
NE	1.	2.	1.										
ENE		. 3	1.	• !		<u> </u>		i	<u> </u>	:			
E	•	4 . 4										1.0.	
ESE	1.1	7 .	. ;					i	<u> </u>			بشمية	
SE	<u> </u>	2.1	1.5		<u> </u>				<u></u>			. 241.	
SSE	1.1		1.7			<u> </u>						. 4.	
<b>S</b>		4.	7.3	. 3		<u></u>	1					4.2.	
ssw	<u> </u>	2.0	1.3	1	1	<u> </u>	ļ	1	!	• · ·		9.45.	
SW	1	3 •		i			<u> </u>		ļ	<u> </u>			
wsw	1.1	3.4	2 • 7		4					:			
w	1	3.0	3.5	• 1						i 		£.1.	
WNW		3.7	1.	• 5	· !				1			. شعب	
NW	<u> </u>		• 1	• 3					<u>i</u>	i .		ناخه بــــــ	
NNW	1.	1.0	1.7	• 1	. 1							201	
VARBL						i							
CALM											~~~~~	7.55	

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0.8.5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	1-25 .	STATION	MAME				<del>- : :</del>		TEARS			·	ONTH
	_					4 1 m E 4							-25
	_					LASS						HOURS	(LST)
		· — - · · · <del>-</del> -			CO*	DITION							
SPEED (KNTS)	1 - 3	4 - 6	7 - 10	11 - 16	77 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	a <sub>6</sub>	MEAN
DIR.			· · · · · · · · · · · · · · · · · · ·		<u> </u>				<del></del>				SPEEC
N .		. 1.1.	_ <del> : -</del>	1	·	•						<del></del>	4.
NNE		· - •- ,		<del>-</del>	<del></del>	•		<del></del>		• • • • •	-		4
NE ENE		· 1 • ?	• 1		<del> </del>	<del></del>		<del></del>		•		==-	- 4
E	<del></del>	1.5		• 1	<del> </del>	<del></del>		·	·	· - · ·	•	, <u> </u>	3
ESE	· · · · ·	1.2	•	• 1	<del>                                     </del>	<del></del>	•	<del></del>		•		. <u>. 4.</u> 	<u>. 3</u> . د
SE	3.	2.4	. >		<del>                                     </del>	1		•		•			3
SSE	1.,	1.			1	T	1	•	+			ن <u>خف</u> ظ دیو⊬د	4
\$		2.51	1.7							• •			. 4
ssw	1	1 •	• 7		i i							••	4
sw _	<u> </u>	1.3											4
wsw	1.	<u> </u>	- 4		ļ			·		· ·		·	. 4
. w		1.	1.1		<u> </u>		ļ	<u> </u>		·		. <u> </u>	4
WNW	1.1	•	<u>•1</u>		ļ			<del> </del>					3
NW.	<u> </u>	• 6	• 1		<del> </del> -	<del> </del>				<del></del>	<b>-</b>	1.7	3
NNW	1	•4	• 1	<u>• 1</u>	ļ	ļ		L		;			_ 4
VARBL	<del></del>			< <i>&gt;</i>							نسرته ۱۰۰۰	····	
CALM		$\sim$	$\geq \leq$	$\geq \leq$		$\sim$		$\geq \leq$	$\geq$		_><_	7: • 5 1	
	31.	22.5	3 E		1								

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	:I:: <u>.</u>	STATION	RAME			74.	<u>-£:</u>	<del>,</del>	TEARS			<u></u>	NTH.
					SLL :	LASS		<del></del> _					<u>- 277</u>
					CÓN	DITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	٩,	MEAN WIND SPEED
N		1 -											
NNE										•		***	
NE		··			 i					• · · · · · · · · · · · · · · · · · · ·	· · · · · · · ·		
ENE	· · ·	1.			<del></del>	i				•		1.4	4
E	1.	• 4			†			· · · · · · · · · · · · · · · · · · ·		•	·		7
ESE	`•?	1				:							4
SE	• <del></del>	1.?	•		<del></del>							4 . 7 .	
SSE	1.1	1.			i	<u> </u>							د ۔
S			• 7		1					•			4
ssw	1.	. 5	į.	• ?									ند
sw		. 4	• 7		!	<del></del>							
wsw						!							۔ ۔
w	1.	•	•										ذ
WNW	•	• :										بناء	4
NW			•										1.
NNW			• 1							,		• 5	ذ
VARBL										!			
CALM													

TOTAL NUMBER OF OBSERVATIONS 423

USAFETAC FORM 0-8 5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	11-1-1-	STATION	HAME			<del>- 74</del> -			YEARS				TH
						r t t H F A							
	_					LASS						HOURS	<u> </u>
					co	NOITION							
SPEED	· ·					<del>                                     </del>			,		<del></del>		MEA
(KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	o.c	SPEE
N		1.4										4	. 4.
NNE	• 1	2.	•	• 1									- 2
NE	1.	2.4	! •	• 1								. , 7	
ENE	1.	3.4	1.2	• 1					·			2 <b>9.3</b>	
E	<u> </u>	3.1	7	•								. <b>.</b>	4
ESE	1.	7.2			·				•			2.6	. 4
SE	1.	1	• <u>'</u>		•				•			· ·	.4
SSE		1.4	• '		<u></u>	<del> </del>		· • — - • • · —	•			3.1.	4
<b>S</b>	<u>•</u>		<u> </u>	•		<u> </u>		•				\$ •	4
. ssw	<u> </u>	1.7		• 7	i	·		·	: •			٠,١,	. 😉
<u>\$</u> ₩	1 · · · · ·		1.2	• ,		<u> </u>		·	·			<u></u>	4
wsw	ļ <u></u>	-	$-\frac{1}{2}$		<b>└</b>	<del> </del>		•		• •		• 7	į
	•	- 3 •	_ <u> </u>		·	<del></del>	·		·			•	2
WNW		<u> </u>		<u>• 1</u> _	<u>+</u>	·	<del></del>					4 3	4
NNW	+	1.	- <del></del> ;	÷1	<del> </del>	<u> </u>	<del></del> -	·	· 			<u>.</u> • •.	4
VARBL			·- ·• - }	•		<u> </u>			<del> </del>		••	<u>.</u> • .	4
CALM		$\sim$										23.0	
	2 • 3	35.	15.7	1.			<del></del>			<b>7</b>	20 TH	15/ 5 -	

TOTAL NUMBER OF OBSERVATIONS 460.

USAFETAC OR 8-5 (OL A) PPEVIOUS EDITIONS OF THIS FORM ARE ORSOLETE

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION	STATION HAME	74 - YEARS	month
		CLASS CLASS	HOUPS (LET )
		CONDITION	
			-

SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10 :	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 -	55	≥ 50		٥-	MEAN WIND SPEED
N	l.a					·				-					
NNE		1												- • • .	
NE	1 -	<u> </u>		• 1										·	. 4.
ENE	7.	1.7	• 7		_										. 4.
E		1.	, 7								-			4 4.	حذ
ESE		<u>-</u> -:	• 1							•			-		<u>. د</u>
SE	· · · · · · · · · · · · · · · · · · ·							•	•		•		•	4	2.
SSE	• ;	•									•			1.7.	
5	•						•	•	•	•	•				
ssw						!				•	•			- 1.	
sw	•					+		•			•				. 2.
wsw	4 =   . T + .	.1				·	<del></del>	•			•	-	-		
w	† †	2 • 3	• 1			1	<del> </del>			•					مخد. وق
WNW						<del></del>		•		•	•		-	- 1	
NW -	<u>-</u>			·		,		:		· -	•				من د د
NNW	+					<b></b>				•	- •				ه ۵ م ـــــــــــــــــــــــــــــــــــ
VARBL	• · · · <del>-</del> - <del>†</del>			·		•	-	<del></del>	<del></del>	• • • • • • • • • • • • • • • • • • • •	•			<b>a</b> .1.	
	<del> </del>	<->t				*<->			<u> </u>	<b>-</b>	· <b>*</b>	4.		••	
CALM				$\leq \sim$		<u> </u>				~ ~		. ~	· '	• t •	
	, .	1 .	~ · ·	,	1					1	-				
	لنفيد	لنعا				<u> </u>	<u> </u>	<u> </u>							

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<u></u>	STATION	HAME					, r	25				NTH
					<u>. r r</u>	1 T → ' -'							1347
	-		· ·		CON	DITION		,					
SPEED KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	۰۶	MEAN WIND SPEED
N		laž.											4.
NE	•	-	•	• 1				•	•				1_
ENE	_•	<u>.</u>							· · · ·			_ = =	يد .
E	<u>,                                </u>						•						
ESE		<del></del>	<del></del>						· · ·			المنافضة	41
5E	1.1		·• , ·						<del>-</del>			· · · ·	4.9
SSE	;		-*									. • • .	4.
s								•	•			• • •	بد
ssw		3.6								- •			41.
5W		- 44	1.1				•						4 9
wsw	•		<del>1</del>	· ·			··			- •			
w	· [	·	5	٠. •					- •				•
wnw		- /		•			·	•					4.6
NW .	1.	1.		- · · · · · ·	· · · · · · · · · · · · · · · · · · ·								4 1
NNW	÷ • · · •	1.		•				<u>-</u>	·· ·· •				اد≱س. داند
VARBL :			- 1							•	•		4.
CALM			531	5<1		><	><1		>< ^	``			
is ser <b>er</b> li			r≟		· -	*i	<u> </u>	·		· ·- · ¥	٠	: :	
	2	47.5	17.2	ا ت								<u> </u>	منـــــ

USAFETAC FORM O R 5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		4135.1	STATIO				74	<u>-:-</u>		YEARS		<del> </del>		NA THE
			\$14,10							,				
		-					EATHER LASS						HOURS	<del>-1473</del>
						COI	DITION							
	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10		17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	٩	MEAN WIND SPEED
	N	1.2	1.2				:			:				. www.
	NNE		1.		• 1	-							_ 4 3	غمها
	NE	1 •	2	1.									. ده د	5_1
	ENE	1.	2.5	1.	• 1		İ						_ 5	و ه ځ
	E		3.4	1.5	,							-	.0 a.c.	4.7
	ESE	1	2.2	1.7					!	Ī			4.3.	4.9
	SE	, 1	2.2	1.7		1							4.4.2	4
	SSE		2.5	• 2	• 1		Ī	i						4.7
	5	1.	4.7	1.1						į .			Z.ż.	_5.0
	SSW	i •	4.5	1.4				i		<u> </u>	i i		7.0.	غيم أ
	sw	i • 1	3	₹.				<u> </u>		]	<u> </u>			
	wsw	. 3			• 1		ļ		1				11	Sec
	_ w		5.7	7.7	• 1					[ :	<u> </u>		11.2	ئەن.
	WNW		2.7	?•									4.z.	5.7
_	NW	i • !	1.							<u> </u>				تعد _
	NNW		1.1	• 1					i				بقعما	404
	VARBL										<u>.</u>			
	CALM		> <					$\geq \leq$			$\geq <$		. 7	
		32	45-	> 7 _ u	. (,						İ	7	1	

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

<u> </u>	1 7 3 1	STATION	HAME			24-	·		YEARS				L.
					4.L.	тдунда							_
	_					LA \$8						HOURS	_
					cor	DITION							
	-							·					
SPEED													_
(KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	40	
	·- ·- ·				<u> </u>								_
NNE		. يوهيد						<del>-</del>				1	
NE NE	, , ;	· · · · <del>  •</del> • • • •				•		<del>-</del>		• · · · · · · · · · · · · ·			٠.
ENE	1.	· - 1 • 1	— <del>;</del>			<del></del>		<del> </del> -	<del></del>	·			-
E "	· · · · · · · · · · · · · · · · · · ·		1.4	4	· · · · · · · · · · · · · · · · · · ·			:	<del>-</del>				
ESE -	1.	2.	<del></del>			ļ							
SE	1.	2.9	<u>-</u> -,;		1	<del></del>		•		•		. <del>د د د</del>	
SSE	7.	. 4	1.7					1	<del>+</del>			7.6	
s "		5.4	4 • 1	• !								1.5.	
ssw		2 •	?•′									1.4	
sw	•	_ •	1.7	• 1						<u> </u>			
wsw	<u>•</u> 1	3.4	1.7		<u> </u>	ļ		·	·	· — - ·		. 7 • • 1	
. w .				•1	!	L		•	<u> </u>	·		11.6.	,
WNW	<u>``</u>	<u> </u>	• 7	• 1	<u> </u>	!			<del> </del>			4 . 5	
				1	1	,		1	1	T. Control of the Con			
NW					<del> </del>	<del></del>		<del></del>	<del></del>	•		<b></b> .	,

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	نفحمنا	STATION	H NAME				<del>- h. j</del>		YEARS				HONTH
	_		<del></del>		ALL :	AT 4E3							<del>}-203</del>
				···•··	CON	DITION							
SPEED (KNTS)	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	٠,	MEAN
DIR.		İ							: "				SPEE
N	1												4.
NNE		•.,	· ·	· <del></del> :									
_ NE			·				i		+				. 3.
ENE	•	<u></u>							•			بسفط سا	
E		<u> </u>	<u>u</u>						<del></del>		-		
ESE		1.5					<u> </u>		<del></del>			المستقصد الد	ىقى
_ SE	•	2 • 1					<del> </del>		 		_		. 4.
SSE		1							<del></del>	• • - •-		ريمت ي	. ئ
. S		3	2.5							· •		11	4
ssw	<u>2•</u>	2.5	• s				l		· • · · · · · ·			عمث سا	4
_ <u>SW</u>	•	1.4	• 1				<u> </u>			•			
wsw _		•											ىد.
w		- 1.6	• 4							• •		<del></del> .	
WNW		7		1								lal.	. 4.4
NW		• 1	• 1							· •		<u></u>	
NNW			• 1							· •	-		ىد
VARBL	~ J	< <del></del>	h. — —					<u></u>	<u></u>			, <b></b>	· - · · ·
CALM	$\sim$	$\geq$	><	><		><		$>\!\!<$				77.1	
	2.2		7.6	. 1	. 1				*		·- ·	ا السر	· · · · ·

USAFETAC FORM | 0-8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TAL CUITMATCENSY HALCH HE ETAC HE SERVICE MAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

ONTH				FEARS						NAME	STATION	IIBL	
= 2 7 7 1 (L 1 7 )			_		·		ATHER	ALL vi					
							DITION	CON					
MEA WIN	۰,	≥ 56	48 - 55	41 - 47	34 - 40	28 - 33	22 - 27	17 - 21	11 - 16	7 - 10	4 - 6	1 - 3	SPEED (KNTS) DIR
				<del></del>									N
تق											• .	. • .	NNE
ـ د											• •		NE
	1.4	,								• ,	. 4	:•	ENE
4		~								- 4		1.	Ε
	1										• .	1.	ESE
3.		··· <b>••</b>								• 7	•	1.	SE
. ذ										•		1.2	SSE
بد		"					1			. 4	2.4		s
. د	4 . 4									• 7	1.		ssw
											1.7		SW
. 3.,	4.96.										•	1	wsw
				!							• >	•	ν.
4.										•		• •	WNW
3.		<del></del>								1			NW
												•	NNW
													VARBL
	٠٤		$\geq \leq$	><	$\geq <$	><	><	><	$\geq <$		$\geq \leq$		CALM
1.	,									?.	11.5	2~.	

 $\mbox{USAFETAC} \quad \begin{subarray}{ll} \mbox{FORM} & 0.8.5 \mbox{ (QL. A)} & \mbox{PREVIOUS EDITIONS OF THIS FORM ARE OBSOLFTE.} \end{subarray}$ 

. . .

\_\_\_\_

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION		HIPE .	STATION	HAME			19	<del>- : :</del>	,	TEARS				MrN .
		_					CAISED USS							<u>[]</u>
		-				to	IDITION			···				
	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	. ≥56	٥,	MEAN WIND SPEED
Ì	8	1.1									• • • • • • • • • • • • • • • • • • • •			
1	NNE		1		- 1		•	•· - ·	•		• •	•		***
Ì	NE	i i 1	1.	7			•	•	•		•	•	. 2.7.	بمع
	ENE	1.	2	• ·			<u> </u>	· · · · · · · · · · · · · · · · · · ·	•		•		. خفت	تمو.
i	E	7.5	2.	1.	• 1		+	•	•		•	•		تمك ومو
ľ	ESE	1.	1.7					·	•	• · · -	•	•	. معدد	4.4.4
ł	SE	1.	1.	• •					•	• • • • • • • • • • • • • • • • • • • •	•	•		4
	SSE	1 3.1			_		<del></del> -	·	• • • •		•		7	4.1
İ	s		3.6	1.5			1	•	• • • • •	•	• -			عمد شمة
	SSW	\ \.	2.	1.			<del></del>				•		• • • • •	تمه
Ì	SW	3	₹.	1.1	• ?			·			•	•		5.5
	WSW		3.4	1.7	• 7	.0	i	<b></b>	1	·	• • • •	•	. — ——————————————————————————————————	نعو
	w	2	4.7	1 • '					·		•	•	.ندها .ندها	. 4
	WNW	1.	1.	, ,	•				1		•	• • • •		شمة
	NW		. 7	. 3							•	•		4.2
	NNW	. 7	• f.	• 1							• • • • • • •	•		3.3
	VARBL										!	•		
	CALM		><	$\geq <$	$\geq \leq$	$\geq <$	$\geq <$	$\geq \leq$	$\geq \leq$	$\geq$		•	11.1	
		,,	21. ~	127	,,	_			]			Ī		

STATEMATERIAL TRANSPORT OF THE CONTRACT OF SERVICE AND CONTRACT OF SERVICE AND CONTRACT OF THE

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

SPEED	<del></del>											2	-2h
SPEED   1-3   4-6   7-10   11-16   17-21   22-27   28-33   34-40   41-47   48-55   ≥56   %													
SPEED   1 - 3												HOURS	LET
(KNTS) 1 · 3 4 · 6 7 · 10 11 · 16 17 · 21 22 · 27 28 · 33 34 · 40 41 · 47 48 · 55 ≥ 56 ° DIR.  N	<del></del>				COM	DITION							
NNE	(KNTS) 1 - 3 4	1 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 · 55	≥ 56	9,	ME, WII SPE
NE	N .			.1						•		1.	
NE	NNE I.	1.1	1.1							•			4
ENE		2.1	1.	• 1									4
E 7		2.	• 7							•			. 4
ESE	E 3.	1.5	• i							•	-	,	
SE	ESE	. 1								•			
SSE 1	SE												2
SSW	SSE I.									•- •			2
SSW	s	•									•	1.	
SW	ssw •	• 12								•			3
WSW	sw	• 2								•			
W	wsw 7.	1	•1										3
WNW	w .3									•		7 :	
NW • •1 NNW VARBL	WNW .	• 7								•		1	2
NNW . VARBL	NW .	1								• • • • • • • • • • • • • • • • • • • •		i	2
VARBL	NNW .	1								•			1
CALM	VARBL	i									· ·	1	
		<1	><1	><1		><	><	><	><			٦. • ي	

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<u>IIai —</u>	STATION	HAU (	<del></del>				<del></del> ,	EARS				NTH -
	_				ALL	AT 46 F.							<del>-117-</del>
					CON	DITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 · 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	g <sub>0</sub>	MEAN WIND SPEED
N	1	1										1.	
NNE	1	2.5.	1.	1									4.4
NE	. 7		1	• 1							"		4.7
ENE	۲, ۲	Ι.	2.	• ?								. تود	5.2
E		4.2	• .										4.1
ESE	i •	1.4	. 4										. 4.3
SE	1.	i • 🗀			1							3.	4
\$S <b>E</b>	1.	1.4	. 4										4.
5	٠.	1.7			!				· ·			. نعد .	_ 3.3
ssw		2.5	. 7						 			. ئەخا	3.8
sw		2.1	1.									نصفت	4.6
wsw		5.1						} 	·	L		بيشفش	4.3
w	2	7.1	1.1			 				i * <b>-</b>		17.4.	4.1
WNW	. ;	3.0	• 4		İ							_ 4.A.Z.	خم3
NW _	1 • ?	• ?	- 1									. 144.	202
NNW	1.0	• 5										1.1.	3_1
VARBL						[							

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM JUL 64 0-8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

TION		<u>ilimi i</u>		N NAME			74	<del>-                                    </del>		YEARS				NTH .
1104			<b>3</b> 12110											
							LITHES						1 7 7	-14-
						•								
		-					IPITION							
							-							
					· ··									
		7	-	т			ľ	<del></del>						
	SPEED (KNTS,	1 - 3	4 6	7 - 10	11 - 16	17 - 21	22 - 27		34 - 40	41 - 47	48 - 55	≥ 56	٠,	MEAN
	DIR									1				SPEED
	N		. 1.1		1		+	<del> </del>		•	<del>*</del>			- 4 -
	NNE		• • •	1.	• 1	•	<del></del>		•	†				
	NE			1.		•		•	<del>•</del>		·			هد. مذ.
	ENE	7 1		1.7	• 1			•	· · · · · · · · · · · · · · · · · · ·		·		<del></del>	-
	E		i i	1.	•		<del>•</del>	• • • • • • • • • • • • • • • • • • • •	·				1 = 5 . 	_ <u></u>
	ESE	· · · · · · · · · · · · · · · · · · ·	2.4	•	*	T		•	•	!				3.
	SE SE	1.	2 • 4		• 1	+			•	<del> </del>			. <u>".e.</u>	<u></u> .
	SSE	$-\frac{1}{1}$	3					•	•		•	. —		
	s	# .		<u> </u>	·				•	•	• •		<u>"a</u> a	4
	ssw	7 - 2	2.7	1.7	<del></del>	<del></del>	<del> </del>	1	<del></del>	<del></del>	•			_ 1_0
	sw	· • • • ;				<del>                                     </del>	<del></del>	•	t	<del></del>	<del></del>			عالا
i	wsw -	•	·	1.4		-	<del> </del>	<del> </del>	<del> </del> -		<del>-</del>			ه ځــ ــ.
	","	†	1 4 3	1.5	+	<del></del>			<del></del>	<del></del>	• · · · · · · · · · · · · · · · · · · ·	_· ·	. ::::±	4.•
	WNW	-		- <del>- • -</del>			<del></del>	<del>                                     </del>	+	<del></del>	•	•		<u> 4.e</u>
	"NW	<b>+</b>	1	• 1	•———		<del></del>	<del>                                     </del>	<del></del>					_ •
	NNW	+	1.2		<del></del>		<del> </del>		<del></del>		•		<del>,</del>	عقد ـ
	VARBL	* *	1	<u> </u>	<del> </del> -	<del></del>	<del></del>				·		المقعفان	4.
		+>	+	<del></del>	<del></del>		<u> </u>	<b>\</b>		- J	· 	سر - ح		
	CALM		$\downarrow \sim$				<u>  &gt;&lt; </u>		$\angle$		$\sum$		7.5	
	F 800 - 2 70 70 70	1				i				<b>*</b>	T -12 **** (3.73			
		71.	44.2	14.2	• 6	L	1	I	L	1	11		11	4.

PROPERTY OF SERVICE AND A SERV

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	I ar a	STATION	NAME			74			YEARS				ONTH
					ALL A	AT -FR	-					HOUR	-17
					COM	DITION				 - <del>-</del>			
SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	a <sub>v</sub>	MEA WIN SPEE
N									•			. 1	
NNE	1.	1.7	1.7	• 1		1		·				4 4 5	- 5
NE		1.5	1.						<u>.                                      </u>				
ENE		3.5	1.			1			1			. let	4
€ ,	1	4.4	•								•	7 . 3	3
ESE		2.7	• 7				<u> </u>		· · · · · ·				. 3
SE	1.		• `			1	•	•	1		•	4.7	<u> </u>
SSE	• 1	2.	1.1	. 4			1		• ·		•		
S	·	5.0	1.9			1						11	4
ssw		3.	7.7			1							. 5
sw	. 1	2.3	1.5	• 1		†						5.1	4
wsw		2.5	1.~	. 4								1	4
_w	1.	1.7	• 7	• 1									4
WNW		1.											<b>.</b> 5
NW	•	• 1	. 4									. 1.2	
NNW			. 4										4
VARBL		i											
CALM		><	><	> < 1			><					11.4	
~	33.	37.4	16.4	1.2	'	Ţ <u>-</u>			**************************************	*i=:::=-:>	<u> </u>	म	

USAFETAC FORM 0-8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TETUS TETUS AT THE SERVICE (14C)

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	III	STATION	HAME				- 3 - 3		YEARS			÷	ON TH
	_					LASS							
	_				col	IDITION							
SPEED (KNTS) DIR	1 - 3	4 - 6	7 - 10	11 - 16	, 17 - 21	22 - 27	28 - 33	34 - 40	1 41 - 47	48 · 55	≥ 56	۰,	MEA WIN SPEE
N	. , • .		- 41		•			+	·			++	4.
NE	. i.					+		<del>.</del>	•	•	· · -·		4 4
ENE		· · ·	. 4		:	<del></del>		•	<del></del>	•		1.7	4
ε	1.	1.7		•••	:	·	•		+	• • •	-		
ESE	.4							,	*	*		9.7.	
SE	7.	1.	• '								····	4.1.	3
SSE	. 4		•										
S	4.	2.5	. 4			<u> </u>	·		·				
ssw	1 • 1	1.	• 4		:	l		•	·		_ · ·	•_• .	
sw	1.	1.	- 4			i		L	<u> </u>	• · ·		بالمعسا	
wsw	· .	•				ļ		: •	· 	• = - •		i.i.	
w	ļ				i	<u> </u>			<u> </u>	•	- · ·		
WNW	<b>}</b>	• 3	• 1		-				<u> </u>		· <b></b> ·		9
NW	<b>!</b> •	• 1	• 1		<del> </del>	<u> </u>			ļ ·	· · · · · · · · · · · · · · · · · · ·		أخد	
NNW	ļ• · ·	. 7	-1		ļ	ļ							
VARBL						l <del> </del>			Ļ	<u> </u>	Ç , <b></b> -		
CALM		$\sim$	><	><	><	><	><		><	`><'		1.4	
	,,,	17.3	7, -	. S	·				**************************************	T		. 7≅ . 107.11	-

USAFETAC FORM UL 64 0.8.5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	: IRL 1	STATION	HAME -			YEARS		
	_			<u> </u>	CLASS CLASS			HOURS
	-		- <del></del>		ONDITION			
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16   17 - 21	22 - 27 , 28 - 3:	34 - 40 41 - 47	48 55 ≥56	e <sub>v</sub>
N							·	
NNE	. <u>!</u> •		_ • .	• • • • • • • • • • • • • • • • • • • •	·	<del></del>		
NE ENE		•	• :	· - · - · · - · · - · · · · · · · · · ·		<del>-i</del> -		بيجفت ال
		• • •	•					
ESE	1 •		<u>-</u>			1		
SE	1.					<del></del>	· · · · · · · · · · · · · · · · · · ·	
SSE	1.		• • • • • • • • • • • • • • • • • • • •					2.2.
S		ц.,						
ssw_ i	1.	<u> </u>	<u>.</u> `.		_	·		·
sw				-2:	·	<del></del>	<del></del>	
wsw	·	·	<u>•'</u>			<del></del>	·	<del></del>
WNW		, ·-• ··		·	<del></del>	<del></del> -	<del></del>	
NW				·			<del></del>	
NNW			•	·				
	<u>-</u> -	-	<del></del> 1	·				
VARBL		1					<u> </u>	

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	1 7 15					<u>. u</u>	<u>- : : : </u>		YEARS			BONTH
		STATIO							*****			
						CLASS						HOURS IL ST
	•				co	HDITION						
							_					
	,						_					
	<del></del>	<del></del> -				<del></del>						
SPEED (KNTS)	1 - 3	4 - 6	7 - 10	11 . 16	17 - 21	22 - 27	28 - 33	. 34 - 40	41 - 47	48 - 55	≥ 56	% ME
DIR			1									SPE
N	•											
NNE		1.		. ?								4451.3
. NE		• 1	1.1	• 1		·	•	·	<del></del>			ف تسفد
ENE	. !	· · ·	1 1	. 1	·	<del></del>			•		,	<u> </u>
E	· • • • • • • • • • • • • • • • • • • •				+	·			·			4
ESE	1 1	1.4	•_	,	: 	+		·	· +		• · · · -	فللتاني بسافاتي
SE	<u> </u>	<u> </u>			·	<u> </u>	<u></u>		: 	•		• 4
\$SE	• '	$\frac{1}{2} \cdot \frac{1}{2}$		<u> </u>	<del></del>	·	·		·	•		فالمستعدد ف
- 5		•	<u> </u>	<del></del>	<del></del>	ļ	<del></del>	<del></del>	<del></del>	·	4	
ssw			1		<del>!</del>	·	<del></del> -	<del></del>	<del></del>		· <b>·</b>	- 1
- SW WSW		7.1	• • • • • • • • • • • • • • • • • • • •	• 1	<del> </del>	<del></del>	<del> </del>	<del></del>	<del></del>	<del></del>		
wsw.	· · · · · · · · · · · · · · · · · · ·		. 7		<del> </del>	<del> </del>	<del> </del>	<del></del>	<del></del> -	÷		
ww	• 1	2 <u>.</u> 1.1	·	<del>-</del>	<del></del>	<del> </del>		<del></del> -	<del>-</del>	<b>•</b>		فال والأنفسان أور والشفاء
NW		• •••	•1	!		<del> </del>	†	-		··· - · -	•	د. ساس بالاستان
NNW	* ***		• 1		<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>	<del>+</del>	•	•	<u> </u>
VARBL	# !.	1	i		İ	!				1	· · · · · · · · · · · · · · · · · · ·	
CALM	<b>*</b>											1.4
} ··	#	+	;	1	*	¥	<del></del>	<del> </del>	<u> </u>	∳±£arræ∑s	- T	- 4
1	il .	, z	C 10		1	1	1	1	l .	i	1	

TOTAL NUMBER OF OBSERVATIONS

USAFETAC LINEM 0 8 5 (OL A) PRIVING EDITIONS OF THIS FORM ARE OBSOLETE

١,

PERCENTAGE FREQUENCY OF WIND

## SURFACE WINDS


## DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

			STATION	HAME			74			7EA85					OKTH -
		-					LASS			<u>-</u>					-7
		-				co	NDIT10N								
- 1	SPEED KNTS) DIR.	1 - 3	: 4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56		99	MEAI WINI SPEEI
	N	<u>.</u>													٠
	NNE			2.	<u> </u>									11	· · · · · · · · · · · · · · · · · · ·
	NE	<u>`</u> •	<u> </u>				•			•	•	_		1	<u> </u>
	ENE		<u> </u>	1 <u>.1</u> .	• 1	· ·- <u> </u>	•		•		• -			<b></b>	4.
<u> </u>	- <del>E</del>	1.	•	1.			+						_		
<u> </u>	ESE		• •				•		•		•			بشعم	
	SE		·		:		<u> </u>				• •			1	<i>≟</i> .
	SSE	<u>.</u>	•1,					• —		•					4
		<u> </u>												la	نه
	ssw_	<u> </u>					<u> </u>	!	•				_	4.4	
	SW	i <del>-</del> ! •	+ 7	<u> </u>				<b>i</b>	·	· 	•				4
'	wsw _	•	1.1				1	<u> </u>							3.
		<u> </u>		1					•	•				- <b></b>	-4-
	WNW_	<u> </u>	<del>• • •</del> •						·			÷		i.	4.4
h	NM	<u> </u>	<del> </del> i				·		:	<del>-</del>				R 4. 4	<u>.</u>
1	иим	•					•	ļ	<b>.</b>	•				la	
<u>\</u>	ARBL	<b>├</b> : >	<b>-</b>		< <i>-</i>	<del></del>	<u>.</u>		• , .			_			
(	CALM			> <	><	$\rightarrow$ <	1><	1><	$\rightarrow <$	$\sim$		- 1		· _ • 1	
F		24.5	T Y	5.5	•5	**************************************	* (	T	•	· - >	<b>∵</b>	Ψ.			

USAFETAC FORM DE 64 0 8 5 (OL A) PRIVIOUS TO TIONS OF THIS I RM ARE OBSIGHTE

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

25 / 20 20 20 20



TOTAL NUMBER OF OBSERVATIONS

USAFETAC - 0.8.5 (OL. A. PPEZ 15.5 EC.1. NS 08 11.5 F. RM. ARE 081. GET

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	1131 -	STATION	NAME			74	<del></del>		TEARS				ОНТИ
	_				5 <u>.</u> L _	- 3   4E =	<del>_</del> _					HOURS	-14
	_				col	NDITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	۰,	ME/ WIN
N	1.		. 7										4
NNE			1						•			7.5	
NE	. 1		7.	. 7								15.2	
ENE	1.		?.			!	,						
E			;_ i,			1	•					12	
ESE		2.7							1				
SE		1.7	•										
SSE	2.	1.							!				
<b>S</b>	•	1 • *	1.7									. 4 . 7 .	
ssw	1.	1.5	• ^						<u> </u>				
sw	1 •	2.5	2.7			i	Ĺ		 	<u> </u>			
wsw	1	3.	• '			ļ			i	·		أأحمد أ	
w		<u> 3</u>		l			ļ		·			7.4.,	
WNW	<u> </u>	<u>. 1 </u>		i 		ļ			ļ ·			بلعث …	
NW	•	^							·	·			
NNW	<u> </u>	1.2	· · · · • · ·			ļ						بأخفت	
VARBL	- 	L				<u>.</u>	L	Ļ,	ļ	: *~			

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0.8.5 (OL. A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

` 4

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<u> </u>		STATION	HAME			74-			YEARS				IONTH
		_				ALL .	1746G							-1724
						ć	uss						HOUB	8 (L S T )
		-	· - · - <del>-</del>			CON	DITION							
	<del></del>											<del></del>		
SPE (KN DI	fS) 1 -	3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	<i>a</i> <sub>0</sub>	MEAN WIND SPEED
•		• /	1.											
N		•	2.4	1.4	. 7		1							4.9
_ N	E	•	• 14	1.	. 4								2 • 5	المدة ا
EN	E	•	5.7											4.0
		•	4 . /										1.	40
ES	E	•	1.	•					!				4.5	4
50	1			• 1										3.0
SS		• 4	1.	• 15					1					4.0
S	i:	•		1.1										4.5
ss	~ !	•	1.	• 4										3.5
S۱	v !	• 1	1.	• u							l			4.3
ws	w I ?	•	3	• 1	• 1									309
L . w		• - ]	2.4	1.	i					<u> </u>	<u> </u>			4.0
WN	w 1		1.										3	3.6
N	<u>v                                    </u>	• !	• "	• 1										3.4
NN	w ! !		1.								. I .		- 4	4

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

<u> </u>	113	STATION	HAME				<del>-11</del>	,	TEARS		 	ONTH
	_	·			A:L c	4 7 4 5 D		·			HOURS	_ <b></b> ;
		· ·			COM	DITION						
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	۰,	MEA! WINI SPEE
N											 . ,	
NNE	?•	1.									 <del></del>	
NE "	<del>-</del> -+.	2		. 4							 	
ENE		1.1	• -								 	
E		1.1	7								 	
ESE			.1								 	
SE	. 3		•!								 · · · · · · · · · · · · · · · · · · ·	٤.
SSE	1.	•	7	·i							 	ـــــــــــــــــــــــــــــــــــــ
s	7.		• 1							•	 7.0	<u>۔</u> ذ
ssw	1.	• 1									 7	
sw		• '									 1.	2
wsw		• 1									 	2
w	' • 1	. 7	• !								 1.	
WNW	•										 1.2.	
NW		• 1									 	3.
NNW											 . 7	2
VARBL		i									 	
CALM		$\times$		$\geq <$	$\geq \leq$	><		><	><			

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

THE STEVICE MAKE

## SURFACE WINDS

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		STATION	HAME			74-			YEARS				ORTH
					466	STHES						• •	-230.
	_					LASS						HOURS	16877
	_				CON	MOITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	° <sub>0</sub>	MEAN WIND SPEED
N	•							<del> </del>					
NNE	7.	1.											3,3
NE	• **!		•	. 7									4.3
ENE		2	1.									7	4.4
E		1.7							1			1	نەد
ESE	1.	•	• '					1				1	2.5
SE	1.		·									1.2	2.5
SSE	•							,	<del> </del>				- 524
S	3.3		•					i	i			7.7	4.3
ssw		• 7							1			1	2.0
sw		• 2 :									· · · · ·		3.3
wsw													۷.
w	,							,	1				2
WNW			1						1				ندی
NW	•	, ti							1				
NNW		• .											<u>ي و 3</u>
VARBL	!												
CALM				$\sim$						<b>`</b> \\\\\ <b>`</b>	` < ~ <sup>*</sup>	57.61	

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

. <u></u>		STATION	3 MAK			74	<u>- 5 i</u>		YEARS			
	_				2 L L	LASS CASS						HOU
	_				COM	DITION						
SPEED (KNTS)	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 53	5 ≥56	۰,
DIR	<del></del>					:			:			
И						·		• — —				
NNE	* ·	· <u>- ; • ;</u> •	1.2.	<u></u> .		<u></u>					_	. lat
NE	3.	4 . 7				 • • • • • • • • • • • • • • • • • • •			•	•		معت
ENE	?••.	7.	1.1.	<u> </u>		i		: •	i •			
E		2 •	• ^	• !								
ESE	1.	1.7	<u>• 3</u>			ļ						4
SE		1.1	1					•				
SSE		. <u>l.</u> :				ļ						
S	<u> </u>	1.4	• <u>'</u>	·		L		·				كمثالي
_ ssw +	<u>i•</u>	1.1	• 7			ļ ;			•			
SW .	1.1	1.3							<del> </del>	<b>.</b>		
wsw	1.			2				i 	· 	<b></b>		44.
w		1.	1	2		L		·		<u>.</u>		<u> </u>
www	1.	•				·				· · · ·		
_ <u>NW</u> #						!			<u> </u>	+		عَمِنْ
NNW	1.1							ļ		1		دمنانا
VARBL	<del></del>		·		·			Ļ		<u> </u>		<b>.</b>
CALM	><	><	><	><	,><		><	><	><		(1)><	1 11.7
									<u> </u>	† ·	· <del></del>	# ·

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<u>. : : : :</u>	STATIO	- HAUE			7+-			YEARS				, T
			· <del></del>			LASS							<u>-3831</u>
				<del></del> -	CON	IDITION		· <u></u>					
SPEED (KNTS) DIR.	1 · 3	4 - 6	7 - 10	11 - 16		22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	a <sub>s</sub>	MEAN WIND SPEED
N.	4	2_2				·		•	-				37220
	7.					<del></del>		<del></del> -	<del></del>	<del></del>			4.1
NNE		4.7!	<del></del> ;					<del></del>	<del></del>			<u></u>	
NE -	1.							ļ	<del> </del>			<u></u>	غفظ
ENE	<u> </u>	2 • 3	1.7					!	ļ <u>.</u>			<u>2 • 7</u> .	4.5
E	•	•	• t.					ļ <u> </u>				<u>*.</u> *.	4.5
ESE		•						l	ļ			<u> </u>	
SE	• 1	• 1	• 1										4
SSE	• !	• 1				<u> </u>		·					3.1
<b>S</b>		• t:	. 1	<del></del>		<u></u>			ļ	· · · · · · · · · · · · · · · · · · ·		بندفت سن	4
SSW	•	- 4								•	<del></del>	•	
sw	<u> </u>	•	• 1			<u> </u>			ļ	l		1	300
wsw	1 • 1	• *						! 	·				400
w	. 1	1.1						i 	•	i • · · ·= ·= ·= ·-··•		2.1.	4.2
WNW	<u> </u>	• 🗀	• 7					<u></u> _	1				_ 3.1
NW	•	• 1	. 4			]		]					4.1
NNW	1.	•	. 4										4.5
VARBL								i					
CALM		><	><	><	> <	><	> <						
	1 7 • 3	1 . 5	٥,٢	• ?			5 <del></del>					. 1 <sup>**</sup> !	2.1

### FAT RESERVICE / AC PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

. <u> </u>	TIR. t.	STATION	HAME				-: :		YEARS			
	_					EATHER MASS			<del></del>			HOUR
					cor	NDITION				<del></del>		
SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10	11 - 16		22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	<i>o</i> *
N			2.5	1								
NNE	1.	. 4	4 . <									11.
NE	• 3	4 . 4	<b>C</b> 5	. 2						1		1
ENE	·	5.4	4	!				l		i 		14.1
E		3.7	1.									
ESE	1.	2.	. 4									نفعه
SE	1.4	• "						·	<u></u>			. <u> </u>
SSE	10:		. 4									نشده .
s	1.5		• 1									<u>.                                  </u>
ssw	1.	1.2	. 7	1		<del> </del>		·				زعست .
SW	1	2.2	. 4			<u> </u>		ļ	<u> </u>	·		للشفاف
wsw	·					ļ		! •	ļ			
	1	2.	1.5	1					· 	•		. شعث
WNW	1.	1.1		• - 2 .		<del></del>	<u> </u>	<u> </u>	i			1.4.
NW		• 7	1.1			<del></del>	ļ	<b></b>	<del> </del>			بتعد
NNW		1.5				·		<del> </del>	<del> </del>			- A & Z .
VARBL	<del></del>	< <del>-</del>	بر بہا	· - · ·	<u> </u>	<u> </u>	<u></u>	<u> </u>				
CALM		<i>&gt;</i> <.]	><	[,><_[	,><.		><		$\geq$	_><(_	J. 500	11
	7	~					·		<b>*</b> 2	T 4	ائتر . ـ	•

AE COUMATRERSY HATCH STAC AC FET HOUSEFFICUARAC

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<u> </u>	STATIO				75	- : .		YEARS				C T
	-				ALL Y	LASS							-147
	-				coi	NOITION							
SPEED		ļ				T		1	:		1		MEAN
(KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 · 55	≥ 56	٩,	SPEED
N .	11		2.4			+			•——				
NNE	<u> </u>		7.	• 7				·			•		0_2
NE	1.	4 . ?	7.:			ļ		<u> </u>	<u> </u>				فعث
ENE	1. 1.	• 3	<u> </u>					·				7	5.3
E	3.	4.7	1.2	. 1		1		í	1	+		<del></del>	4.7
ESE	• «	1.5	• 4						<u> </u>	<b>.</b>		. <u> </u>	3.8
SE		<u> </u>					·	•	·				4.1
SSE	1.	2.4	. 7			<u> </u>	·	!			•	5	4.5
S	1.	3.1	• =	• 1			<u> </u>		ļ	-	<b>-</b>		4.3
ssw	1.1	• •	1 • 1	• 1					!		** * =		خود
sw		. • "	2.5						<u> </u>			. 1.5.	5.9
wsw	1 •	1.5	?•?	L		<u> </u>		<b>,</b>	ł +	4		4 . >	5.0
w	•	3.5	?•′	. 4		<u> </u>		· •		· 		ورفعت دار	5_7
WNW	1.1	1.	2.1	?					<u> </u>	<b>.</b>			6.3
NW	·_	1.	• ?	• ?					l	1			5.5
NNW	<u> </u>	1.2	1.						<u> </u>			ا به و م	ر و ق
VARBL		L	L			1			L	1			
CALM		$\geq \leq$	><		$\geq \leq$	$\geq \leq$		$\geq \leq$		><	_><_		
	2 -	41.4	. a .	, ,				[		į .		1	

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	11:5	STATION	HAME			74			TEARS			· · <del>·</del>	T, I
	_				الم ١٠١	AT 45 P						HOURS	-17
	-				COM	DITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 · 27	28 - 33	34 - 40	41 - 47	46 - 55	≥ 56	Φ <sub>0</sub>	ME / WIP SPE
N	٠		2.1				-	:		•			
NNE		1	1.	• ?				† — — — — — — — — — — — — — — — — — — —	1	•		i.a.b	
NE	1	3	2.1					1	1			1.5	:
ENE	•1	2.4	. = !	• 1							·		
E	. 3	3.4	. 7	• 1			:					7.6	
ESE	2.1	1.3	• 1 :										
SE	• 1	• 7										7	
SSE	. 1.	2.1		. 2								4.2.	
S	-1	٠,٦	• -	• 1				i				. عاد شا	
SSW		. 2	ر ک						ļ	1		.3.7.	
sw	1.	1	1.1			[ 	i			· 		4.3	
wsw	1 - 1 - 1	1.5	<sup>7</sup>			<u> </u>		·	<u> </u>	: +			
. w		2.1	7.1	• 2					<del> </del>	·		. سفاذ .	
WNW	1.3		1.1	•2		ļ		<u> </u>				2.4.	
NW	1.	1.1	1.				<b> </b>	ļ	<u></u>	•		<u></u>	
NNW		1.7	1.			! <b>!</b>		<b>.</b>	<b>_</b>	•	·	منعنا	
VARBL	L	1	لم ۔۔۔۔۔۔	او ساست به		i 	Ļ	ļ	Ļ	, 	_		
	\	<b>\</b> /1			$\sim$		$\sim$	$\sim$	$\sim$	1		1	


TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM O 8.5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TAL OF INSTOLUCE PRANCH ETTIC TIT OF SERVICENIAS

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)



TOTAL NUMBER OF OBSERVATIONS

14.

USAFETAC FLOW US 5 (OL & PRICE OF CINS FOR A CHARACTER OF COM

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		IR.	STATION	HABE				<del>- :</del>	,	EARS.				OKT -
						all -	LAISII						1	-233
		_					LASS						HOUR	I (LST)
							ADITION							
							ROITIGN							
SPEED (KNTS DIR.	i) .	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	۰,	MEAN WIND SPEED
N					-				•		<del></del>			
NNE		1.	1.7	1.	. 7		!							<del></del>
NE			2.		•									
ENE		7.	1.5	• 3							<del></del>	- · · · · · · · · · · · · · · · ·	141	
E			1.2										1	ذ و ذ
ESE	<u> </u>								]				1	
SE	1			• .	. 3								. 4.2	ندو ند
SSE			• 7	. ? !									1	تعد _
S	. 1		• `	• ?										
ssw	. ij			•										فمذ
sw	i i	•												

TOTAL NUMBER OF OBSERVATIONS

NNW VARBL

## SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

OM .		<u> </u>	STATIO	NAME				<u> </u>		YEARS				
		_					LASS						HOURS	
		=				con	KOITION							
(	SPEED KNTS)	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	°c	
<b>├</b> ─	N +		<del></del>	1.5										-
- 1	NNE	- <del></del>		7.71			<del></del>						2.2.	
1	NE	1.	3.	7.	• 1				•	•			A.D. A.	
<u> </u>	ENE		7.3		•		<del> </del>	<del></del>			• • •	·· — - <b>-</b>		
}	E	.1			• ^		·		•		• •		∫ • <u> </u>	
-	ESE	1.	1.	•,							•	· •	ن شه	-
-	SE	1.		- 4	.1		İ		•	<del></del>			s.•	
	SSE		· — —	. 4	• *				•				. · · ·	
!	S	1.	1.7	. 4	• 1				:	•	<del>.</del>			-
1	ssw	1.							ļ ————————————————————————————————————					
Ī	sw	1 • 1	1.7	. 71						·	· · · ·		- • • .	
	wsw	1 . ?	1.1	•									نىدە س مىدو	
	w	1.	2.	1.	•1						-			-
[ \	WNW	• •	1.	•	• 1		•				·		6.8	
	NW	•		• •	•						•		<b>*</b> * * * · ·	
[ ]	NNW		1.1	. ,	•			-	i		•			
V	ARBL						!				·- · · · · · ·			
		~~~~~			< <del>-</del>	·:	*·	·	<del></del>	<u>k</u>	•		11.	

TOTAL NUMBER OF OBSERVATIONS

4735

PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

## SURFACE WINDS

2 1		74-93	\$
STATION	STATION HAME	YEARS	BONTH
	4LL -	EDTHE7	,
		LASS	HOURS , L S T ,

(KNTS) DIR.	1	۱ -	3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	46 - 55	≥ 56		a <sub>e</sub>	MEAN WIND SPEED
N .		i			1.					+						4-
NHE			•	· <u> </u>	<u> </u>				•	•	·				- 4-	_ 4_0.
NE					•_						1					4.
ENE	-		٠	i	• `									==		هد.
E	-			1.									•	••		
ESE			•	•			•	1					•			
SE	•• · ·			•				1		•	·		•		~	
SSE			•	<del></del>	!						•	•	. —		. 1	ه.د
s -	•		-	· · · · · · ·	<u> </u>		•				•		•		4.4	
SSW	*****		·•				• · ·	<del></del>	<del></del>		1	•	• -		<b>* * -</b> ·	مد
5 <del>W</del>	#		•	· , • ,	·•• • • •		•	+		•	<del>•</del>	•	•	••		5.
wsw_	<b>+</b>		2	+ - · · <del>1 • i</del>			·	·		•	•		•	-	المشاهسية	
-	#		- <b>:</b>	1.1				<del>:</del> - · — ·		•		- <del>-</del>			4	- 7
	•• -		• .	11_	<u>}</u>					•	•		•		.ئىمى	
WNW	•		• •	į - · · · · · · • - ·	·		•	· i		•						4.
NW	4				•			+		· · ·	<del>,</del>			<del>.</del> · -	~-	
NNW	**		• '	·	· • • • • • • • • • • • • • • • • •		·	•		<del></del>	•				المتحث	. 4
VARBL	+	_		مرز <sub></sub> پا	ļ., —	• . • • •	; + ·	لر ا	L	· 	<b>.</b>	**				
CALM			$\leq$	> <	!> </td <td></td> <td>i &gt;&lt; .</td> <td><math>\sim &lt;</math></td> <td></td> <td>:&gt;&lt;</td> <td></td> <td></td> <td>-</td> <td>;</td> <td>7 ·</td> <td></td>		i >< .	$\sim <$		:><			-	;	7 ·	
	#-	=		†: · · · · · · · · · · · · · · · · · ·	<u> </u>	· 14	<b>*</b> - 1 :=1 →	<b>F</b>	r==.=· >	<b>†</b> →	f	<del>,</del> ,	•	71		


#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

TION			STATION	HAME			<u></u>		YEAR					IONTH -
					<del></del>		LASS				<del></del>			-11.
				-· -		co	NOITION				=			
		=												
	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 40 4	1 - 47	48 - 55	≥ 50	о,	MEAT WINS
-	N	<del></del>	·-·	, .	·	• • • •	•						<del></del>	
ļ	NNE "	***		<u> </u>	. 7	•			•					ا د م
ì	NE			•			•		•		•			. 5. . <u>.</u>
i	ENE "		• 1	7.1	• 1					•				ست. سند .
	Ε		•	$=\frac{1}{1}$	·	• ·					•			سے. ویلا .
	ESE		7 . 1.	• `		•				·				
	SE	i •		• 1			:							
_	SSE	1 •	1.	• ,			<del>•</del>			•	•			
	_ s	•			• 1					•	•			
	ssw	1.	•	1 • 4	• 1		•			·	•		- /	
Ī	sw	•	1.5	1.7	• }		+				•			
[ ]	wsw	•	1.	٠.	• 1		!					-		
1	w	1.	, , ,	1.	• (				•	-	•			
[	WNW	•	1.	1.										. ÷
	NW		1.	•	• 1					•	•		<u>.</u>	ها .
[	NNW	. ,		•	• 7									,
	VARBL									-			-	
[	CALM				$\Gamma > < 1$		<u> </u>			><. <b>^</b>	- ·		17.	
<b>.</b>	··· #	:: —: ``•	<del> </del>	لاث باد ک	)	ra	<b>∀</b> ≦∞>	<u> </u>	r.: } <del></del>		- +	-	77	:

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0.8.5 (OL A) PREVIOUS FD HONS OF THIS FORM ARE DRIVLETS

	59 637	MCENTI OBSERV TECHNI	RE ANGO ATIONS C CAL APPL AC/DS-84	SOUTH C	AROLIN (U) AII	A/COLUM R FORCE ER SCOT	BIA LI ENVIR	MITED SOMMENTA	SURFACE NL	2	<b>%</b> 4			
LINCLA	SSIFIFO	IISAFFT	AC/DS-84	/041				F/(	4/2	NL				
	_									-		†		
	<del> </del>	- 4-	-											
												1		
												<u> </u>		
				T										
				_		_								



#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<u>1.136</u>	STATION	HANE		<del></del>		<u>- e ;                                    </u>	<del></del>	YEARS				ONTH
	ALL WEATHER												
	-				cox	IDITION							
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	<b>%</b>	ME WI SPE
N	1.2		7.7							•			·
NNE		2.	2.5	-1								1	
NE	1.	۷. ۲	7.7	• 1									
ENE	1.0	5 •	2.1			1	-					7.2	
E	3	2.3	. 6			+					1		
ESE	1.	1.6	• ?				+	'				7.0	
SE		2.	-1									_ 1	
SSE	• 2	1.	. 7	• 1		1			:			3.6	
S		2.5	1.	• 1			i		i	<u> </u>			
ssw		1.7	1.7	• ?								44.	
sw	: • 2	1.2	2.4	• 1		i						4	
wsw	1.	2.3	2.1	• 5				·	1	·		1.3	
w		.1	4. "	<u>, 4</u>					<u> </u>	, •			
WNW	1.	2.4	2.4	٠, ٦	•1			l	i	•			1
NW		. 2	2 • 3	• ?				L	ļ	•		4-4-	
NNW		1.5	1.7	• 3						·		4.3	
VARBL							L	<u> </u>				· ·	
		$\overline{}$	$\overline{}$		$\overline{}$		$\sim$		·	· ~		- 7	

AE CUITAFOED Y CHANCA PARC FATOR SCHAROLAMAC

## SURFACE WINDS

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	· · · · · · · · · · · · · · · · · · ·	STATION	HAUE		<del></del>	75	- 6 ?		TEARS	·····			ONTH.
	_					AT - EF	<del></del> -						-177
				· · ··	CON	DITION							
SPEED (KNTS) DIR.	1 - 3	4 · 6	7 - 10		17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	96	MEAN WIND
N	. 1.2.	7.											
NNE "		<u></u>	1.1			;			<del> </del>				4
NE "	- · · · · · ·		1.			i	·					. سعا	4
ENE		2.			•	1	<del></del>			•			
E		1.	- <u> </u>	•		<del></del>	1			:			4
ESE	1.	• :	_ ^ '						!			7	3
SE #	1	1.7					:					7.	4
SSE	• 2	1.	. 4			l	i					4.3.	
S	7.	د <b>،</b> 1	1. ?	• 3								t = 7	4
SSW	•	2.	• 7	• ?								<u> </u>	5
sw	• •	₹.	1.1	. 2			i					4.1	5
wsw	! •	3.4	2 • 1	• 2								7.3	_ 5
w	1.	3.0	7.3	. 7	i								6
WNW	1.	1.7	2.4	_ •6	ļ 							: . 3	<u> </u>
NW	!• `	1.7	1.7	• 1	ļ							4 . 5	5
NNW	1.7	1.5	1.1	. 4						· · · · · ·		4.1	5
VARBL						l						·	
	< /r	_	_	·	_		i 🔨			·	` _	1: • 2 1	

TO MAL OUTHATCEOUR PHANCH TO ETA TO THIS OR SERVICEMBAC

## SURFACE WINDS

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	دعكنا	IIAC A.	STATION	NAME			<u> 74</u>	-53		YEARS			<del>-</del>	ONTH
						A : 1								
		-				<u> </u>	LATHER LASS			<del></del>				-2.77
						cos	IDITION							
	SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	17 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	٩,	MEAN WIND SPEED
	N	, ,	1.2	. 4		!	!		<del> </del>			***************************************	24 4	3.3
ſ	NNE		1.5	. 4			1	!						3.5
ſ	NE		1.6	• 1	•			•—————————————————————————————————————					4 . 5	3.5
Γ	ENE	1.1	1.7	. 4			1	1			•	•		4.4
i	€	2.5	. 4	• 7			<b>†</b>			1			1.5	3.5
	ESE	1.	• 1	• 1				<del></del>	i	<del>*·</del>				3
ı	SE		. 7	• 3									1.	4.1
	SSE	1.2		-	:			i	1	1				3.7
	S	. 1	• 6	• 7	• 1	·	1		··· <del>-</del>		<del></del>			4.5
	ssw	1.	. 4		!					<u></u>	· · · · · · · · · · · · · · · · · · ·			2.9
Ī	SW		٠,	• 1								*	أغمل	4.2
Γ	wsw	•	. 7		i -								1.2	3.0
- [	w	1.	?•1	2.2	• 3					<del>†</del>			5.7	6.1
- [	WNW		• !	2	• ?								1.7.	7.4
	NW	•	• 1	. 4									1.0	. 4.9
Ī	NNW	1.1								1	· · ·		1.2	
ľ	VARBL		·—····································								1			
	CALM		$\overline{}$	$\overline{}$					$\overline{}$		7	~~~ <b>~~</b>	5 3 . 1	

TOTAL NUMBER OF OBSERVATIONS

USAFETAC 0-8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s

, ..<del>....</del>

---

TO THE SCIMATSENSY PRANCH - ETHS ASSOCIATED PROFESSION AC

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	1795 55	STATION	HAME				- 1 7	· <del>·····</del>	TEARS			
	_				ALL S	LATHER LASS						HOU
	_				cox	NOITION						
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 · 40	41 - 47	48 - 55	≥ 56	۹,
N	1.2	1.										
NNE	1.7	1.7	. 9									
NE	1.	7.2	1.		1		Ĭ			:		
ENE	7.	1.2	. 4		!							4.1
E	• 1	1.7	• 1		1	1			1			
ESE	•						1	1				1.2
SE	1.							•				1.0%
SSE	1.	• 7							:	!		
s	-	1.5	•				1	!				4.2
ssw	•	. 7	• 1									1.5
sw	•	. 4	• 1								• • • • • • • • • • • • • • • • • • •	
wsw	• :	. 4	• ₹					1				• >
w		<b>4 • 3</b>	1.5	• 1		1		!		!	· - · · - ·	4 . 4
WNW	•	1.2	1.2	. 7							: <del>-</del>	3.
NW	, , ,	• 3	. 4	• 1	<u> </u>							2
NNW	2.	. 4				<del></del>						
VARBL						1	<u> </u>			!	•	

TOTAL NUMBER OF OBSERVATIONS

USAFETAC FORM 0-8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

-----

.-

**--** -

-.. -.

\_\_\_TAC FATE TO SERVICE /MAC

## SURFACE WINDS

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		1 7 3					74	<del>= •                                     </del>					N.	COM.
STATION			STATION	HAME						YEARS			ii.	ОЙТИ
							EATHLE							ш
						6	LASS						HOURS	(L S T )
		-												
						cor	HOITIGH							
		_												
								,		1	<del></del>			
	SPEED				i			!		<u>-</u>		<b>.</b>		MEA
	(KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	٠,	WIN: SPEE
	NNE		2.2	<u>1.4</u>				<del></del>	<del></del>	<del></del>			٠	- 5
,		1 • 1	2.2	1.7			<del></del>			<del> </del>			رخمت .	5
	NE ENE	• 7	2.7	lev			<del> </del>	<del> </del>		<del> </del>	<del></del>		بيعت	
	·	1.	2.4	1.1	• ~		-	ļ	<del></del>		· ·		. <u>ـُفعد</u> ـ	4
	E	1.	1.0	• "			<del> </del>	<del></del>		<del></del>	<del> </del>			4
	ESE	1 •	1.3	. 7				<del></del> -	<u> </u>	<del> </del>				3
	SE	1.	• 3					<u> </u>	!					3
	SSE	1.	1.1	. 3!				·					الاحتارات	ذ
	S	1.	1.4	<u> </u>	• 1			<u> </u>			<u> </u>		<u> 3.5.</u>	خ
	ssw	1.2	1.1	• ^	• 1									5
	sw	•	1.2	• ?	• 1		Ī							5
	wsw	1.1	1.7	1.4	• 2								ا کو و ا	5
	w	1.	2.6	2.5	• 5									6
	WNW	1.1	1.4	1.5	. 3	• 5	T							6
	NW	1.7	•	1.4	•1								- 4	5
		<del>                                     </del>					<del></del>	<del>                                     </del>			+			

TOTAL NUMBER OF OBSERVATIONS

CALM

AL TERMITTENSY THANCH.
TEN

## SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	<u> 11-5 1.</u>	BTATIO	N NAME				<del></del>		YEARS				ON TH
	_				3.1.	. THER							-167
	-				co	NDITION -	-						
	-									-			
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	م	MEA WIN SPE
N	<u> </u>	, <u>le</u>				•	•		•			<u> </u>	4
-						•	•	•	• • • • • • • • • • • • • • • • • • • •			<u> </u>	. 🛬
NE	•••••	¦ . <u>≩•</u> ≛.	<u>-</u> 1• <u>.</u>		···	•	• -	•	·	•	"		4
E ENE	1.1	<del>1</del>	•	•		• •	•	•			-	مہ ہے ● شے ۔	
ESE	+		<del></del> : -,	•	•	•	•	•		•		<u></u> -	-
SE	• <u>-</u>	·			•	•		•	·	•		1.1.	
SSE	<b></b>	•	•	•		<b></b> ·	•	•	·	· ·			
. s	<del>*</del>	•	• - <del></del> -	•	•	•	•			•		•	
SSW	•	•	1.7		•	·		·	1			3.0	(
SW		• 7	1.7	•- · · <del></del>	•	•		1				· · · · · · · · · · · · · · · · · · ·	
wsw	1 1.1	1.	1. !			į	Ī	· · · · · · · · · · · · · · · · · · ·				2	
w		<b>آ •</b> 3	1.7	. 4								_ t. t.	
WNW		• ?	1.1		·		L	1	1			3	
NW	1.	• *		·	<u> </u>	+	<u> </u>	ļ	1	· · · · · ·		<u>ڏ ه د</u>	
NNW	ļ! #	• 4	• ?	<u> </u>	·	÷	ļ	ļ <u>-</u>		·	· — — · · ·	1.7	3
VARBL	<b>L</b>		<u> </u>		L	+	Ļ	<del> </del>	Ļ.,		<u> </u>		
CALM			><									1.6 • 2.1	

TOTAL NUMBER OF OBSERVATIONS

USAFETAC 0-8-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

المحادث المستهير

. ...

\_ -----

-----

## PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

<u> </u>	25.7	735 : .	STATION	NAME			7+	<u>- : : </u>		TEARS				<del>-</del>	ONTH
		_					MASS			<del></del>	<del></del>				-11
						CON	DITION								
(K	PEED (NTS) DIR.	1 · 3	4 · 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 5	55 3		•	MEA WIN SPEE
<u> </u>	N			3	. 4									·1.	4
	NNE	_1	2.5	3.1	. 4								-	7.1.	بئـ
	NE	1.1	3 • 3	<u> </u>	• 1					·				7 - +	
	ENE	2.4	7.	1.											4
	E	1.	2.7	1.7	• ?					<u> </u>				يرقيه الخيا	t
	ESE	_! •	1.7												4
	SE	1.1	1.2	- 1	• 1									. خوت	4
	SSE		1.7											. ندن	4
	S	1.3	•	• -	. ?										_ (
	ssw	1.1	1.1	1.2	• 2										ڏ ۔
	sw	i .	1.6	. 7	• 1									أعملا	4
	wsw	, ,	2.5	2.3	2									. نامند	_\$
	w		3.5	4.1	1.2					i .				11.	b
٧	VNW	1.	2.2	1.	. 5										٤
	NW	•	1.7		•1					i					. 6
T	MMM	1.	1.	, r,											. 5

1 AL O IMATOLOGY - ANCH - TAC

SERVIC. 1-AC

7 1 T

## SURFACE WINDS

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		STATIO	MAME				<u>۶ نرم</u>		YEARS				ONTH
					ALL A	TAT 45:						132	-147
	_				CI	LA58				<del></del>			(L S T )
	-				con	DITION							
SPEED	<del>-</del>												MEA
(KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16		22 - 27	, 28 33	34 - 40	41 - 47	4B · 55	≥ 56	۰,	SPEE
N	•	1	7,4	3									_ 1.
NNE	. •	<u>`</u>	· · · · · · · · · · · · · · · · · · ·	<u>• 5</u>		·	<u>.                                    </u>	ļ				[ • ] ,	<u> </u>
NE _	<u>' • ·</u>	<u> </u>	· 1				<u> </u>			·		<u> </u>	5
ENE	·	1 . 4	1.7	• 1			!		İ			<u> </u>	ئ
E	1.2	3.1	1.7	·									
ESE	<u>i • '</u>	1.0	•`.	• 1		ļ		j					
SE	· · ·	1.	• 1	• 1		<u> </u>	·			···		<u> </u>	_4
SSE	·	1.					·	·		•		<del>.</del>	4
s	i •	1.7	1.!	• 5			<del></del>	i			<u> </u>	<del></del>	<u>.</u>
ssw	1 - 1	1.	1.7			 <del> </del>		ļ			· · · · · · · · · · · · · · · · · · ·		5
SW	<u> </u>	2.5	7.7	• 5			<del></del>			ļ		لمخفف	6
Wsw	1.	3.6	4.7							·		<u> </u>	6
<b>w</b>	• 7	3.7	5.3		• 1	.1		<del>-</del> -		<del></del>		<u> </u>	1
WNW	<u> </u>	2.1	₹•*	1.2	• 1	 <del> </del>					<b></b>	7.	
NW _	• 1	1.7	2.7	• 6		ļ				+		<u> </u>	7
NNW	• •	1.4	2.1							<u> </u>		العوف	
VARBL								L				·	
CALM		><	><	><	><	><	$\geq \leq$	><	><	$\geq \leq$		7.3	
								1		•		· · ·	

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

	MIIRT -	STATIO	H HAME	<u>.</u>			<del>- ´</del>		YEARS			- Est
	-	Cuss Cuss									1 - 1 7 - 1 7 - HOURS (L S T )	
		COMDITION										
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	i , 22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	MEAN WIND SPEED
N			1.2			:					***	سور بندون
NNE	1.		1,									لمك يعمد
NE	1.1	1.	• .									ـــــــــــــــــــــــــــــــــــــ
ENE	1.		1.					i 				. <u></u>
E		+	• 1			ļ			!			3 = 7 : _ 3 = .
ESE			ية و	.1	1				<u> </u>			. 4.7. 4.4
SE			• 6 !			ļ			ļ			1 4
SSE	#							<u></u>	·	· 		لملا يالجمع لل
s	_ !	1.5	• 4	1								
SSW	• 1	· · · · · · · · · · · · · · · · · · ·	1.5				-			<u> </u>	•	
SW	1.	4.7	1.3		<u> </u>	Ĺ				ļ		7.7 5.
wsw		3.	3.2	. 3				· 	L			بمط للكمب
w	1.	3.4	5.	1.3		-			<del></del>			1:
WNW		1.3	2.1	۵								
NNW	1.	1.1	1.3		<del></del>						· •	لعقاب بشعفانا
VARBL	1.	1.5	1.5	• 3						·		غمشا بتحمق
								$\overline{}$		<u> </u>	<	•
CALM		$\downarrow \sim$										15.
	3.	7 /	: 11 6	, ,	,					ii	-	

TOTAL NUMBER OF OBSERVATIONS

 $\mbox{USAFETAC} \quad \begin{array}{ll} \mbox{FORM} \\ \mbox{JUL 64} \end{array} \quad \mbox{O-8-5 (OL A)} \ \mbox{PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE}$ 

TO ALL OF THATTED SY MAKE HE ET (C) ET (C) E TOT MAKE SE VICTIMAC

### SURFACE WINDS

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

STATION NAME YEARS												MONTH		
					112	12 THE E						: -	_ ~	
	_		CLASS										HOURS (LST)	
	_													
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	•	 * V	
N	,	1 -			<del></del> -	<del></del>								
NNE		<u>.</u>	1.7	• 1			• ~ .	•	•			***		
NE .		1.						· · <del></del> -			-	9.1.		
ENE		<u>=</u> ,	• 7	• 1							·			
E	7	i • 1		• 1			•		•		-	• # .	_	
ESE		•							• • • • • • • • • • • • • • • • • • • •	•	· · •	منك.» هـ مـــــــــــــــــــــــــــــــــــ	_	
SE .	•	• u	• 1					·	·	• •		•		
SSE	•	• 1	• 1		:							•		
s	. 3	•	. 4							• • • •				
ssw	1 -	• :								•				
sw			• !										-	
wsw	• 1	2.1	1.							·		• 3	-	
w	. 1	3.	7.1	٨.										
WNW	•	1.1		• 4								7		
NW	, , ,	•	• 1	• 1										
NNW	1.	•	• 1									_ 7		
VARBL														
CALM		> < 1	><	><		><	><	><		><		49.91		
	23.	17.3	7.3	7.1						F = = = = = = = = = = = = = = = = = = =		+		

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{FORM}}{\text{JUC-64}}$  0.8-5 (OL. A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

108		ئاحكتنا	STATION	I HAUE			74	:	<del></del>	YEARS -				HONTH
		-		3_1 (-2.1 (-2.2)										
		-	CÓNDITION											
	SPEED (KNTS) DIR.	1 - 3	4-6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	a <sub>p</sub>	MEAN WIND SPEED
	, N				1	· - ·	<del></del>			• • • •				
}	NNE	1.		شعاري	3		·							هد ده
- }	NE _		. 1		. — <del></del> -	•	<u> </u>			•			1	4.
}	ENE	<u>.</u> •	<u>1</u>			•	<del> </del>	•	•				5.1	مشجيب
-	_ <u>.</u>	<u>1</u> .	• 9.			•	<del></del>						1	
-	ESE SE		··			+			·		•	-•	- 44	وقت الما
}-	SSE			· ==• #			<del>!</del>	•	•			• -		
}	33¢ S					<del>-</del>		·	•	• • •	• - <b>-</b> - · ·	· •		1.
}	ssw		• 4			<del></del>	<del> </del>			<del></del>			1	
ł	55W	- · · ·		<del>- 1</del>		<del></del>	+		•		• • •	• •	فعسا	
ł	wsw		• • •	1.3	!	+	<del> </del>	<del>,</del>			·	•	بيعشت	مىڭ مئا
į.	w	1 1	•	7.7	. 5		† <del></del>		<del></del>	·	•	•		
t	WNW		1.	<u>u</u>		<del></del>	<u> </u>	<del> </del>	•	•	•	**	ستعشب س	
ţ	NW	1.				1		<del> </del>		!		• -	**	ه دی. درد
1	NNW	1.				<del> </del>	<del></del>		<del>!</del>	·	•	-•		هد هد
1	VARBL	# =*:*=	+	·						<del> </del>	1	*·· ·		
	CALM	74.		><									٠.	•-
		# - · · ·	·	·		<del> </del>	<del></del>		<u></u>		<b>:</b>	` <b>₩</b>	-1t ·	

TOTAL NUMBER OF OBSERVATIONS

41 7.144736034 - 456-

VARBL

### SURFACE WINDS

#### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

-			STATION	NAME			HONTH								
						44.1	E A THE D			TEARS			<u></u>		
		-	CLASS											S (L S ) /	
		~													
- 0	PEED (NTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	م	MEAN WIND SPEED	
	N	1.		1.7								*	5.2.7		
	NNE	1.	1	1.	٠ ٢ .										
Ĺ	NE	1 . ]		1.1	• 1										
	ENE	: •	1.	1.	• ^ :								•• -		
Ĺ	E	T	1	• *			i					-	. 2.7.	4.	
	ESE	1.3	• 7	• 3	• '` !	•							2.0.	7.0.	
	SE .	•		• 1	• "								i	4.	
Γ	SSE		• }	. 7							•	<del>-</del>	1,7	4.	
Γ.	s	1 •	1.1	• *							• •	-	. j. 1		
I —	ssw	1 •	1.1	1.1	• 1									. <u> </u>	
f-	cw	1	1 .	1.1	:						• •	·- · ·			

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{FORM}}{\text{sul-64}}$  0-8-5 (QL. A) previous editions of this form are obsolete

FAT FM SERVICE /840

NNW VARBL

### SURFACE WINDS

### PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		STATION	HAME			74	- : 4		EA BS		Roterta			
	_					LASS			HOURS	16 5 7 7				
<del>-</del>														
SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥ 56	°c	MEAN WIND SPEED	
N	1.	1.5	1.1	. 1		[							ه د ک	
NNE	1.		1.4	- 7						+	··	~ ~ ~ ~	5	
NE	1.	2 . 3	1.4	• 1						• · · ·	· · ·			
ENE	1.	2.4	1.1	-				ŀ					4.5	
E	, ,	2.5	. 7	• 1						•	• • •	. 4	4_4	
ESE	1.	1.3	. 4	• ^	- 3			}			· ·-		4.1	
SE	1.2	1.7	• -	. ~									4.5	
SSE	1.	1.5		. 1									4	
s	1 1 •	2.2	1.7	. 1	- 3					•			5	
ssw	1.	1.5	1.	• 1									ندف .	
SW	1	1.	1. 1	. 7								4 . 4	5.4	

TOTAL NUMBER OF OBSERVATIONS

USAFETAC  $\frac{\text{FORM}}{\text{JUL-64}}$  0-8-5 (QL A) previous editions of this form are obsolete

TO THE SCIMATOLOGY REMACH TOTATAS A SAT OF SERVICE MAG

### SURFACE WINDS

# PERCENTAGE FREQUENCY OF WIND DIRECTION AND SPEED (FROM HOURLY OBSERVATIONS)

		74-8-	
STATION	STATION NAME	TEARS	बार्टी देवी
		INSTRUMENT	ALL
		CLASS	HOURS (LSY)
	<u> </u>	CONDITION 1/2 - 3 45 4	
	AN /05 ASEY 1/3	TO 2-1/2 MT W/013 DUD FT 30 MUD	

SPEED (KNTS) DIR.	1 - 3	4 - 6	7 - 10	11 - 16	17 - 21	22 - 27	28 - 33	34 - 40	41 - 47	48 - 55	≥56	٠,	MEAN WIND SPEED
N			1.	7	1								
NNE		<b>⇒•1</b>	? • 4	. 4		i							، و ځ
NE	, .	4.	2.31	. 4							_	2.2	5.0
ENE	ž •	2.7	1 • 4	. 1							. — — - •	7.7	4 . 9
E	•	J • 1	1.	• 1						· · · · · · · · · · · · · · · · · · ·		7.1	4.4
ESE	• 1	1 • 6	. 5	• 1	• •							1	4.
SE	1.	1.1	• 5	. 1									4.
SSE	1 •	1.2	• 7	• 1						· · <del> · -</del>		7.2	4.
S	1.	1.2	. 7	• 1						·		3.7	4.
ssw	: • 2		. :	• 1									4.
sw	1.	1.5	• 0	• ì	• .					, · · · · · · · · · · · · · · · ·		. <u> </u>	4.
wsw	:•?	1 - 4	• 5	• 3									4.
w	1 •	1,•	1.1	• 1		• *						. <u>4.7</u> .	4.
WNW	•	1 . ?	, 5	. 1									5.
NW		• 6	• •	• 1									4.
NNW	1 • 1	1 • 1	• '	• ^	• "					•			4.
VARBL													
CALM	>	><	$\times$	><	$\geq$	$\times$	> <	><	> <			2 .1	
	27.5	1.	15,0	?.0	•1	• 3						1	- د.

TOTAL NUMBER OF OBSERVATIONS	5693
------------------------------	------

USAFETAC  $\frac{\text{FORM}}{\text{JUL-64}}$  0-8-5 (OL A) PPEVIOUS FOITIONS OF THIS FORM ARE OBSOLETE

--- :

\*\*\* .\*

----

1

OPERATING LOCATION "A" USAFETAC, ASHEVILLE NC

#### CEILING VERSUS VISIBILITY

PART 3

This summary is a bivariate percentage frequency distribution by classes of ceiling from zero to equal to or greater than 20,000 feet and as a separate class "no ceiling," versus visibility in 16 classes from zero to equal to or greater than 10 miles. Data are derived from hourly observations, and the tables are presented by month and available 3-hour groups.

Due to the cumulative nature of this presentation, it is possible to determine the percentage frequency of occurrence for any given limit of ceiling or visibility separately, or in combination of ceiling and visibility. The totals progress to the right and downward. Ceiling may be determined independently by referring to totals in the extreme right hand column. Also, visibility may be determined independently by reference to the horizontal row of totals at the bottom of the page. The percentage frequency for which the station was meeting or exceeding any given set of minima may be determined from the figure at the intersection of the appropriate ceiling column and visibility row.

Beginning in January 1968, METAR stations report visibilities to 6 miles and then greater than 6 miles. Thus, for METAR stations, the category equal to or greater than 10 miles is not printed in the tables, For most Airways stations, visibilities of greater than 7 miles were not reported for part of the period of record. Therefore, the 10 mi visibility category should be used with great caution.

For overseas civilian stations reporting "CAVOK", all ceilings greater than 5,000 feet are suppressed into the 5,000 foot ceiling class.

1 JE TEIMATOLAGY HAA CH PATHER SERVICEZMAC

### CEILING VERSUS VISIBILITY

TOET THE ANDE STATON NAME 75-54

#### PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS:

111<u>0-042</u>1

— **-4**4€

SIB. THE STATILTE MILES 26 25 24 27 21 21 21 21 21 21 21 21 21 22 24 25 4 5 5 + .6 35.9 59.1 55.7 39.9 50.1 59.5 59.5 50.5 57.7 59.7 59.7 59.7 59.8 5 .2 1. 7 55 -1 65 -1 1. 4 51 -7 51 -9 62 -3 62 -3 62 -3 62 -5 62 -5 62 -5 62 -5 62 -5 62 -7 53 -1 53 -4 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 -6 63 1-3 61-7 52-5 63-1 53-3 03-6 53-5 67-6 13-1 63-5 63-5 63-5 63-5 63-5 24.5 53.4 65.7 67.4 64.0 66.2 68.8 68.5 c6.9 69.1 69.1 69.1 69.1 69.3 62.7 7C.1 4.7 54.4 67.8 68.0 69.3 69.5 70.3 70.3 70.5 70.6 70.6 70.6 70.6 70.8 71.0 71.6 5.7 6.05 60.9 69.7 70.5 70.6 71.4 71.6 71.8 72.7 72.0 72.0 72.0 72.2 72.5 72.9 54.1 60.3 69.7 70.5 71.2 71.4 72.2 72.5 72.9 73.3 73.3 73.3 73.5 73.2 74.2 5 71.2 75.4 76.3 77.7 78.2 79.2 80.3 80.5 80.7 51.1 81.1 81.1 61.3 (1.6 82.0 5 72.3 76.5 77.5 78.8 79.5 80.7 81.8 82.0 82.2 52.6 82.6 82.6 82.8 82.1 33.5 5 . 5 40 20 174.1 70.2 20.9 23.7 195.8 39.7 91.1 91.3 91.7 92.1 92.0 93.7 93.2 97.8 40.1 91.3 91.7 92.1 92.0 93.7 93.2 97.8 74.1 79.2 83.9 87.7 85.2 89.2 91.7 92.0 92.4 92.8 93.0 93.0 93.2 47.8 94.1 30.0 74.1 70.2 Pl.3 84.1 96.2 89.6 92.6 93.2 93.9 94.7 94.9 94.9 95.1 95.8 96.5 30.0 74.1 70.2 Pl.3 84.1 96.2 89.5 92.6 93.2 93.9 94.7 94.9 95.3 95.5 97.2 99.2 5 - 6 74.1 79. 31.3 34.1 56.2 39.6 92.6 93.2 93.9 94.7 94.9 95.5 95.6 57.31 6.2

TOTAL NUMBER OF OBSERVATIONS ...

USAF ETAC - No - 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TAL CLIMITOLOGY HANCH TAT FW SEWVICE/MAC

### CEILING VERSUS VISIBILITY

75-24 PERCENTAGE FREQUENCY OF OCCURRENCE

L012-1100

24 25 22 22 21 21 25 25 25 4 .4 .54.6 .55.7 .55.7 .56.1 .56.1 .56.2 .56.4 .56.5 .56.5 .56.5 .56.5 .56.5 .56.5 .56.5 .56.5 .56.5 . 44.5 56.4 57.5 57.3 58.1 58.1 58.2 58.3 58.4 58.4 58.4 58.4 58.4 52.4 52.4 .2.3 5 % 6 61. 61.4 51.7 51.5 61.5 62.0 02.1 62.1 52.1 62.1 02.1 62.1 62.1 67.1 62.1 2.5.5.1.61.4.61.4.61.4.02.2.52.3.52.5.62.6.02.7.62.7.62.7.62.7.62.1.02.7.52.7.62.7.52.7. 7.3 81.6 63.2 63.3 54.1 54.3 64.4 64.5 54.6 64.6 64.6 64.9 54.5 64.6 64.5 4.6 53.5 65.5 66.1 66.4 56.3 66.5 66.7 66.7 66.7 66.7 66.7 66.4 60.9 60.9 66.9 15.6 55.3 67.4 55.1 6:.5 68.7 68.9 69.3 69.1 69.1 69.1 59.1 59.1 59.1 fy.1 t?.1 f?.1 5 .4 .59.1 .71.7 ... 4 .72.9 .73.1 .72.5 .73.1 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 .73.8 . 71.5 74.4 . 2448. 3456. 3448. 3446. 3468. 3462. 3448. 3448. 3438. 8428. 848. 848. 848. 848. 848. 848. .3 76.4 37.6 2.6 34.8 85.6 36.7 87.4 87.6 87.6 87.6 87.6 67.6 87.6 67.6 67.5 67.5 3-48. 1-64. 4-43. 2-24. 6-68. 6-93. 6-83. 4-68. 4-68. 4-76. 5-6. 5-6. 6-6. 6-6. 6-6. 6-7. 6-7. 6-7. . T 76.9 61.1 84.1 36.7 89.2 91.9 94.4 95.0 95.5 95.8 95.9 96.2 96.2 96.2 96.2 7.5.76.9.91.1.94.1.56.7.89.2.91.9.94.5.95.3.96.4.96.8.97.1.97.7.97.7.27.9.97.9 7.3.76.9.81.1.94.1.36.7.99.2.91.9.94.5.95.3.96.4.96.8.97.1.97.9.97.9.97.9.99.7 7.3.76.9.31.1.94.1.26.7.89...31.9.94.5.95.3.96.6.97.1.97.3.198.1.98.1.99.11°C.1

FROM HOURLY OBSERVATIONS

+58. " 5"A" "E W.ES

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC - 4 0-14-5 FOL A - MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TO THE CLIMATICATIVE TRAILOR PAT OF SERVICEMENT

### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

75-34

1110-1400

AND THE STATE OF ALL AND ·? •3 57 •5 07 •6 67 • 66 • 2 56 • 1 56 • 1 50 • 1 69 • 1 68 • 1 68 • 1 68 • 1 68 • 1 68 • 1 60 • 1 60 • 1 6' .1 76.5 7º .1 5 .? 77.8 79.5 9..7 81.2 Pl.6 81.P 51.9 Fl.9 Fl.9 81.9 91.9 El.0 61.9 61.5 81.9 1.7 79.8 61.9 93.1 23.7 84.2 34.3 84.4 84.4 24.4 84.4 84.4 84.4 54.4 54.4 93.7 93.7 71.7 82.9 85.9 88.8 90.7 92.6 94.9 96.8 97.1 98.3 98.4 98.6 99.0 99.2 99.5100.0 71.7 82.9 85.9 88.8 90.7 92.6 94.9 96.8 97.1 98.3 98.4 98.6 99.0 99.2 99.5100.0 71.7 82.9 85.9 88.8 90.7 92.6 94.9 96.8 97.1 98.3 98.4 98.6 99.3 99.2 99.5100.0

TOTAL NUMBER OF ORSERVATIONS ...

USAF ETAC ... 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE DISOLETE

L HAL CLIMATCLOSY PANCH AT TAT . SEPTICE/HAC

~ (\*\*\*\*\*\*\*\*\*

### CEILING VERSUS VISIBILITY

PUENTIRE AN HINO

75-84

#### PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

1513-170-

VISIBLETY STATUTE MILES 50.7 5..3 50.3 50.3 50.3 50.7 50.3 50.3 50.3 50.7 53.3 30.7 63.3 30.7 60.3 2.1, 63.1, 62.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60.1, 60 2.6 55.7 65.9 55.9 65.9 65.9 65.7 65.7 65.7 65.9 65.9 65.7 65.4 65.7 65.9 73.4, 56.6, 65.7, 66.7, 56.7, 66.7, 56.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, 66.7, .4.- 5.0 69.7 60.3 67.3 60.7 68.7 68.7 68.7 68.7 69.7 63.7 63.7 63.7 65.7 65.7 68.7 5.4 59.5 69.3 69.3 50.3 50.0 69.0 69.8 69.8 69.5 59.5 59.5 69.8 69.8 69.6 57.5 59.8 12.5, 77.1, 70.3, 73.4, 70.8, 79.4, 76.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 79.5, 73.7 76.9 8 .7 91.3 01.4 92.3 32.4 52.4 82.4 82.4 37.4 P2.4 62.4 42.4 62.4 42.4 -1.2 3-2 3-6 64-4 35-4 65.5 35-6 55.7 85.7 85.7 85.7 85.7 85.7 65.7 65.7 15.8 F3.2; 85.0, 96.7 df.1;89.5, 97.1, 90.3, 90.5, 90.5, 90.5, 90.5, 93.5, 90.5, 97.5, 90.5 76.3, 34.4, 27.2, 99.5, 9.5, 92.5, 93.3, 93.5, 93.6, 93.6, 93.6, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 93.8, 9 76.3 34.4 87.3 89.5 91.7 94.5 95.0 97.5 98.1 98.8 99.2 99.3 99.5 99.5 99.5 99.5 76.7 34.4 7.3 89.5 91.7 94.5 95.0 97.5 99.1 98.8 99.2 99.3 99.5 99.5 99.6 99.9 76.3 34.4 87.3 89.5 91.7 94.5 95.0 97.5 98.1 98.8 99.2 99.3 99.5 99.5 97.6170.3

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC 4 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

٠į

2 11 1 ACT NOT THE AVOID OF THE

### CEILING VERSUS VISIBILITY

41\_2-2424

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

71 - 24

AL TEINATTEDSY PRANCH FATOR SERVIC 1940

### CEILING VERSUS VISIBILITY

74.00 NAME - ---PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

"<u>5 - 8 4</u>

- <del>4</del>4--1-4-2435

- 5'B . \*\* 5"A", \*E \* .ES - 211 - 26 - 25 - 24 - 23 - 22 - 21 - 21 - 21 - 74 - 24 - 2 - 25 6 4.7 50.5 54.6 53.8 57.7 58.9 66.9 66.9 68.9 59. (7.7 67. 67.7 57.7 57.2 59.2 4.5 5 4.6 67.7 57.7 57.2 59.2 6-1, 71.2, 71.3, 71.4, 71.9, 71.9, 71.9, 72.3, 72.2, 72.2, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 72.4, 7 6 .2 74.3 74.6 74.1 75.3 75.3 75.3 75.7 75.7 75.7 75.9 76.2 75.0 76.1 70.1 76.1 76.2 76.3 10.3 77.7 78.1 78.3 78.3 78.4 79.3 79.3 79.4 79.5 79.5 79.7 79.7 79.8 79.5 75.7 75.4 79.7 87.4 90.4 80.8 30.6 60.6 81.0 81.1 81.1 81.3 51.3 -1.4 81.4 71.4, 1.00, 21.7, 21.0, 22.0, 82.0, 32.4, 82.4, 82.4, 82.5, 82.7, 82.7, 82.8, 91.6, 32.2, 33.2, 41.6, 51.4, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, 51.6, /1. / SJ.7 &1. A. P.2.1 J.3.1 P.3.1 B.3.5 P.3.5 P.3.5 P.3.7 B.3.2 P.3.5 B.3.9 P.3.9 P.3.9 P.3.9 P.3.9 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 P.4.1 74.1 74.7 66.1 30.6 67.1 88.1 38.5 88.6 £8.6 £8.8 \$8.9 88.9 £3.1 59.1 59.2 89.7 74.7 55.8 57.2 87.8 67.2 87.2 89.9 89.9 69.0 1.40.2 93.2 93.2 92.5 60.5 93.6 90.6 74.7 26.2 87.6 98.2 89.5 89.9 89.9 90.5 90.5 90.9 91.2 91.2 91.2 91.3 91.3 14.7 36.2 87.6 74.7 35.4 8 7.8 88.4 50.9 39.9 9E.8 9L.9 91.1 91.3 91.5 91.5 91.3 31.6 31.9 91.9 96.5 87.9 88.5 9 .1 94.3 91.8 92.3 92.2 92.5 92.6 92.6 92.0 92.9 97.3 93.7 14.7 36.5 c7.9 23.5 7 6 20.8 92.5 92.8 92.9 23.2 93.3 23.3 93.6 23.6 57.8 03.6 24.7 36.5 c7. 23.5 97.6 91.1 92.9 23.2 93.6 24.7 24.2 24.2 24.5 24.5 24.5 24.5 24.5 74.7: 30.5: 37.0: 93.5: 91.3: 91.4: 93.0: 94.3: 94.0: 55.3: 95.5: 95.5: 95.7: 95.7: 95.0: 95.9: ./5.2.36.3.85.2.55.8.91.5.92.3.94.5.95.2.96.2.96.7.97.2.97.2.97.7.97.9.2.710c.

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_

...

USAF ETAC -4 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL CUIMATOLOSM PHANON ETAC CUTALE SERVICEM AC

### CEILING VERSUS VISIBILITY

125

144

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_\_\_4576

USAF ETAC .... 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL CLIMATOLOGY PRANCE LT C LIST OF SERVICE HAS

### CEILING VERSUS VISIBILITY

### PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

75 - 84

LISBUTE STATUTE WILES 2.2. 12.7. 54.7. 50... 12.7. 67... 15.4. 46... 43... 49... 49... 49... 49... 49... 49... 49... 49... 49... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 149... 72.7 54.7 56., 57.5 57.8 .7.2 18.2 58.6 59.6 58.4 59.6 53.5 53.8 54.2 51.8 59.1 4 1.52 t. 65 t. 66 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1.63 t. 7 1. 41.1 52.5 65.3 67.5 65.3 67.5 65.3 67.3 59.3 70.2 70.2 70.4 70.4 70.4 70.4 70.4 70.4 14 <u>4: 54.2 67.2 65.1 7 .4 7 .6 71.2 71.2 71.6 71.6 71.3 71.3 71.3 71.6 71.8 71.8 71.8 72.3 </u> 1.2.57.1.72.2.71. 73.5.73.9.74.3.74.9.74.9.75.1.75.1.75.1.75.1.75.3.75.3.75.5 2.3.2.2.7.2.2.7.2.2.7.2.2.7.2.2.7.2.2.7.2.2.7.2.2.7.2.2.7.2.2.7.2.2.7.2.2.7.2.2.7.2.2.7.2.2.7.2.2.2.2.2.2.2.2.2 | 17. | 7.44 7/47 75.7 7/49 78.6 79.7 79.6 79.8 80.0 80.1 80.1 80.1 80.2 80.7 91.2 87.7 Pt.7 3+1 -7 -5 , 74+1 , 75+9 , 77+4 , 79+2 , 79+6 , \$u+2 , 8C+ 70.8 74.3 76.1 75.6 79.4 30.0 80.7.60.9 Pl.1 81.1 Pl.1 81.1 91.3 -1.7 ,76.5.19.2,80.0,60.9,91.5,81.7,81.9,61.9,81.9,61.9,92.1.:3.1.92.5. 5.2. 11.6. 75.3 77.4 3 .5.81.3 32.7 33.3 33.5 83.7 83.7 83.7 83.7 84.0 44.3 84.4 7.7.72.4 76.3 73.4 31.7 92.5 64.2 64.8 05.1 155.2 35.2 85.2 85.2 85.4 05.4 35.2 7.7 72.4 76.3 76.4 31.7 82.9 84.6 55.2 35.4 65.6 85.6 85.6 85.8 75.4 86.2 72.8 77. 79.4 57.9 84.2 55.4 57.2 67.7 87.9 69.1 88.1 83.1 85.3 86.3 86.7 7.7, 13.3, 77.6, 93.2, 37.7, 85.0, 37.2, 58.1, 68.5, 58.7, 88.9, 88.9, 63.9, 89.1, 89.1, 89.2, 37.7, 73.3, 77.8, 8, 5, 34.2, 35.4, 37.9, 89.5, 89.9, 90.1, 90.5, 90.5, 90.5, 90.7, 90.7, 91.2 3.7;73.3,77.8;9.07,54.4,85.5,68.3,90.1,90.7,90.9,91.6,91.0,91.8,92.2,22.4,23.1. .73.5 **7**8.0 93.5;34.6 36.3 88.5 98.7 91.4 91.8 92.4 92.6 92.6 93.6 93.2 3.7.73.5.70.7 AU.9 34.6 36.3 BB.5 90.7 91.4 92.2 93.2 93.6 93.8 94.4 95.1 95.7. 53.7 73.5 78. 93.7 54.6 86. 88.5 90.7 91.4 92.2 93.4 93.8 94.2 14.9 ye.1 99.5 3.7.73.5.79.0.90.9184.5.96.0.38.5.90.7.51.4.92.2.93.4.93.6.94.2.94.2.94.3.95.1171...

TOTAL NUMBER OF OBSERVATIONS 435

USAF ETAC - 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

### CEILING VERSUS VISIBILITY

## PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

TOTAL NUMBER OF OBSERVATIONS 525

USAF ETAC - NA 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

1--2-14--

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

7 -- u

7.7 62.1 1 1.1 1.3.2 27.2 13.0 63.2 13.0 57.1 65.2 67.0 2.7.62.7,52.1,53.2 12.2 38.2 63.2 53.2 53.2 53.2 63.2 2.2 6 •6 79•2 = 5•3 93•9 51•4 91•6 91•6 81•6 31•6 31•6 31•6 31•6 41•6 21•7 31•7 31•7 31•7 7(+1 -2-9, 64-1, 74-3, 35-7, 95-6, 35-6, 65-6, 25-6, 35-6, 65-6, 25-6, 25-6, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 25-7, 2 7 •1 •2• 7 •5• 1 •5• 7 •5• 7 •5• 7 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •5• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 •6• 9 • ./1.6, ro.3, 35., 39.3, 91.7, 92.2, 92.5, 92.6, 92.6, 92.3, 97.1, 93.1, 97.1, 93.1, 77.1, 93.1, 77.1, 93.1, 77.1, 93.1, 77.1, 93.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 97.1, 1.66, 20.5, 83.6, 93.3, 92.7, 93.7, 94.1, 94.5, 95.0, 95.1, 95.1, 95.1, 95.3, 35.3, 95.3, 35.3 16.5 03.7 7. .4 12.7 94.5 94.9 95.8 96.5 96.5 96.5 96.6 96.6 96.7 ./1.6, 16.5, 63.7, 23.4132.7, 94.5, 95.5, 96.8, 97.8, 97.9, 98.1, 98.1, 98.2, 98.2, 35.2, 26.2 16.5 93.7 93.4 y .7 94.5 95.7 97.3 98.3 98.4 99.5 96.5 96.7 95.7 98.7 C8.7 /1.6. 15.5. 68.7. 93.4. 97.7. 94.2. 96.1. 97.5. 98.7. 98.2. 99.1. 99.2. 99.3. 75.3. 25.4. 99.4. 71.6. 16.5. 68.7. 93.4. 72.7. 94.0. 96.1. 97.6. 98.7. 98.4. 99.2. 99.2. 99.5. 69.5. 67.417... 11.6. 16.5. 68.7. 93.4. 93.7. 94.2. 96.1. 97.6. 98.7. 98.2. 99.3. 99.2. 97.5. 99.1. 27.617...

TOTAL NUMBER OF OBSERVATIONS

SAF ETAC 0-14-5 FOL AT PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

30 2 17, 1986

1. \_ - 171\_

## PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

USAF ETAC - 0-14-5 OL AT MERIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

. S.B. TE STAT TE WIFE

75-84

50.3 51.6 58.0 58.6 58.6 58.6 58.6 58.6 53.0 57.8 58.8 57.1 59.1 2000, 2000, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 2010, 529. 5424. 6424. 6424. 6424. 6424. 6426. 6426. 6426. 6426. 9464. 9466. 71.4, 73.2, 73.5, 73.8, 73.5, 73.0, 73.0, 73.0, 73.8, 73.8, 74.1, 74.1, 74.1, 74.1, 74.4, 74.4 1 -1 76.0 75.4 7..7 7..2 79.2 79.3 79.3 79.3 79.5 79.5 79.6 79.6 79.6 79.9 79.9 7. •4. 77.5. 77.5. 79.5. 79.5. 79.5. 79.5. 85.1. 80.1. 48.1. 48.1. 18.2. 18.2. 18.2. 18.4. 40.4. 40.7. 80.1. 71.7. 75.9. 61.7. 91.3. 91.7. 91.7. 91.7. 81.8. 61.8. 61.8. 61.8. 61.8. 62.7. 62.1. 62.1. 62.1. 62.1. 62.1. 62.1. 4.4 6.6 57.6 dl.? 98.2 38.4 68.4 68.4 98.4 88.5 93.5 d3.7 88.7 98.8 99.3 /5.1.35.3.57.6.38.6.87.4.89.4.89.7.89.7.89.7.89.7.89.9.9.9.9.9.9.5.90.0.90.3.90.3.76.2.35.6.36.36.1.89.6.9.2.90.2.3.90.3 76.2 45.7 38.2 49.7 9 .5 90.5 91.1 71.1 91.1 91.1 91.2 91.2 91.4 91.4 91.7 91.7 . 36.3 39. 0 ..6 .7 . 7 92.5 17.5 94.2 94.2 94.2 94.3 94.3 94.5 94.5 94.6 94.6 16.2, 36.5, 87.1, 2.08, 72.4, 93., 194.2, 95.2, 45.2, 195.2, 95.4, 95.4, 95.5, 95.5, 45.8, 95.6. C.6 34.3 70.9 72.7 93.5 94.9 96.3 96.4 96.4 96.5 96.6 96.7 76.7 97.7 97.2 14.66 . 87.37 . 92.97 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 97.67 . 36.6 39.3 9..7 92.7 93.6 95.2 97.6 47.9 93.4 98.5 93.5 42.7 95.7 96.7 99.0 76.7. 36.6. 89.3.90.9. 92.7. 93.6. 95.2. 97.6. 98.1. 98.5. 99.1. 99.1. 99.3. 29.3. 97.6. 29.5. 76.2. 36.6. 89.7. 93.9. 92.7. 93.6. 95.2. 97.6. 98.1. 98.5. 99.1. 99.1. 99.3. 99.7. 49.6. 99.9 16.2 96.6 A9.3 9... 4 92.7 93.6 95.2 97.6 98.1 98.5 59.1 99.1 49.3 59.3 99.6102.2

TOTAL NUMBER OF ORSERVATIONS

USAF ETAC 0-14-5 (QL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

THATCE 15Y (4-45)CH

"- SE-MICE / AS

AL CLIMATOLOUS FRANCH TUTUEN SERVICEZMAC

ACT KITTOL TOLL OF

### CEILING VERSUS VISIBILITY

#### PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

F 1 C -112-2424

26 - 25 - 24 - 28 - 21 - 27 - 27 - 277 - 277 - 24 - 277 - 277---- 7 .7 .7 .71.2 .71.4 .71.4 .71.4 .71.4 .71.4 .71.4 .71.4 .71.4 .71.5 .71.5 .71.7 6 .6 .77.4 .76.9 .79.4 .74.5 .79.5 .79.5 .79.5 .79.5 .79.5 .79.5 .79.5 .70.7 .79.7 .27.2 .20.2 .20.2 .4 .72.2 .79.2 .79.3 .79.5 .79.5 .79.5 .79.5 .79.5 .79.5 .79.5 .79.5 .79.7 .27.2 .20.2 77.6 15.1 89.3 84.1 8 .8 89.8 90.1 90.2 90.4 90.4 90.6 90.7 91.2 91.2 41.7 91.7 72.6 75.2 36.6 99.4 9 .1 90.1 70.6 90.7 90.9 70.9 91.0 91.7 91.7 91.7 92.2 92.2 92.6 72.6 70.6 89. 89.8 9 .6 90.6 91.0 91.2 91.4 91.5 91.7 92.7 92.2 92.2 92.6 92.3 17.6 -7.4 87.8 9 .7 77.7 92.2 73.1 93.4 97.6 73.6 73.8 93.9 94.4 54.4 94.9 74.6 77.6 7.5 9 1 91.3 97.8 92.6 94.1 95.2 95.4 95.5 95.7 96.2 96.2 96.8 96.6 17.C 72.6 27.5 9 .1 91.0 92.8 97.6 94.1 95.7 95.3 96.5 96.6 97.1 97.1 97.5 97.5 77.6 47.5 9 .1 71.0 47.8 93.3 94.7 96.5 56.8 97.3 97.6 97.8 97.4 96.4 45.4 45.9170.0

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC 4 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL CUIMATCEODY PANCH UTHO FIT OR SERVICIVA

- ministr

WE ATTHE WAST STATON NAME

### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

75-54

-- <del>६६६</del> \_ 444

-4 •? 91•5 J2•4 52•7 J?•1 95•2 97•2 93•3 J3•3 73•3 53•3 93•4 93•4 93•4 93•6 2aPd. Tart., Sard., Sard., Sard., Sard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lard., Lar 5.1 32.3 17.7 65.5 54.7 64.1 64.1 64.2 64.2 64.2 64.2 64.2 64.2 64.2 64.3 64.3 64.3 <u>5.1, 26.4, 67.2, 63.5, 54.1, 54.1, 54.2, 54.3, 64.2, 54.2, 54.2, 64.2, 64.2, 64.2, 64.2, 64.2, 64.2</u> . 51.09. 51.27. c. 04. 63.28. 65.23. 59.04. 69.24. 69.25. 69.25. 69.25. 69.25. 69.25. 69.25. 69.25. 69.25. 69.25 1.6 71. 70.3 72.5 77.0 73.3 73.3 73.4 73.4 73.4 73.4 73.4 73.5 73.5 73.5 77.5 73.7 201, 7109, 7703, 7303, 7403, 7404, 7405, 7405, 7405, 7405, 7405, 7405, 7401, 1407, 7407, 7407, 7407 5.0 2013. 3012. 4012. 4012. 2013. 2013. 2013. 2013. 2013. 2013. 2013. 2013. 2013. 2013. 2013. 2013. 2013. 67.1 70.9 8 .7 91.5 02.4 8..6 52.8 32.9 62.9 82.9 83.0 93.1 63.1 63.1 67.2 93.3 -64.5. 77.00; £1.6. 32.5. £3.5. £3.5. £3.7. £3.8. £4.6. £4.6. £4.6. £4.5. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6. £4.6 20.7 82.7 93.7 34.6 94.9 85.1 95.2 85.2 95.3 85.3 85.3 85.4 95.5 85.6 85.7 6 .4 91.6 83.6 84.7 35.7 86.. 86.4 Po.6 86.6 86.7 86.7 85.7 84.0 35.9 x7.3 97.1 6 .7 72.1 84.2 35.3 46.5 86.5 87.7 27.4 67.4 67.5 67.5 97.6 57.7 27.7 27.7 27.9 97.7 6 .7 42.8 85.7 46.2 37.6 98.1 58.6 88.7 58.8 88.9 88.9 88.9 89.0 99.1 50.7 99.3 3.5 65.8 97.1 39.0 99.5 97.2 98.4 97.5 92.5 97.5 97.6 97.8 96.3 97.9 91.2 1 33.7 36.7 P7.4 90.4 CD.1 CC.R 91.2 91.3 01.3 91.4 91.4 91.6 91.6 91.8 91.8 5 - 2 - 3 - 9 E 6 - 7 - 8 7 - 9 9 - 2 | 95 - 9 91 - 7 92 - 2 92 - 4 | 92 - 4 92 - 5 92 - 5 92 - 7 - 2 - 7 9 - 9 92 - 7 . <u>5 - 2</u> 5 - 8 34.0 86.7 93.4 1.0 92.6 91.5 92.4 93.2 93.4 93.4 93.5 93.6 93.7 93.7 51.9 93.4 54.1 86.7 93.4 1.0 92.2 92.2 94.4 94.6 94.9 95.1 95.1 95.2 95.2 95.4 95.5 57.7 34.1 56.7 38.4 91.1 72.4 93.8 95.6 96.1 96.4 96.6 96.6 96.8 96.9 97.2 97.1 5 -3 -4-1 36-9 33-4 51-2 92-5 94-2 96-3 96-3 97-5 98-3 98-1 93-5 98-6 95-5136-3

TOTAL NUMBER OF OBSERVATIONS 42.7

USAF ETAC - 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL CLIMATCLOSM AANCH CLIMAT CLIMATCLOSM AANCH

TOUNTIRE ASSESSE

, (4144-20) ) 1

### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS:

57 - 24 STATION NAME

41. +5.72.1.79.1.92.0.37.3.89.6.93.1.95.1.95.6.96.3.96.6.96.6.97.7.97.2.97.1.95.1130.3

TOTAL NUMBER OF OBSERVATIONS 556

USAF ETAC ..... 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL OLIMATOLOGY READER Father SERVICE MAC

2 - CLATTRE - 130 STATON NAME

### CEILING VERSUS VISIBILITY

-

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS:

75-94

LISBILITE STATUTE MILES \_\_\_\_\_ - 26 - 24 - 24 - 21 - 22 - 2 - 214 - 21 - 24 - 25 6 -73.8 51. 5. 34. 5. 74. 9. 17. 8. 79. 2. 30. 9. 30. 4. 31. 5. 30. 8. 30. 8. 30. 8. 30. 8. 30. 8. 30. 8. 30. 8. 30. 30. 30 5 76.1 79.1 73.6 51.5 91.9 57.0 R2.4 82.4 P2.4 87.4 P2.4 82.4 P2.4 87.4 P2.4 -21.3, 77.2, 61.3, 92.0, 32.9, 93.3, 63.4, 83.6, 67.8, 83.6, 87.5, 63.5, 67.6, 67.6, 67.8, 67.8, 67.8, 83.6, 67.6, 67.6, 67.8, 82.5, 53.3, 83.6, 83.9, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, 84.2, ...1. ... 79.5.5 . 7. 89.4. . 5. 7. 95. 7. 35. 8 . 36. 2 . 36. 2 . 36. 2 . 36. 2 . 36. 2 . 36. 2 . 36. 2 . 36. 3 . 36. 2 . 36. 2 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. 3 . 36. -- .4 63.7 95.4,06.2 96.0 86.9 97.3 67.3 97.3 97.3 97.3 87.3 97.3 97.3 21.65.65.67.7.89.44,90.05,70.1.90.65,90.65,90.65,90.67.90.7.90.87.89.90.7.90.89.7.00.9 \$3.2 51.7 86.0 0.88.4 9 .1.91.1 91.3 91.8 91.9 92.5 92.5 92.3 92.3 92.3 92.3 92.3 3-2, 32.02, 36.5, 99.7, 72.3, 94.3, 75.6, 97.1, 97.5, 97.8, 97.8, 98.1, 48.1, 98.1, 98.1, 98.1, 98.1, 98.1, 98.1 2.2 36.5 99.7 22.3 94.3 95.7 97.4 98.5 98.4 98.6 98.8 98.8 98.8 92.8 92.5 J 3 • ? 7.3, 22.3, 26.0, 89.6, 47.4, 94.4, 95.3, 97.7, 98.4, 98.9, 99.1, 99.5, 99.5, 99.5, 99.5, 99.7. 7.3, 22.3, 26.7, 89.3, 92.4, 24.4, 95.8, 97.7, 98.4, 98.9, 99.1, 99.5, 99.5, 99.5, 99.7100.0 1. 3. 3. 2. 3. 26. 9. 89. 8. 97. 4. 94. 4. 95. 8. 97. 7. 98. 4. 98. 9. 99. 1. 99. 5. 99. 5. 99. 5. 99. 7176. L

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC A 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

THE ALCO IMPTICATOR CHANCH CONTRACTOR CONTRACTOR CONTRACTOR CALCULATER CONTRACTOR CALCULATER CONTRACTOR CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCULATER CALCUL

### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

75, ± 54

---<del>VA2</del>. 11<u>52</u>-1400

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC ... 0-14-5 (OL A MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

BE CLIMITOLOGY PARCH FRT HE SERVICE MAS

्र सम्ब्रेन्स्स्य

TOUTH TOP A DE STATION NAME

### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

75-34

1142-1100

- 443

188, 18 5141 TE WILES . 1.68. 2.65.. 2.65.. 2.65.. 4.65.. 2.65.. 2.65.. 2.65.. 2.65.. 2.65.. 2.65.. 2.65.. 4.65.. 4.65.. 4.65.. 4.6 . 17.3 . 14. . . 55. 3 . 35. 7 . 35. 3 . 55. 9 . 65. 9 . 65. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . 55. 9 . . E7.1 97.7 37.9 98., 59.1 36.1 58.1 98.1 58.1 98.1 d9.1 36.1 44.1 98.1 7.07. 74.08. 43.4. 94.5. 95.7. 96.1. 36.3. 96.4. 46.4. 96.4. 96.4. 96.5. 46.7. 96.7. 96.7. 96.7. 1.1 71.1 3.5 94.7 16.3.76.6 97.2 97.4 97.4 97.4 97.4 97.5 97.6 97.5 97.6 97.5 7.1. 71.1. 97.7. 75.2. 75.4. 96.9. 97.5. 97.6. 97.6. 97.6. 97.6. 97.7. 97.8. 97.8. 97.8. 97.8. 97.2. 91.1. 91.1. 93.7. 95.2. 96.4. 97.2. 98.2. 98.6. 98.7. 98.7. 98.8. 99.8. 99.8. 99.8. 99.8. 99.8. 99.8. 99.8. <u>?-1, 1-1, 93-7, 75-5, 96-5, 97-4, 98-3, 98-7, 98-8, 98-3, 98-8, 99-2, 99-1, 99-1, 99-1, 99-1</u>, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 99-1, 7-1, 21-1, 93-7, 25-2, 26-5, 97-4, 98-8, 99-4, 99-7, 99-8, 99-8, 99-9140-0150-01-03100-4. 7.1 91.1 93.7 95.3 95.5 97.4 96.9 99.4 99.7 99.8 99.8 99.91.3.0103.0103.0103.0 

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

SAL CLIMATOLOGY RANCH LANTHOR SE VICEZANC

### CEILING VERSUS VISIBILITY

-- <del>1 4 -</del>

11112-2412

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

USBUTH STATITE MILES

CENTIFE (Dr. 5)

25 25 24 35 27 27 27 27 27 27 27 27 17.5 25.7 35.9 37.4 67.6 87.7 57.8 97.8 \$7.8 27.5 67.5 67.6 67.8 77.8 30.3 87.8 93.4 30.9 99.3 89.4 89.4 80.4 89.4 50.4 94.4 60.4 49.4 60.4 49.4 91.6 91.5 

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_

USAF ETAC " 0-14-5 FOL A" MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

2.2 97.7 93.7 35.7 96.9 98.7 99.2 49.6 99.7 99.7 99.9 99.9 69.6 90.0100.

445

-1-4-2---

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

11544

71.5 71.0 .5. 15.4. 16.4. 11.2. 11.2. 11.4. 17.4. 17.4. 17.4. 17.4. 17.4. 17.4. 17.4. 17.4. 17.4. 17.4. 17.4. /7.50 (p. 1 51.1 91.6 (1.9 91.9 91.9 62.1 62.5 (2.) /2.2 (2.2 92.2 62.2 62.2 62.2 '7.8's .1'37.4 93.8 35.5 86.5'c9.6 98.6 c9.6 69.7 86.7 38.7 58.7 66.7 57.7 66.7 5.492. 9.23. 9.43. 9.45. 9.56. 9.69. 9.25. 9.89. 6.90. 6.93. 6.96. 6.99. 8.56. 6.49. 6.76. 5.36. 7.36 -27.0 89.5 99.6 ¥ .1 93.1 90.4 90.4 90.4 90.5 90.5 90.5 90.5 00.€ 90.5 00.€ .7. •8 + •2.85•6-23•2 71•2.21•2 21•5.91•3 91•5.91•7.91•7.91•7.91•7.51•7.51•3.91•3 7 .4 75.3 39.9 91.1 91.5 91.5 91.6 91.7 91.8 92.0 97.3 92.0 97.3 92.5 97.7 92.5 97.1 92.1 7 - 5 7 - 4 97 - 5 94 - 7 76 - 7 97 - 4 98 - 5 99 - 3 59 - 5 99 - 4 59 - 4 59 - 6 99 - 6 95 - 7 59 - 2105 - 3

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_\_\_

USAF ETAC ---- 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

CITE IN HARRIER

The Time Bran when when

### CEILING VERSUS VISIBILITY

-A-

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

72.6 36.2 60.5 91.3 93.3 94.3 95.2 95.6 95.6 95.7 95.7 95.8 95.8 25.8 25.2 95.9 12.6 36.4 89.8 91.8 94.0 95.2 96.4 97.2 97.1 97.2 97.2 97.2 97.3 97.3 97.3 97.4 12.6 36.4 86.8 91.9 94.7 95.7 97.1 97.9 98.1 98.2 98.3 98.4 98.4 98.4 98.4 98.4

77.6 56.4 87.6 71.9 94.3 95.7 97.5 98.5 98.8 99.2 99.3 99.3 99.4 99.4 56.5 99.6 72.5 36.4 87.6 21.9 94.3 95.7 97.5 98.5 98.8 99.2 99.3 99.4 59.5 26.5 26.5 29.2 72.6 36.4 89.8 91.9 74.3 95.7 97.5 98.5 98.8 99.2 99.3 99.4 59.5 99.5 29.7 20.0 37.6 36.4 89.8 91.9 74.3 95.7 97.5 98.5 98.8 99.7 90.3 99.4 59.5 99.5 29.7 20.0

0.4 89.8 91.9 94.3 95.7 97.4 98.3 98.6 98.9 99.0 99.0 99.1 99.1 9.1 99.1

OTAL NUMBER OF OBSERVATIONS \_\_\_\_\_\_4725

USAF ETAC - 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

PAUL DUIHATOLOGY PHANCH Stad Fat & Sphylo Mac

10 ATTRE 1.01 ST SHANN NAME

### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

. KB, THI STATITE MILES

7 <u>- 24</u>

المواد-وياد

خ (بي≱

26 25 24 25 21 2. 2 2. 21 . 1.c.6. 3.13. 3.63. 3.86. 3.65. 3.65. 3.63. 1.65. 1.65. 1.65. 2.46. 3.46. 4.65. 4.20. 4.20. 4.20. 4.20. 4.20. 4 . . . . . . . 67. 7.07. 1.07. 1.07. 1.07. 1.08. 1.08. 1.08. 1.08. 1.08. 1.08. 1.08. 1.08. 1.08. 1.08. 1.08. 1.08. 1.08. 1.08. 1.08. 7 .6 75.5 76.7 79.1 78.9 79.1 79.6 79.6 79.6 79.6 79.6 79.6 79.8 79.8 70.8 79.8 3.1. 74.9. 77.0. 77.0. 77.0. 77.0. 77.0. 77.0. 30.1. 30.0. 30.0. 30.0. 30.0. 30.0. 30.0. 30.0. 30.0. 30.0. 30.0 -3.2 7x.3 76.2 70.1 79.9 P1.3 H1.5 M2.0 32.3 M2.0 62.3 M2.0 62.3 M2.1 M2.1 M2.1 M2.1 .4.4 74. 79.1 91.1 83.0 94.5 34.0 85.4 65.4 85.4 85.4 85.4 85.4 65.4 65.4 65.4 85.5 FT.5 85.5 5-1,75-2,65-4,92-7,84-5,36-1,65-4,86-9,56-9,96-9,56-9,56-2,66-2,66-2,87-1,27-1,27-1,27-1, 5.1 75.3 87.6 93.0 4.9 86.7 87.4 87.9 87.9 87.9 87.9 87.9 67.9 co.1 =0.1 96.1 55. 75.9 02.5 45.4 57.8 90.1 71.2 91.7 91.7 91.7 91.7 91.7 91.7 91.7 91.8 91.9 91.5 77.4 63.5 66.6 9 .5 93.5 95.2 97.1 97.3 97.3 97.3 97.3 97.3 97.4 97.4 97.4 77.4 63.5 96.5 9.5 93.5 95.2 97.3 97.4 97.4 97.6 97.8 98.0 95.1 92.5 98.2 97.4 63.5 96.5 9.5 93.5 95.2 97.3 97.4 97.4 97.6 97.8 98.0 98.1 92.8 99.5 55. 77.4 83.5 96.6 5 .5 93.5 75.2 97.3 97.4 97.4 97.6 97.8 98.3 96.1 9 .9136.2

USAF ETAC - 4 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TY TAC CEIMATTEOCH BRAGOR TYTTEO AT TAT HE SERVICEMAC

### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

14.5 30.3 97.0 54.3 96.1 97.2 98.3 98.9 99.2 99.6 99.7 99.7 99.9 99.91 7.5150.3

USAF ETAC - - 0-14-5 FOL A MENOUS EDITIONS OF THIS FORM ARE OBSOLETE

\_\_\_AE\_\_0\_TKRT/E0UV\_FRANCH-\_\_TRO \_\_\_\_CAT\_\_F\_SERVICE\_TAG

### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

482 1200-1400

TOTAL NUMBER OF OBSERVATIONS AG

USAF ETAC - 4 0-14-5 FOL A MEVIOUS EDITIONS OF THIS FORM ARE OBSOLITE

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

-1-

11\_1-17\_1

96.6 94.7 94.7 99.6 99.9 99.9 99.9 99.9 99.9 99.9 93.0 99.4

TOTAL NUMBER OF OBSERVATIONS 231

USAF ETAC 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

LIMITOLDGY PRANCH FACION SPRVICENIAC

### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

75.7 75.7 75.7 75.7 75.7 201. 15.6. 75.7. 18.7. 75.7. 75.7. 75.1. 75.7. 75.1. 15.7. 75.7. 15.7. 75.7. 75.7. 75.7. 75.7. 75.7. 75.2 75.7 75.9 75.9 75.4 75.4 75.9 75.9 75.9 75.9 75.0 75.4 75.9 75.9 75.9 21.3 - 1.4 - 7.61.7 - 1.6 - 7.61.7 - 61.7 - 61.7 - 61.7 - 61.7 - 61.7 - 61.7 - 61.7 - 61.7 - 61.7 - 61.7 - 61.7 93.3 -7.4 P3.0 33.4 33.4 23.6 93.5 93.4 83.6 23.8 93.4 23.6 15.7 PH. 64.5 34.6 35.4 95.4 35.4 85.4 85.4 35.4 95.4 95.4 5.4 65.4 65.4 .18.1. 26.6. 69.4. 2.1. 33.9. 91.1. 91.2. 91.2. 91.2. 91.2. 91.2. 91.2. 91.2. 91.2. 91.2. 91.2. 91.2. 1.5. 9. 60.7. 65. 71.4. 97.3. 72.7. 92.9. 92.9. 97.9. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. 93.5. . 9. 71.4. 91.9. 24.4. 34.0. 94.6. 94.6. 94.6. 94.6. 94.6. 94.6. 94.6. 94.6. 94.6. 94.6. 94.6. 94.6. 7.2. 32.6. 97.2. 94.1. 5.4. 96.2. 96.7. 97.1. 97.2. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.4. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97 -7, 72.6, 93.2, 74.3, 96.1, 96.9, 97.4, 98.0, 98.5, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98.6, 98 

TOTAL NUMBER OF OBSERVATIONS \_

USAF ETAC - 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

LE AE DETMATCENSY - ACCE - LTAC A LEAT TO SERVICE MAC

### CEILING VERSUS VISIBILITY

### PERCENTAGE FREQUENCY OF OCCURRENCE 2120-2322 FROM HOURLY OBSERVATIONS:

- AP?

: 👡						<b>.</b>										
***	,	≥ 5	25	2.4		2.2	÷.	2	2 -	2		٠.	:	25.5	2.	,
·	1	+-,	C?		40.3	69.6	~ C . 5	59.6	. 9 . 6	64.6	45 - K	63.	D 7 . F	65.6	60.6	49.4
1.0	6 7														76.5	
															7+ . 5	
* * *															76.5	
4															76.8	
	6 . 4	77.8	79.1	73.1	7 .2	75.0	78.5	73.6	78.6	78.5	72.6	75.6	75.5	78.6	76	78.5
	71.5	1.3	41.5	31.5	5.7	ذ ۽ 2ءَ	62.3	32.3	57.3	32.3	S7.3	0.7.3	43.7	3	22.3	82.3
	71.	11.5	50.0	72.0	32.3	32.5	52.6	82.6	62.6	92.6	82.6	F.2.6	€2.6	12.6	0.06	82.6
	7.4	3.€	04.7	₽4.4	34.7	95.1	35.1	-5.2	35.2	55.2	35.2	85.2	55.7	35.2	55.2	35.2
															25.7	
2.19															35.7	
	i 4 •	14.7	35.0	5	56.4	A6.7	36.7	36.7	86.9	96.0	56.7	P6.9	35.0	. 6.3	86.9	96.9
1 45.5						-		_	-						c 9 • 5	
1 <b>4</b> 98				<b>-</b>	·	+	<del></del>			<del>*</del>	<del></del>		<u></u>	• _=	<u>,90•3</u> ,	* T T T T T T T T T T T T T T T T T
to the s															-1.1	
	*	*· · · · ·	<del></del>	<del></del>	··- · · · · · · · · · · · · · · · · · ·	• 7-4	+ · - · · · - · · ·	<del></del>	<del> </del>	<del></del>	+	•		<del></del>	91.7	• 7 f
															97.7	
															53.2	
Ng. 1															97.2	
																04.2
															95.1	
	•	4	<u></u>	<del></del>				+	<b>+</b>	+			<b>*</b>		95.5	<b>+</b>
															-	
			<b></b>			+		<del></del>	<del></del>	<del></del>		·	<del>-</del>		94.6	*
	16.5														97.9	
		+	<del></del>	<del></del>			<del></del>				<b></b>				9 = 4	*· · ·
4							-								98.9	
		<u> </u>	<u> </u>	<del></del>	<del></del>		<del>+</del>	+		<del></del>	<del>+</del>		<del></del>	<del></del>	ÇQ.3	
	. 5 . 5															
		<b>+</b>	<u> </u>	<del></del>			<del></del>	*	+	<del>+</del>	<del></del>		<del></del>	<del>•</del> -	<u>เป็กได้</u> ได้	
	16.5														เล็ว.กัเ	
	*							• — —								

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_

AL TUTMATTERLY PHANCH UTIO FOT TO STADIO MAC

### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

3.4 7 .5 71.3 71.5 71.7 71.7 71.9 71.6 71.8 71.8 71.8 71.6 71.6 71.6 71.8 71.8 71.8 . 3-4.7. 1. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 2.71. 971. 74. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 24. 71. 2 7.32. 7.33.,7.13. 7.43. 7.438. 7.48. 7.48. 7.48. 7.48. <u>8.48. 4.48. 4.48. 4.48. 4.48. 7.48. 7.48. 7.48. 7.48. 4.48</u> 44.3 85.8 36.6 57.7 17.6 27.7 87.8 67.8 87.8 37.8 37.8 67.8 17.6 27.6 87.8 . /3.4. 15.2. 16.43. 16.43. 16.44. 16.44. 16.44. 16.44. 16.44. 16.45. 16.45. 16.45. 16.45. 16.45. 16.45. 16.45 74.7 16.7 88.3 89.2 80.9 90.3 90.6 90.6 90.7 90.7 90.7 93.7 90.7 90.7 90.7 16.7, 73.4, 71.4, 92.3, 72.1, 72.5, 93.1, 93.1, 93.1, 93.1, 93.1, 93.1, 93.1, 93.1, 93.1, 93.1, 93.1, 

76.2 7.7 97.7 74.4 76.4 97.5 98.4 99.1 99.3 99.4 99.6 99.6 99.7 99.7 99.8 76.2 7 .7 92.7 74.4 76.4 97.5 76.4 99.1 99.3 99.4 99.6 99.6 99.7 99.7 99.8 99.7 76.2 7 .7 92.7 74.4 96.4 97.5 78.4 99.1 99.3 99.4 99.6 99.6 99.7 99.7 99.8170.0

TOTAL NUMBER OF ORSERVATIONS ....

USAF ETAC - 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

L AL CLIMATTERSY - ANDH - TETAS - FRITHER SERVICERHIE

CENTER ANDE

### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

75-84

1.7 1... 41... 45.1 47.5 47.4 45... 49.5 42.5 45.7 49... 47... 47.2 49.2 47.2 49.2 47.2 49.2 47.2 49.2 47.2 49.2 47.2 49.2 47.2 49.2 47.2 49.2 47.3 49.2 47.3 49.2 47.2 49.2 47.2 49.2 47.2 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.2 49.2 47.2 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.3 49.2 47.

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC 1.04 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

LE AU CETMATOLOGY RAANCH RESETAC BOOKER PAR SERVICE 1940

12 TOTALIRE A FEE STOON NAME

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

75-34

Jag-1125

'•1 (1.6 5).1 (3.6 53.7 53.0 53.2 53.a 57.5 53.2 53.a 53.6 53.6 53.6 53.6 53.6 4' - 3' 62 - 54 - 1 65 - 7 56 - 7 56 - 1 56 - 1 66 - 1 66 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 - 1 65 2.6. 13.9. 16.2. 13.44.1. 5. 16.1. 18.7. 18.7. 18.7. 18.7. 13.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 12.7. 1 7.6. 76.1 7° -7 83.9 81.1 31.5 37 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° -7 7° 41.5 44.6 87.2 67.6 37.7 67.7 97.8 87.8 87.8 37.8 87.3 87.8 87.6 c7.8 97.5 5..4 96.2 91. 

USAF ETAC - 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AS TELMATOLOGY PHANCH TATER SERVICE IMAC

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE

- <del>4</del>4×. . 1\_\_2-1422

FROM HOURLY OBSERVATIONS

57.1 17.5 67.5 69.2 57.5 69.5 69.5 69.5 69.5 69.5 69.5 L+.5 69.0 77.2 79.1 79.5 79.5 79.0 79.6 79.6 79.6 79.5 79.5 79.5 79.5 79.6 79.6 79.6 73.5 22.5 95.8 28.2 97.2 99.2 39.2 99.3 99.4 99.4 99.6 09.6 99.6 09.6 99.6 39.6 73.6 7..5 95.8 93.3 99.3 99.4 99.4 99.7 99.8 99.8 99.9 99.9 99.0 99.0 99.0 99.9 73.5 72.5 95.8 98.3 99.4 99.4 99.7 99.8 99.8 99.9 99.9100.0100.0100.0100.01 13.5 92. 95.8 98.3 49.3 79.4 49.4 99.7 99.8 99.8 99.9 99.9103.0100.0100.0100.0

TOTAL NUMBER OF OBSERVATIONS ...

USAF ETAC - 4 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE ORSOLETE

AU CLIMATOLOGY CHA Cr Jaman FAT FR SPRHICE/-AC

#### CEILING VERSUS VISIBILITY

TOWARD SCHOOLSE SIGH STATION NAME

"<u>↓ = 34</u> \_ \_ \_ \_

¥4.¥

#### PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

1-44-1724

4 .1 51.1 52.5 53.. 63.n fr.. 63.n 13.2 87., 53.0 53.n fr.. 83.n fr. 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 1.1. 70.07. 72.07. 72.03. 12.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03. 72.03 . pt. 5. 32.2. 35.1. 85.7. 25.8:45.6 .85.3. 35.8 .65.8 .85.6 .85.6 .85.6 .45.8 .45.8 .45.8 .65.8 .85.3 .95.6 .95.6 .95.6 .85.6 .96.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 .86.5 17.5, 38. 91.4, 92.7, 93.2, 93.2, 93.2, 93.2, 93.2, 93.2, 93.2, 93.2, 93.2, 93.2, 93.2, 93.2, 93.2, 93.2 14.5. 33.9. 94.8. 96.7. 97.7. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 97.9. 74.6 71.2 75.6 77.5 92.6 98.6 98.9 96.9 98.9 98.7 98.7 98.7 98.7 95.9 75.9 75.9 75.9 74.5 71.3 95.8 97.9 99.5 

TOTAL NUMBER OF ORSERVATIONS

USAF ETAC - 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

JULIAN SCIMPTONOSY DRANCH TO ETAT TO BEHVIOLMAC

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

1:12-2020

- MAY

USAF ETAC 0-14-5 (OL A) MERVIOUS EDITIONS OF THIS FORM ARE DISSORETE

AL CEIMATTENDY NEAN, H ATAN MATING SELVINIAS

E -- Indian

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

?<u>5-34</u>

-144-2350

YAY

26 21 24 25 21 21 21 21 21 21 21 21 21 21 78.6 71.6 78.6 75.8 78.8 78.8 78.4 78.8 78.8 78.8 79.0 79.0 79.0 30.4 7.1 73.9 37.7 93.9 54.7 34.2 54.2 94.2 94.2 94.2 94.2 94.2 94.4 94.4 84.8. 2442. 3444. 6444. 6445. 6445. 3445. 3449. 6442. 6448. 6448. 4449. 4449. 4445. 647 2.1.2.00.2 26.13. 5.14. 51.24. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15. 1.15 ..6.7. 31.1. 94.7. 36.2. 37.1. 97.1. 98.2. 98.2. 98.2. 98.2. 98.2. 98.2. 98.2. 98.2. 98.2. 98.4 .y = 44 .98.4 21.7 94.7 26.7 94.4 98.4 99.4 99.5 99.8 99.7 99.8 99.3 99.3170.0100.0 67.0 31.7 94.9 96.9 95.4 98.4 99.9 99.3 99.8 99.8 99.8 99.8131.1.1130.0 67. 31.7 94.9 36.9 95.4 98.4 99.8 99.8 99.8 99.8 99.8 99.81 1.0.1170.0 67. 31.7 94.9 96.9 97.4 90.4 99.8 99.8 99.8 99.8 99.8 99.8 97.8170.0

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC - 0-14-5 FOL A - PREVIOUS EDITIONS OF THIS FORM ARE DISSOLETE

. AL OLIMATOLOGY POBACH LTAC COSTO POSENZIO, A AC

CLASTER A PROPERTY NAME

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

SAY.

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_\_\_ 46

SAF E'A" 0-14-5 (OL A PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL CLIMATOLOGY CHANCH CLIME TOTAL SERVIC MMAI

16-17 3: 3 63 57 3K WANT

े स्टॉस्टन्स् जन्म

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

1124-2400

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC - 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

IL CLIMATILOS : TANCH TAT IN SPRINTELLING

~1\*\*\*\*

## CEILING VERSUS VISIBILITY

CATTRE 1.T. TO STATE WANTE PERCENTAGE FREQUENCY OF OCCURRENCE

1112-1121

ب لبدائ

FROM HOURLY OBSERVATIONS

96.2 99.2 99.1 99.6 99.8 99.9 99.9 99.9 99.9107.0103.0107.0100.0 57. - 46.2 92.3 96.2 94.2 99.1 99.6 99.8 99.9 99.9 99.9 99.9170.0170.0170.0170.

IJSAF ETAC - 0-14-5 FOL A: MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

74-31

1147-1474

وزيدل

TOTAL NUMBER OF ORSERVATIONS

USAF ETAC - 4 0-14-5 FOL AT MERVIOUS EDITIONS OF THIS FORM ARE DASCIETE

6.1

TO ALL OLIMATOLOUY DI ALCHI Printati Di Patricky Sermicit al

2 \* 17 \* F 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* ST 1 \* S

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1 - 1 - 1 7 - 1

¥. ..

USAF ETAC - 0-14-5 TOL A MEVIOUS FOIL ONLY OF THIS FORM ARE OBSOLETE

LOUGHATOLDSY SHANCH

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

يابيان 1-46-2433

•? 10.•3 52.6 53.1 53.1 53.1 57.3 F3.3 53.3 53.3 F3.3 53.7 F3.3 53.3 F3.3 4.6. 18.5. 97. 34.8. 95.5. 95.7. 96.3. 96.5. 96.5. 96.7. 96.7. 96.7. 96.7. 96.8. 96.8. 96.8. 96.8. 96.6. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 97.5. 37.2, 93.2, 93.6, 76, 3, 96.5, 97.1, 97.3, 97.3, 97.5, 97.5, 97.5, 97.6, 97.6, 97.6 5.7. 29.6. 97.6. 26.2. 96.7. 96.9. 97.5. 97.7. 97.7. 97.9. 97.9. 97.9. 98.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 92.1. 9 5.4 39.9 94. 56.5 77.3 97.6 98.3 98.7 95.7 99.9 98.7 95.7 99.2 99.2 99.2 5.4 70.1 4.3 75.5 97.5 98.3 98.7 99.1 99.1 99.3 49.3 99.3 49.6 79.6 49.5 99.0 -5.6; 70.4 94.5 77.1 97.9; 98.3 98.9 99.3 99.3 99.7 99.7 99.71.7.0176.010 5.6 5 .4 94.5 77.1 97.9 78.3 98.9 99.3 99.3 99.7 99.7 99.7100.0100.01. 

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC ... 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s

A EL CETMATOLOGY - PANCH ETAC - CATHER SEP ICLIMAC

1015-197 1016 1016-197 1016

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

11.2-2404

- <del>- -</del>--

TOTAL NUMBER OF OBSERVATIONS 49

USAF ETAC - 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TO ALL CUITHAT SECURE THANSHING TO ANSHING THAN SERVICE VIAC

TUEST TO STATE NAME

## CEILING VERSUS VISIBILITY

411 -

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

74-63

26 21 24 23 23 34.5 44.2 50. 53.4 54.6 54.6 54.9 55. 55.0 55.1 55.1 55.1 55.2 55.2 55.2 55.2 3.4 -1.7 65.1 67.5 38.4 58.0 35.9 68.9 69.2 69.2 69.1 69.1 69.1 69.2 69.2 69.2 . 3.4. 31.2. 55.1. 67.2. 00.4. 58.5. 68.8. 68.9. 69.1. 69.1. 59.1. 69.1. 50.2. 19.2. 59.2. 69.3 -3. 12.2 55.5 57.9 67.3 69.1 69.2 69.4 69.4 69.4 69.5 69.5 69.5 69.6 67.6 69.7 4 • 4 • 6 4 • 6 7 • 6 7 • 6 7 • 1 • 1 • 1 • 1 • 1 • 6 71 • 7 71 • 7 71 • 6 71 • 9 71 • 9 71 • 9 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • 0 72 • . 1.73.2.17.1.33.1.31.4.31.0.32.1.62.2.62.2.52.2.32.2.32.3.62.4.32.4.52.5.62.5 73.5 77.7 90.5 31.7 92.1 32.4 P2.5 07.5 P2.6 47.7 P2.7 02.8 P2.5 P2.8 1.7.74.3.75.5.91.3. 2.7.83.1.62.4.63.5.63.5.83.5.63.6.83.6.03.7.83.7.27.2.2.33.3 2. 75.2 79.5 82.4 33.8 34.2 84.5 84.5 84.5 84.7 84.8 84.0 84.9 84.9 84.9 84.9 70.4, 50.9, 94.0, 15.5, 36.. 26.4, 86.5, 36.6, 86.6, 36.7, 86.7, 86.8, 96.E. E6.E. B6.E. 77.6 62.1 5.3 5.9 87.3 57.7 87.4 67.7 88.3 68.1 48.1 68.2 86.2 65.2 88.2 .23.-7.70.-5.03.1.56.4.03.1.86.4.66.9.69.1.85.1.89.2.89.3.97.3.07.4.89.4.69.5.89.5.4.5.7.7.7.54.3.27.7.59.3.89.3.97.2.90.4.90.5.90.6.90.7.90.7.90.6.90.8.90.9.90.9 92.3 92.3 92.4 92.5 92.5 92.6 92.6 7.7 92.7 5.7. 32.1. 67. 31.6. 37.2. 92.6. 93.2. 93.5. 93.6. 93.6. 93.6. 93.6. 93.9. 93.9. 92.6. 92.6. 92.6. 93.6. 93.6. 93.6. 93.6. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93.9. 93. 94.3 95.4 97.3 95.1 96.7 98.9 99.1 99.2 99.2 99.4 59.4 59.4 09.5 56. 94.8 9 1 94.4 96.5 97.3 98.3 98.9 99.2 99.4 99.5 99.7 99.6 99.9 99.1

TOTAL NUMBER OF OBSERVATIONS . \_\_\_ 4692

USAF ETAC -4 0+14+5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TIO FAT TO SERVIC 7940

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

74-57

11:42-24:11

يو برايا

. . 2 43. 57.7 63.8 71.9 76... 57.4 53.7 83.7 83.9 84.4 84.4 64.6 64.6 84.7 84.7 ." 44.5 4.7 66.4 75.7 80.2 84.7 87.9 68.6 88.8 89.3 89.3 69.5 59.5 69.8 89.3 44.4 55.3 66.5 76.1 80.8 65.3 86.5 89.4 89.8 90.2 90.2 90.5 90.5 90.7 90.7 1 - 4 44-5 55-8 67-2 75-5 81-1 65-9 89-2 90-6 91-3 91-3 91-3 91-5 91-5 17.4 44.5 55.8 67.8 77.4 92.2 97.1 20.6 91.6 92.5 92.4 92.4 92.7 92.7 92.7 92.9 92.4 15.4 44.6 56.1 65.2 75.3 83.2 38.4 92.1 93.1 93.6 94.2 94.2 94.5 94.5 94.0 94.9 1 1 4 44.6 56.1 63.2 74.5 83.4 88.7 92.5 93.7 94.3 95.1 95.1 95.7 95.7 95.7 96.0 96.2 1' • 1 44 • 6 55 • 1 63 • 2 75 • 5 83 • 5 89 • 3 93 • 4 95 • 1 96 • 6 97 • 1 97 • 97 • 9 97 • 9 9 • 5 9 6 • 6 1 • 4 44 • 6 55 • 1 63 • 2 75 • 5 83 • 5 89 • 3 93 • 4 95 • 2 96 • 2 97 • 2 97 • 2 98 • 1 98 • 1 57 • 2 99 • 7 1 -4 44-6 56-1 68-2 77-5 83-5 39-3 93-4 95-2 96-2 97-2 98-1 98-1 98-1 96-2100-2

TOTAL NUMBER OF OBSERVATIONS ...

USAF ETAC 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL CLIMATCLOSY DRANCH CATAC CENTUS CASERVICERING

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE

ا 1126-چود

FROM HOURLY OBSERVATIONS

52.5 50.0 (4.7 57.9 63.9 69.1 69.1 69.1 69.1 69.1 67.1 67.1 67.1 69.1 (7.1 69.1 11.7 51.4 67.1 74.2 77.2 78.2 78.4 78.4 78.5 76.5 79.5 73.5 78.5 76.5 7 .5 78.5 7-1 5 -2 73-2 73-7 61-9 72-9 63-1 63-1 63-2 63-2 53-2 63-2 63-2 -33.2 c7.2 93.2 130 . 570 U. 7501 . 330 7:840 9.8501 .3504 .6504 .6505 .6505 .6505 .6505 .6505 .6505 .6505 .6505 23. 50.1 76.2 92.0 35.3 56.4 86.7 86.7 86.9 86.3 36.9 86.0 06.9 86.8 24.8 86.2 77.6 93.4 36.9 97.7 59.3 38.3 68.4 98.4 88.4 95.4 05.4 68.4 60.4 90.4 35. 71.1 79.6 95.5 86.0 90.1 96.5 90.6 90.6 90.6 90.6 90.6 50.6 50.6 70.6 90.6 3 1.0 75.3 65.1 92.5 7.4 99.1 99.5 99.8 99.9 99.9100.0100.0100.0100.01.0.0100.0 

USAF ETAC - NA 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

SE MAL DETMATCEDSY REAGONS COTEC ACCORDANCE SERVICEMAC

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

- <del>ત્રેત્ર્</del>દ . 11<u>..૧</u>-1૬૧..

LISAE ETAS .... 0-14-5 (OT A) PREVIOUS EDITIONS OF THIS FORM ARE DESCRIP

TAE CLIMATOLOGY THAVEH FATHER SERVICE! AL

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

74-32

1-44-1700

-- بإيال

27. 1 77.7 43.6 45.2 4 .0 49.9 49.0 49.9 49.7 49.0 49.0 49.0 49.7 49.7 49.7 49.7 49.7 . 4.88. 4.53. 4.53. 4.54. 4.58. 4.68. 4.68. 4.68. 4.68. 4.68. 4.68. 5.68. 5.68. 4. 68. 4. 68. 4. 68. 4. 68. 4. 54.9 57.4 55.2 63.7 68.3 68.3 68.3 66.8 66.8 66.5 65.5 65.5 65.6 66.6 53.9 66.6 33. 34. 5. 67. 4 . 6. 2 . 57. 7 . 68. 7 . 68. 7 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 8 . 68. 42.1 66.0 77.4 75.5 M1.2 Pl.5 81.3 M1.3 E1.3 F1.5 B1.7 Pl.3 51.7 F1.3 M1.3 Pl.3 1. 22 - 1. 16 - 5 , 73 - 1 , 73 - 9 , 22 - 1 , 92 - 2 , 52 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 62 - 2 , 6 73.3 76.7 83., 15.7 85.9 35.7 35.9 55.9 85.9 85.9 85.9 85.9 85.9 85.9 70.3 76.9 93.3 56.0 86.1 36.1 86.1 86.1 86.1 86.1 85.1 86.1 36.1 36.1 36.1 4 .7 .71.5 .72.5 as 7 .52 .73.5 .73.5 as 7 .53.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 .73.5 4 -7 74- 31-2, 28-5, 92-3, 92-0, 92-9, 92-9, 92-9, 92-9, 92-9, 92-2, 92-2, 92-2, 92-2, 92-2, 92-2, 92-2, 92-2, 47. 17. 5 5. 5. 1 73. 4 97. 3 97. 7 98. 3 98. 3 98. 5 98. 6 98. 6 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 98. 8 4".2 76.3 66.1 94.6 75.9 99.1 99.6 99.8 79.8 99.9 99.9 99.9 99.0 99.9 99.9  $4^{\circ} \cdot 2$   $7_{5} \cdot 3^{\circ} \cdot 6 \cdot 1$   $7_{4} \cdot 6$   $9_{5} \cdot 3$   $99 \cdot 1$   $99 \cdot 6$   $99 \cdot 8$   $99 \cdot 7$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot 9$   $99 \cdot$ 4 .2 72.3 -6.1 74.6 95.9 99.1 99.5 99.8 99.3 99.9 99.9 99.9 99.5 99.9 99.9 100.0

TOTAL NUMBER OF OBSERVATIONS .....

USAF ETAC - 0+14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL CLIMATCLOSM RA CHI RESTAC To Father Service/Mac

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

1:12-2433

TOTAL NUMBER OF OBSERVATIONS 761

USAF ETAC 4 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL CLIMATOLOGY WANGW TATA FATAR SERVICE MAG

्र स्टब्स् रहास्त्राह्म

## CEILING VERSUS VISIBILITY

PERCENTAGE EREQUENCY OF OCCURREN

21\_4-2320

بابيل ..

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

2, 3 21, 21, 21, 21, 21, 21,

50.7 70.7 3.3 74.1 74.3 74.3 74.3 74.3 74.5 74.5 74.5 74.5 74.5 74.5 7.5.7 .6.54.6 37.8 .5.8 89.. 89.. 89.. 62.2 89.2 89.2 99.4 62.2 89.4 89.4 62.4 89.4 89.4 89.4 45. 7.6. 3.6. 3.6. 92.2 34.2 94.4 34.4 34.4 34.4 34.6 94.6 94.6 94.6 94.6 94.6 94.6 12.66 58.8 92.2 74.2 94.4 94.4 94.4 94.4 94.5 94.6 94.6 94.6 94.6 94.6 94.6 34. 91. 94. 97. 97. 97. 6 97. 6 97. 6 97. 6 97. 8 97. 8 97. 8 97. 8 97. 8 97. 8 97. 8 97. 8 

USAF ETAC NA 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE ORSOLETE

TO TAL CLIMATOLDSY OF ANCHORS TO TATO

AT THE SEMPTICE ALC.

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE

- ANT - ANT

FROM HOURLY OBSERVATIONS

TOTAL NUMBER OF OBSERVATIONS 475

USAF ETAC - NA 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

HE CLEMATHENSY HEAVER HIAC FIT & SERVICE AL

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

74-33

ASBUTE STATUTE MILES

- <del>84</del>4 -------

-7 16.2 53. 4..1 47.5 49.5 54.4 56.7 56.3 57.4 57.5 57.5 57.7 57.7 57.8 5c.3 3-27.45.6, 54.3, 57.2, 52.1, 54.5, 54.8, 65.3, 55.7, 55.7, 56.1, 56.1, 55.7.67.3. 20.5 38. 45.6 54.2 57.2 62.1 64.5 64.8 65.3 65.7 65.7 66.1 66.1 66.7 67.3 . كـ 1. 1-42م. (مطكر المطكر المطلق 1. 1-42م. (مطكر المطلق 1-42م. (مطكر المطلق 1. 1-45م. (مطكر المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطلق المطل Thet 37.1 45.9 58.1 57.5 52.4 64.5 55.7 45.6 65.9 65.4 66.4 66.4 66.7 7.3 11. 72.7 43.2 52.4 67.7 64.6 73.5 73.2 73.2 73.5 74.1 74.1 74.6 74.6 75.3 75.3 11.7 33.2 43.7 53.2 52.6 65.3 71.7 73.5 73.8 74.3 74.7 74.7 75.1 75.1 75.1 75.8 76.4 72.7 43.2 52.4 67.7 64.6 73.5 73.3 73.2 73.5 74.1 74.1 74.6 74.6 75.3 75.3 1° 34.2 44.° 54.5 53.9 66.0 72.5 75.0 76.5 76.1 76.4 75.4 76.0 70.9 77.5 70.1 1 . 34.2 44.6 54.5 63.0 56.6 72.5 75.0 75.5 75.1 76.4 76.4 76.4 76.9 76.9 77.5 76.1 . 3 34.7 45.3 55.0 64.3 67.3 73.0 75.5 75.0 76.5 76.9 75.9 77.3 77.3 77.2 78.0 17.2.34. 45.5.55.2.4.5.67.5.73.2.75.7.76.2.70.7.77.1.77.1.77.5.77.5.72.2.76.8 55.2 64.5 67.5 73.2 75.7 76.2 76.7 77.1 77.1 77.5 77.5 70.2 17.7 35. 46.6 55.3 55.3 68.0 74.5 77.1 77.5 78.1 75.4 78.4 78.4 78.9 78.6 30.2 17.2 35. 46.6 57.3 55.9 68.8 74.6 77.2 77.7 78.2 75.6 75.6 79.1 79.1 70.8 FC.4 17.3.75. 46.6.56.3.55.9.68.5.74.5.77.3.77.3.78.7.73.7.73.7.7.2.79.2.79.2.75.9.80.5.4 13. 75.5.47.3.57.1.56.6.69.6.75.4.78.1.78.6.79.1.79.5.79.5.5.0.7.60.7.60.7.791.3 13. 37.4 42.5 59.4 57.4 72.5 78.4 81.2 31.5 22.8 82.6 82.6 37.2 83.2 .33.9 34.5 62.4 72.9 76.9 83.8 97.1 57.2 88.4 88.7 88.7 69.5 99.5 97.2 63.1 73.7 77.8 85.2 26.9 89.6 90.3 90.6 90.6 90.4 91.4 97.1 51.2 51.3 63.2 73.9 78.2 06.5 90.6 91.7 92.5 92.8 92.8 93.6 93.6 94.3 95.2 7--1 51-4 43-4 74-1 78-4 86-9 91-3 92-5 93-3 94-3 94-3 95-2 95-3 56-4 97-2 37-1 51-4 63-4 74-1 78-4 86-2 91-3 92-5 93-3 94-4 94-5 95-7 95-8 97-7 99-7 13.7 31.1 51.4 53.4 74.1 78.4 36.9 91.3 92.5 93.3 94.4 94.5 95.7 95.9 97.9170.0

USAF ETAC 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

EL OLIMATOLOGY PLANCH ETAT EAT OLISEMVICEMA

THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT OF THE CONTRACT O

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

\_ \_5\_1453

USAF ETAC 4 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

CEILING VERSUS VISIBILITY

11\_1\_1-1420

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

+ +0 + 7 + 0 | 7 + 1 | 7 + 0 | 1 | +4 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | 78 + 0 | + .7 74.0 77.7 31.1 23.4 93.9 33.9 53.9 63.9 33.9 63.9 93.9 93.9 23.4 23.9 83.7 5.6. 35.2, 43.6, 92.3, 34.9, 95.5, 95.6, 95.6, 95.6, 95.6, 95.7, 95.7, 95.7, 95.7, 95.7, 95.7 5.7 Ab.5 20.9 92.6 45.8 95.6 95.0 95.0 95.0 95.0 96.0 96.0 96.0 96.0 96.0 96.0 56. 37.5 (1.3 (25.6) 38.4 (29.2 (29.1 (29.1 (29.2 (29.2 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29.5 (29. 37.5 91.6 95.9 98.7 99.4 99.5 99.6 99.7 99.7 99.9 99.9103.3170.317 56.4 37.5 91.4 95.7 78.7 99.4 99.5 99.6 99.7 99.7 99.9 99.7 20.0150.0150.0150.0

TOTAL NUMBER OF ORSERVATIONS

USAF ETAC 0-14-5 FOL AT MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL CLIMBITHDUR OF AN CH

TOTAL TOTAL TOTAL NAME

ABORDINATIONS ANDROUGH ETAT THE TORONS AND INDICATE

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

---1/-1/--

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

CEILING VERSUS VISIBILITY

TO MAIN OUTHATCHOOK SHARCH WELTAC TO TATE TO SERVICE MIAC

CENTED THE STATES NAME

## PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

\_\_\_\_\_\_

74-93

ASBUTH STATITE MUES 5 4 75 3 62 0.69. C. 26. L. 23. C. 20. L. 28. C. 28. C. 28. C. 23. C. 28. C. 28. C. 28. C. 28. C. 28. C. 28. C. 28. 51.3 77.7 33.4 37.5 97.3 90.5 90.9 90.9 90.9 90.9 90.9 90.9 97.4 97.6 97.9 97.9 97.9 97.9 5 .4 7 .8 87.5 91.6 94.6 95.1 95.6 95.7 95.7 95.7 95.7 95.7 95.8 95.8 95.6 95.8 95.6 96.1 96.1 96.1 5 . 6 . 7 . 2 . 2 . 6 7 . 4 . 9 3 . 6 . 9 7 . 4 . 9 8 . 2 . 9 8 . 9 9 . 6 . 5 9 . 6 . 5 9 . 6 . 9 9 . 6 . 9 9 . 7 . 9 9 . 7 . 9 9 . 7 . 9 9 . 7 51.6.34. 5 .6 32.2 84.4 93.5 97.4 98.2 98.8 99.5 99.6 99.5 99.6 99.6 99.7 99.7 99.7 99.7 94.J. 97.7 98.4 99.1 99.9 99.9 99.9 99.9 103.7170.0100.J 5 .6 AL.5 89. 51.65 42.5 87.6 74. 77.7 98.4 99.1 99.9 99.9 99.9 99.9 99.9 99.9160.0170.0167.0100.0 2.6 3.5 87.6 94. 97.7 98.4 99.1 99.9 99.9 99.9 99.9 99.9107.0170.0100.0100.0100.01 5 -6 12-18-6 24-6 24-6 27-7 26-4 49-1 99-4 99-9 99-5 99-2 99-91-0-0170-01 7-0170-0

TOTAL NUMBER OF ORSERVATIONS

USAF ETAC 44 0-14-5 FOL A - MERIOUS EDITIONS OF THIS FORM ARE OBSOLETE

\_\_\_\_

<del>- \$4,€</del> -

ددود-ويدد

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

74-37 TANK

\_\_<u>&y2</u> \_\_ \_1\_2<u>=23</u>2\_

USAF ETAC ... 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

THE SELMATORDAY TYAT H SF - /ICt /- AC

१२ -सम्बन्धाः

## CEILING VERSUS VISIBILITY

\_ <del>& . . .</del> - -

. ALL

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

74-63

45.7 4 1.1 73.3 56.2 56.1 57.9 58.3 55.3 56.4 53.4 53.4 53.4 53.4 57.5 56.5 56.5 56.5 50.0 60.0 60.0 60.7 51.6 7.2 7.2 7.2 7.3 70.3 70.3 70.4 70.5 70.5 70.6 7.2 70.3 70.3 7.3 Ab. 61.8 (4.7 68.1 68.7 69.9 70.3 70.3 70.4 77.5 73.5 7..6 70.6 77.7 70.8 7.3,50. 50.5 64.7 56.1 68.7 69.3 70.3 70.3 70.4 70.5 70.5 70.6 70.6 70.7 70.3 70.4 50.2 60.5 64.9 5 .3 68.9 70.1 70.5 70.5 70.6 70.7 70.7 70.8 70.8 70.9 71.7 7.0 65. 67.4 73.9 17.6 76.4 79.7 80.1 60.2 80.3 80.7 80.3 60.4 80.4 80.5 80.6 7.1 66.2 71.6 76.3 80.0 80.6 80.1 80.6 87.7 80.6 87.6 80.6 80.6 80.9 80.9 80.9 80.9 80.9 -3.4 45.7 72.4 75.9 5 .6 91.4 52.7 83.2 53.2 93.3 93.4 93.4 63.5 93.5 93.6 P3.7 -30: 67e1,72e9,77e3,31e1,81e9,83e2,83e7,63e7,83e3,63e9,83e9,e4e7,94e1,24e1,24e1 -4. 67.7 73.4 75.1 81.3 82.0 83.9 84.4 84.4 84.5 34.6 84.5 84.7 84.7 84.7 84.9 44.6, 5/..., 75..., 77.6, 33.5, 84.3, 85.7, 86.2, 86.2, 88.3, 56.4, 85.4, 85.5, 86.5, 56.6, 36.7 76.1 PJ.7 54.6 P5.4 86.8 87.3 57.4 P7.5 87.6 97.6 67.7 87.7 67.8 97.9 4(.6.73.6.79.2.84.1.85.2.89.1.97.5.91.2.91.2.91.3.91.3.91.3.91.5.91.5.91.6.91.7.46...75.2.79.6.84.4.56.5.89.4.90.8.91.7.91.5.91.6.91.6.91.6.91.6.91.8.91.8.91.9.92.3

47.3.73.9, 5. 44.85.4.85.6.90.4.91.8.92.4.92.5.92.6.92.7.92.7.92.9.92.9.93.2.93.1 74.5 31.1 55.3 70.6 91.5 72.9 93.4 53.6 93.7 93.8 93.8 73.9 93.9 94.1 94.2 41.6.74.9.31.6.20.9.71.2.42.2.93.6.24.4.2.44.4.94.5.94.6.24.6.94.7.24.7.94.8.94.9 47.7.75...31.8.87.1.31.5.22.5.74.2.24.6.94.8.94.9.95.2.95.2.95.2.95.2.95.3.95.4

22.7. 97.5. 71.7. 93. 94.6. 95.3. 95.5 5.6. 95.7. 95.7. 95.7. 95.9. 95.9. 96.1. 76.1 75.5 62.4 27.9 92.7 93.4 95.7 95.5 95.9 96.0 96.2 96.2 96.3 96.3 96.4 96.5 47.0 75.6 52.5 38.4 93.5 23.7 95.4 26.2 96.3 26.5 46.6 26.0 96.7 36.7 46.8 26.2 47.9 75.7 82.3 38.4 93.5 24.3 96.2 26.9 97.1 97.3 97.4 97.4 97.6 27.6 47.7 97.3 47.8;75.5,83.0,3c.7,33.4,94.0,96.7,97.7,97.9,98.0,98.2,98.2,98.3,95.3,95.3,95.5,98.0

47.8 75.8 33. 03.7 47.4 94.4 97.1 98.2 98.3 98.5 98.6 98.6 98.8 96.8 96.9 99.1 47.3 75.6 83.0 98.3 17.5 94.4 97.1 98.1 98.4 98.6 98.9 98.9 99.1 49.2 56.3 99.5 47.6 75.8 33.6 93.8 93.5 94.9 97.0 98.1 98.4 98.6 98.9 98.9 97.2 99.2 99.6 99.9 47.9.75.6.33.0.93.6.23.5.94.9.27.0.98.1.91.4.198.6.99.9.95.9.99.2.09.2.09.6135.0

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_

USAF ETAC . . 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

75 • . 31 • P

A E COLTMATCE COM CHARGE - CTAC - FMT COLD FRANTSIZAÇÃS

#### CEILING VERSUS VISIBILITY

- 36.

# PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

1 .6 32.7 41.7 45.2 51.3 54.4 57.7 58.4 59.1 62.2 62.1 63.1 63.3 63.6 61.3 61.5 1 .3 34.6 44.1 43.7 55.8 59.0 67.4 63.7 64.5 55.4 65.5 65.5 05.8 66.2 66.7 67.3 1 -5 35. 44.5 47.2 50.1 60.0 57.7 64.5 65.1 66.0 65.2 65.2 66.4 f6.6 67.3 67.9 11.5 75.0 44.5 49.2 55.1 60.0 02.7 54.5 65.1 66.2 66.3 65.3 56.5 f6.7 67.5 58.1 17.3 7.6 4.4 52.5 66.2 54.3 67.2 69.3 69.5 7J.7 77.9 77.0 71.3 71.5 77.2 72.0 17.3 36.4 47.2 53.4 61.3 65.5 68.3 70.1 70.7 71.7 72.3 72.3 72.6 77.3 73.9 1.1 79.0 47.0 54.4 62.5 66.5 69.5 71.4 72.) 73.2 73.3 73.3 73.6 73.9 74.6 75.2 1 .7 39.5 4 .0 55.5 64.2 63.1 71.3 73.0 73.5 74.8 75.1 75.1 75.4 75.7 74.4 77.0 1 .7 79.5 40.9 55.5 64.1 68.2 71.4 73.2 73.8 74.9 75.2 75.2 75.5 75.8 76.5 77.1 1 .2 40.4 5 .3 55.4 55.1 69.2 72.7 74.5 75.1 76.2 75.5 75.8 77.1 77.9 76.4 1 .5 +4.- 51.2 56.6 65.4 69.0 73.0 74.9 75.5 76.7 77.0 77.3 77.3 77.6 70.3 78.9 1 • 41.2 51.8 57.6 65.4 70.7 74.2 76.1 76.7 77.9 78.1 78.1 78.5 78.7 78.5 80.3 1.1 41.7 52.4 53.3 67.3 71.6 75.2 77.2 77.8 79.1 79.3 79.3 79.7 74.9 -7.6 81.2 1.4 42.5 53.2 53.3 68.3 72.7 76.4 76.4 79.3 93.2 87.5 83.5 83.5 87.9 81.1 81.5 92.4 54. 53.5 69.7 74.5 78.6 11.6 61.7 82.9 83.3 93.3 93.5 93.5 04.5 85.2 1 -4 43 - 54 - 4 51 - 2 71 - 1 76 - 1 67 - 5 - 53 - 3 63 - 7 84 - 9 65 - 4 65 - 7 86 - C c( - 7 87 - 3 1 - 4 43 - 1 55 - C 51 - 8 72 - 1 77 - 6 82 - 5 85 - 2 85 - 9 87 - 2 87 - 6 97 - 6 88 - C 6 + 2 55 - 1 89 - 7 1 - 4 43 - 3 55 - 7 52 - 1 7 ' - 7 79 - 5 64 - 7 87 - 2 88 - 4 89 - 8 90 - 4 90 - 4 90 - 7 - 1 - 7 91 - 9 - 2 - 5 62.2 77.4 79.8 35.7 89.0 90.4 92.3 93.1 93.1 93.7 93.9 95.1 96.2 1' • 4 43 • 3 55 • ? 1'.4'43.3 55.2 52.2 13.4 79.9 85.3 89.3 91.7 93.7 94.2 94.2 94.9 95.4 96.5 97.5 1'.4'43.3 55.2 6..2 73.4 79.9 85.3 89.3 91.1 93.2 94.4 94.4 95.4 95.5 97.6 99.7 1 -4 43-3 55-2 52-2 73-4 79-9 85-3 89-3 91-1 93-2 94-4 94-4 95-4 95-3 97-6176-2

TOTAL NUMBER OF ORSERVATIONS 542

USAF ETAC - 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TAL CLIMATOLOGY RHANCH LTAC TAT FR SERVIC MYAC

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

52.7 55.7 57. 58.3 58.1 59.1 55.1 58.1 50.1 50.1 50.1 50.1 50.1 60.1 60.1 50.1 57.1 59.1 58.2 59.2 58.2 58.2 58.2 59.2 58.2 58.2 58.2 58.2 58.2 58.2 33. 2.9 55.0 60.2, 63.3, 65.2, 66.7, 66.6, 06.9, 66.0, 66.1, 66.1, 66.2, 60.1, 06.1, 60.1, 60.1, 60.1 4\*\* <u>36 • 8 64 • 1 63 • 6 70 • 5 72 • 1 72 • 4 72 • 5 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 • 7 72 •</u> 81.7 5 3.5 | 24.2 94.5 84.7 84.7 84.7 84.9 94.3 84.8 84.8 84.8 84.5 44.7 74.3 76.3 93.5 35.6 96.4 66.8 87.2 87.2 87.2 87.3 57.3 57.3 57.3 57.3 97.5 4 •2 76 •6 87 •0 70 •6 97 •9 90 •3 •91 •2 •91 •2 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 •91 •4 4 .5 76.3 24.3 89.3 72.3 93.7 94.8 96.6 96.9 97.3 97.1 97.1 97.1 97.1 97.1 97.1 41.5 76.5 84.4 89.6 92.4 94.5 96.3 98.4 98.8 98.9 99.5 99.3 99.3 79.0 99.3 99.3 99.3 73.5 84.4 89.6 97.4 94.5 96.3 99.1 59.4 99.6 99.9 99.9 99.9 69.9 69.9 99.9 47 - 5 75 - 5 64 - 4 99 - 6 32 - 4 94 - 5 96 - 3 99 - 1 99 - 4 99 - 6 99 - 9 99 - 9 99 - 9 99 - 9 99 - 9 99 - 9 100 - 0

. SiB . Tr. STAT TE MILES

USAF ETAC - 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL CLIMATOLOGY SHANCH TAT BE SERVICE TYAC

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

CED. 1222-1402

75.2 7 .2 79.8 AT. 0 30.0 60.1 30.1 20.1 80.1 37.1 90.1 87.1 50.1 87.1 76.9 8 .7 91.5 81.9 81.9 82.7 82.0 82.0 92.0 82.0 92.2 82.0 82.0 82.0 10.7.70.9 11.3 11.6 

TOTAL NUMBER OF OBSERVATIONS .....

USAF ETAC -- 0-14-5 (QL A) MEVIOUS EDITIONS OF THIS FORM ARE DESCRIPE

AL CLIMATCEMBY HABNOH AT THE SERVICE MAG

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

7 <u>4 - 9 7</u>

<del>- 212</del> -

. a.c. 3.23. 3.23. 3.20. 4.20. 4.23. 3.24. 4.24. 3.25. 4.24. 3.24. 4.24. 3.24. 4.40. 7. 4.40. . da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.1d. Fa.1d. 7. 4 P.2. 7 a.2d. fa.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da.2d. da. 6. . 6 64. 7 55. 7 03. 2 65. 2 65. 8 65. 8 65. 8 65. 8 65. 8 65. 8 65. 8 65. 8 65. 8 65. 8 9.33. 9.33. 9.13. 9.13. 4.13. 4.13. 9.34. 9.14. 9.14. 9.14. 9.14. 9.14. 9.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 1.14. 75.3 75.4 76.3 76.2 76.3 76.2 76.3 76.4 76.4 76.5 76.5 76.6 76.2 76.3 76.3 76.4 70.8 60. 77.6 E .1 31.3 1.6 91.5 31.8 81.5 61.5 91. 31. Fire cl. F . 1.8 -1.5 91.5 67.1 24.1 36.6 97.8 39.7 89.1 89.1 39.1 89.1 89.1 97.1 87.1 67.1 67.1 94.1 97.1 6 4 57.2 9 .6 .92.3 .97.4 .93.5 .93.5 .93.5 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.7 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93.8 .93. 17.1 34.6 97.3 95.3 97.2 97.6 97.6 97.7 97.8 98.0 98.7 98.6 98.7 98.6 98.7 98.6 98.7 98.6 7. 4 94.6 7.4 95.4 97.6 98.4 98.7 99.0 99.2 99.5 99.5 99.5 99.5 99.5 99.5 39.6 3.4 75.4 77.6 98.7 99.1 99.5 99.71:0.0100.c100.c1u0.c1cc.c1c.c1cc.c1cc.c .70 - 2 - 8 - 6 - 93 - 4 - 95 - 4 - 97 - 6 - 98 - 7 - 99 - 1 - 99 - 5 - 99 - 71 TO - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2100 - 2

TOTAL NUMBER OF ORSERVATIONS

USAF ETAC - 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

HOLAE PETMATPERSY & ALCH OTATION SERVICE ANAC

#### CEILING VERSUS VISIBILITY

.... = .... ... = .... = ...

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

LSB. 18 STATE ME

<u>- ޣ₽</u> ---2-2-

TOTAL NUMBER OF OBSERVATIONS ...

USAF ETAC 64 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

L MAE CLIMATHERRY PRANCH POLITAD FOLEAT IN SERVIC MAC

## CEILING VERSUS VISIBILITY

10.5 N. 1.1 RE - A. 1.28 S.C. 74-93

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

ASBUTE STATE MILES

.1<u>.</u>.q-2320

200 26 21 24 25 21 24 25 21 24 -- 7.1 54.7 57.4 Fm.6 34.6 58.5 58.6 76.6 58.6 58.6 58.6 Fr.0 27.6 Fd.6 57.5 56.5 5 • 7 74 • 9 75 • 2 79 • 8 77 • 2 79 • 2 79 • 2 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 • 6 79 78.8 79.2 79.2 79.2 79.6 79.6 77.6 79.6 79.6 79.6 79.6 79.5 79.2 5' .5 75.8 EC.7 9'.3 5C.7 83.7 53.7 84.1 54.1 84.1 84.1 84.1 84.1 64.1 (4.1 94.1 84.1 84.1 32e. 35.9 50.7 37.3 37.3 37.3 37.3 87.8 87.8 87.8 57.5 37.3 57.5 37.5 57.5 37.5 57.5 37.5 57.5 37.5 57.5 37.5 5 5 - 9 33-1 37-1 93-8 32-6 86-6 86-6 89-1 89-6 89-6 89-6 89-7 89-7 89-7 89-7 89-7 26.7.51.6 3.1.94.1 94.3 94.3 94.7 94.7 94.7 94.7 94.7 94.7 34.7 24.7 94.7 94.7. 

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_\_\_\_ 4.9

USAF ETAC - 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL SCHMATTERSY RRANCH LIFTAD AL TATHING SCHMIGERYAC

## CEILING VERSUS VISIBILITY

CENTER ASE STATES AND THE TRANSPORTER TO THE TRANSPORT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF A CONTRACT OF

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

ALL

TOTAL NUMBER OF OBSERVATIONS 4544

USAF ETAC 4 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

. <del>94,</del> \_\_\_\_\_\_\_

ASBUTE STATUTE SHIES

44.0 43. [1.7] 20.0 53.0 54.3 54.6 54.0 55.1 55.2 55.2 50.3 5.3 54.2 56.0 57.7.34.7.55.0.51.9.52.3.62.6.52.6.52.6.53.1.63.1.63.6.63.5.4.4.4.55.c 57.7 59.9 50.0 61.9 62.3 62.6 62.0 53.1 63.1 67.5 63.5 64.4 55.5 50.4 55.6 57.6 cl.9 50.7 60.7 60.7 62.6 60.7 63. 53.6 63.0 63.0 63.6 63.6 64.6 65.7 1.7 55. 51.6 64.7 66.5 67.4 67.6 69.1 69.5 59.6 70.0 70.0 70.5 70.5 71.5 72.7 .1. 30.2 61.0 54.2 66.3 67.7 69.9 69.4 69.8 71.0 71.2 71.2 71.2 71.7 71.7 73.2 43.6 5/. 55.2 57.5 71.4 71.5 72.7 73.5 74.0 74.2 74.6 74.6 75.2 75.2 75.2 77.4 . 47. . 54.5 . 65.7 . 63.4 . 71.4 . 72.5 . 73.7 . 74.4 . 74.7 . 75.2 . 75.4 . 75.4 . 75.2 . 75.2 . 75.4 . 75.4 Fr.6 65.9 60.4 71.4 72.5 73.7 74.4 74.9 75.3 75.7 75.7 76.3 70.3 77.3 76.3 44.4 5 .6 67.3 69.5 72.7 73.5 75.2 75.9 76.4 76.5 77.7 77.2 77.8 77.8 77.8 30.3 4 .6 .52.1 65.8 71.2 24.2 75.3 76.7 77.5 78.9 78.4 77.8 73.1 73.8 78.5 77.4 81.0 400 5206 6004 71.9 74.8 75.9 77.8 3 78.3 78.3 78.5 79.5 79.5 79.4 74.4 3 44 91.0 46. 53.7 77.6 73.1 76.4 77.5 78.9 79.9 85.4 93.7 81.1 81.7 81.7 81.7 84.5 3.5, 76.3, 76.3, 79.4, 30.4, 60.9, 81.2, 81.6, 91.6, 63.2, 32.2, 23.2, 84.4 45. 3. 54.1.71.2. 73.7 77. 78.3 79.6 90.6 21.1 91.5 41.9 81.9 82.5 92.5 93.5 84.7 ~4.2 71.2 47.4 56.2 13.6 76.3 79.9 91.1 62.6 84.2 64.5 84.9 65.7 85.3 65.9 85.9 36.9 88.1 47.5 56.6 74.3 77.5 31.1 52.6 34.1 55.4 66.0 86.4 96.6 35.2 87.4 57.4 52.4 89.6 47.5 56.4 74.4 77.8 31.4 82.5 84.3 55.7 86.3 86.7 87.1 87.2 27.7 67.7 58.6 89.2 7.3,75.2,78.6,22.7,34.2,55.9,67.3,67.9,88.3,39.6,88.6,69.3,29.3,9..2,91.5 75.6 77.1 57.2 94.9 67.7 98.4 89.3 89.4 89.5 89.6 90.4 90.4 91.4 92.6 47.7.57.5.75.6.79. 102.7:85.7.38.4.39.9.95.5.90.9.91.2.81.2.91.9.61.9.72.9.94.1 67.5 75.7 79.1 33.8 36.4 39.3 90.7 51.4 91.7 92.1 92.1 92.7 92.7 97 47.7 57.5 75.7 79.1 33.0 06.7 90.0 91. 92.5 03.0 93.3 93.3 94.0 94.0 94.9 96.2 47.7 57.5 75.7 79.1 87.9 86.7 97.2 92.2 93.1 93.5 93.8 93.8 94.4 94.4 97.4 96.2 4/.7.57.5 75.7:79.1 33.8 96.7 90.2 92.5 93.3 94.0 94.3 94.0 94.9 94.9 97.7 4\*.7 67.5 75.7 79.1 37.8 86.7 90.2 92.5 93.3 94.0 94.3 94.3 95.1 95.1 95.5 99.4 4'.7 57.5 75.7 79.1 33.8 96.7 4".2 92.5 93.3 94.1 94.3 94.3 95.1 95.1 95.5176.0

TOTAL NUMBER OF OBSERVATIONS \_\_\_\_\_ &1.

Steal Total

TAN TUINANCHOUR T ANTH TEST TO SERVICE THA

## CEILING VERSUS VISIBILITY

74-85 PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

1.12-1122

ل کیک

35. 75.4 79.7 37.3 33.3 33.6 50.6 60.6 93.7 87.7 43.7 57.7 40.7 87.7 37.7 79.8 37.4 83.4 87.7 84.7 85.7 93.8 82.8 93.8 87.0 P3.8 4 - 34 - 3 3 2 ... 4 - 34 - 7 80 - 4 54. 25.11 90.7 93.2 30.1 95.7 97.4 98.6 98.9 99.1 99.2 99.2 90.3 59.5 90.5100.0

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC - 0-14-5 FOL AT MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

CEILING VERSUS VISIBILITY

1-43-143-

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

(1.1, 79.6, 79.6, 79.6, 79.6, 79.9, 79.0, 70.5, 79.3, 79.5, 79.2, 75.2, 79.6, 79.6, 79.6, 33.1, 47.1, 33.1, 43.1, 43.1, 43.1, 47.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 67.1, 13.46 23.7 93.9 5 .0 93. 6 97.0 13.6 27.9 63.4 67.0 97.0 12.9 27.0 12.9 .4.2.34.2.34.4.74.0.34.5.24.0.34.3.34.3.34.5.64.1.34.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64.1.3.64. '7.1 -7.3 67.5 47.7 47.7 37.5 47.8 67.8 67.8 47.8 67.8 57.8 57.8 17.8 5 95.5 03.4 1. 35.9 

USAF ETAC 4 0-14-5 FOL A PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

## CEILING VERSUS VISIBILITY

1\_\_2-1711

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

USAF ETAT ... 0-14-5 FOL AT MEVIOUS EDITIONS OF THIS FORM ARE DISSOLETE

50-47IC. 1-40

AL THIS TOLDS: PRANCE FAT TO SERVICE MAC

## CEILING VERSUS VISIBILITY

:-44-2426

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

USAF ETAC -- 0-14-5 (OL AT PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

THE ALL TREMATTERSY OF ARCHIVE LIBERT OF SPRINGER (ACC)

ACCUMULTATE A VIDE C

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS:

74 - i<sup>-7</sup>

267 -1-4-2321

TOTAL NUMBER OF OBSERVATIONS

USAF ETAS - 0-14-5 FOL AT MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

12

AL CLIMITATION - FAICH ETTA - FATOR SERVIC MAI

ALL NITES

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

411.

- 267

.6. 100 8 70.7 7..8 71.3 71.5 71.7 71.8 71.9 71.7 72.1 72.1 72.1 72.1 72.2 72.4 . 31.1 57.1 93.8 34.6 34.6 85.1 35.2 65.3 95.4 85.5 95.5 65.6 05.6 05.6 95.3 83.6 84.1 34.9 25.7 85.9 86.3 86.4 86.5 86.6 86.7 85.7 65.8 86.6 26.9 27.1 . 12.7 84.6 35.7 35.5 87.6 37.6 27.7 87.9 1 . 13.6 . 45.5 . 76.7 . 67.4 . 97.1 . 36.7 . 58.2 . 68.3 . 98.4 . 68.5 . 88.5 . 67.6 . 36.6 . E3.1 . 85.4 . 1.6 . 4.9 . 87.2 . 98.1 . 89.2 . 99.5 . 89.7 . 89.8 . 93.0 . 98.0 . 98.0 . 98.1 . 97.3 . 92.5 77.7.15.6.68.1 79.1 87.0 70.4 70.6 90.7 90.7 91.3 91.3 91.4 91.1 91.1 91.5 91.5 70.4 5.7 88.3 87.3 7 90.5 90.5 90.8 91.3 91.1 91.2 91.3 91.3 91.4 91.4 91.6 91.8 7.1 7.7 9'.4 91. 30.6 02.9 93.7 93.5 93.5 93.7 93.8 93.6 93.9 93.9 94.1 94.3 17.1 7.9 9.7 97.1 97.1 73.5 97.9 94.2 94.3 94.4 94.5 94.6 94.6 94.6 94.6 94.7 95.2 17.1 8. 97.0 92.3 93.4 93.7 94.2 94.5 94.6 94.7 94.7 94.7 94.0 94.0 97.0 92.2 17. 1. 18.2. 31.2. 32.3. 94.1. 34.4. 34.9. 95.2. 95.3. 95.4. 95.5. 95.5. 95.6. 95.6. 95.7. 96.L. 7 3.6 91.9 93.3 95.4 96.3 97.5 90.1 98.3 98.4 98.5 93.5 93.6 98.6 92.7 99.2 7.7 3.6 91.9 93.7 95.4 96.4 77.7 98.4 98.6 98.7 98.7 98.7 98.7 98.9 98.9 99.2 99.2 / .3 23.6 1.0 03.2 9'.4 06.4 97.7 96.4 98.6 08.6 98.9 08.9 99.0 09.0 97.2 99.5 13.3 15.6 01.9 03.9 05.4 96.4 97.7 98.4 98.6 98.9 98.9 08.9 99.0 09.1 90.3 09.9 17.53 - 8.6. 91.9. 93.9. 95.4. 96.4. 97.7. 98.4. 98.6. 98.8. 98.9. 98.9. 99.0. 99.1. 99.1. 97.3104.2

TOTAL NUMBER OF OBSERVATIONS 4798

USAF ETAC - 4 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TAL CLIMATOROUS GANDA CATAO AC COTO A SERVICE MAC

MENTER 4.54 CC

TTATION NAME

### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

\_\_<u>%&</u>y\_\_\_\_

TOTAL NUMBER OF OBSERVATIONS

USAF FTAC - 0-14-5 (OL A: MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

1 4

L TAL JUINATELESY KRANCH """LTAC SINT TO SERVICEN AC

## CEILING VERSUS VISIBILITY

STOR SCENIT STANGE SC

74-33

# PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

===<del>3%</del>X - -

VISIBILITY STATISTE MILES 27 26 25 24 25 27, 27 ≥ 25, 25 ±, 2, 2, 2, 2, 2, 5, 5, -41.1 + .0 51.0 51.4 51.0 51.6 51.6 51.6 51.6 51.7 51.7 51.2 51.3 51.5 51.5 51.5 51.6 37.2, 57.4, 6.00, 52.2, 53.3, 62.3, 60.6, 67.6, 67.6, 67.7, 67.8, 67.9, 67.9, 67.9, 67.9 4 .4 57.3 59.5 63.1 60.3 60.4 6 .4 60.7 60.7 60.8 60.9 60.9 61.7 (1.0 61.0 61.0 44.5 57.4 59.6 5.02 00.4 60.0 69.6 60.8 60.5 60.7 61.0 61.0 ol.1 61.1 61.1 61.1 54.1 61.2 61.5 62.1 62.2 62.2 62.4 62.4 62.5 52.6 62.6 62.7 62.7 62.7 62.7 . . . 6 :3.1 65.4 66.1 54.3 66.4 06.4 66.7 66.7 66.8 66.8 66.2 67.2 67.2 67.2 67.2 71.9 72.2 72.3 72.3 72.5 72.5 72.7 72.8 72.8 72.9 72.9 72.9 3 -1.74-3,77-2,73-3,79-1,79-5,79-8,8G-2,6G-2,9J-3,8C-4,8J-4,0J-5,8C-5,37-5,3G-5 61. 41. 44.7 38. 72.7 90.9 71.5 92.3 92.4 92.5 72.7 92.7 92.8 92.8 92.3 92.3 61. 31.1 84.8 83.1 9 .4 92.2 93.8 95.6 96.4 97.1 97.5 97.7 98.0 96.0 93.4 98.4 61. 31.1 84.8 83.1 90.4 92.2 93.8 95.6 96.4 97.1 97.5 97.7 98.2 98.3 99.1 99.5 12.1. 11.2. 84.9. 98.2. 97.5. 12.3. 93.9. 95.7. 96.5. 07.2. 97.6. 97.8. 98.3. 98.4. 99.211Q.L.

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC - 14 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

LE PAR SUIMATOLOGY -ANG-CIPLITAC DESTREAS SERVICEZHAC

YULNITRY ANDE SC

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

74-33

..<u>%2%</u>. 10<u>,0</u>=1400

VISIBLE TO STATUTE MILES 26 25 24 23 22 2. 2 27 27 21 24 25 27 25 64.9, 65.1, 65.1, 65.1, 65.1, 65.1, 65.1, 65.1, 65.1, 65.1, 65.1, 65.1, 65.1, 85.1, 85.1, 85.1 75.3 76.3 400 6 04 7001 7306 7008 7008 7008 7008 7008 7008 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 70000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7000 7 

USAF ETAC - 4 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE DESOLETE

14

AE GLIMATOENGY MAANCH TATH R SPRYICE/ AC

#### CEILING VERSUS VISIBILITY

MCCNFIRE 4.400 SC

74-23 HOV

#### PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

1-2-17:

VISIBILITY STATILTE MILES 4.6 50.9 63.9 69. 55.0 69. 69. 69. 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 73. 2 7 5 • (2.6) (2.6) (3.6) (5.6) (5.6) (75.2) (73.2) (73.2) (73.2) (73.2) (73.2) (73.2) (73.2) (73.2) (73.2) (73.2) (73.2) (73.2) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73.4) (73 . 12.4. 75.3. 79.5. 3.60. 5.2. 30.5. 30.5. 30.5. 80.5. 80.5. 80.5. 80.5. 80.5. 80.5. 80.5. 80.5. 80.5. 80.5. 77.4 00.4 80.6 31.1 21.3 91.6 31.6 81.6 81.6 81.6 81.6 81.6 61.6 61.6 81.6 . 14.5 F1.6 52.1 00.6 60.9 33.4 33.0 83.0 23.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 16.1 33.2 03.5 84.1 34.4 94.6 84.6 94.6 54.6 84.6 84.6 84.6 P4.6 04.6 P4.6 C4.6 B4.6 70.4 56.0 88.8 70.0 7 .6 91.1 91.1 91.1 91.1 91.2 91.2 91.2 91.7 91.2 51.7 91.2 Col, 99.6, 90.4, 91.6, 92.6, 93.2, 93.2, 93.2, 93.2, 93.3, 93.3, 93.3, 93.3, 93.3, 93.3, 93.3, 93.3 - - 5 7 7 2 - 91 - 3 92 - 8 93 - 5 94 - 1 94 - 1 94 - 1 94 - 1 94 - 3 94 - 3 94 - 3 94 - 3 94 - 3 94 - 3 94 - 3  $\begin{array}{c} : \quad \bullet 5 \quad \neg 0 \cdot \bullet 5 \quad \neg 01 \cdot 3 \quad \neg 02 \cdot \bullet 9 \quad \neg 3 \cdot \bullet 3 \quad \neg 94 \cdot \bullet 4 \quad \neg 94 \cdot \bullet 5 \quad \neg 94 \cdot \bullet 5 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94 \cdot \bullet 6 \quad \neg 94$ 7.6, 71.1, 92.5 34.6, 35.9, 96.6, 97.7, 97.1, 97.2, 97.3, 97.3, 97.3, 97.3, 97.3, 97.3, 97.3 5 • 7 21.3 ·· 2.4 95.0 26.2197.3 97.9 98.C 98.2 98.3 98.3 98.3 98.3 98.3 98.3 98.3 7.7.21.3 97.8 95.3,76.5 97.8 98.5 99.0,99.1 99.6 99.6 99.6 99.6 99.6 99.6 99.6 1.7 1.3 72.8 95.0 76.5 97.0 98.5 99.1 99.3 99.8 99.9 99.9100.0100.0100.0100.0 0.7 71.3 92.8 95.0 96.5 97.8 98.5 99.1 99.3 99.8 99.9 99.9107.0100.0100.0100.0 25.7 21.3 97.8 95. 26.5 97.8 98.5 99.1 99.3 99.8 99.9 99.9 100.0100.0100.0100.0100.0

TOTAL NUMBER OF OBSERVATIONS ...

USAF ETAC - -- 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

HOZARZ YEGINTAMIJO AKAZON ZORTAD CAT OTO SERVICE MA.

### CEILING VERSUS VISIBILITY

CENTIAT AVER SO PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

USB CTH STATISTE MILES

74-83

74.3 74.0 74.8 74.0 74.9 74.9 74.9 74.9 74.9 74.9 74.5 74.5 74.9 74.9 74.5 67. > 77.1 77.2 77.5 77.8 77.6 7°.1 78.1 78.1 78.2 7°.2 78.2 78.2 76.2 76.2 76.2 72.1 33. 33.2 93.4 83.7 83.7 84.2 64.3 4.0 84.1 54.1 84.1 34.1 24.1 24.1 A4.1 76.1 9 .3 91.6 93.1 95.7 96.4 97.5 98.8 99.0 99.6 99.6 99.6 99.6 99.6 90.6100.0 

TOTAL NUMBER OF OBSERVATIONS\_

USAF ETAC 4 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TAL CLIMATCLOSY REANCH TOT FR STRVICE COAC

## CEILING VERSUS VISIBILITY

CLATIRE ANDS JC

74-27

USIBUTE STAT TE MILES

#### PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

\_1\_4-2404

75.3 74.1 74.1 74.2 74.2 74.2 74.3 74.3 74.3 74.3 74.3 74.7 74.3 74.6 74.6 . 0 . 47 . 79 . 3 . 70 . 7 . 8 3 . 3 . 4 3 . 5 . 8 3 . 5 . 8 3 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 5 . 8 6 .7 31.2 -1.6 32.2 32.5 92.7 32.7 82.9 52.9 32.9 82.9 82.9 87.1 -3.1 -7.4 93.4 . 1 - 2 - 5 - 4 - 1 - 2 - 7 - 33 - 2 + 2 - 7 - 83 - 0 - 83 - 8 - 8 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 - 1 - 84 -4 12-9 83-5 64-1 34-7 84-0 84-9 85-1 85-1 85-1 85-1 85-1 85-3 85-3 85-3 85-6 65-0 - 10.6 13.4 14.1 94.7 35.6 35.7 35.7 35.7 36. J 36.0 86.0 86.0 86.0 86.0 86.2 36.2 36.4 36.4 11.3 44.1 85.0 85.7 86.7 86.9 36.9 87.2 87.2 87.2 87.2 87.2 67.3 07.3 87.6 87.5 71.0, 10.6, 3.09, 37.6, 35.8, 89.1, 89.1, 89.4, 89.4, 89.4, 89.4, 89.4, 89.4, 89.5, 89.5, 89.8, 89.5 71. 40. 37.5 98.2.89.4.89.7 39.7 90.1 90.1 90.1 90.1 90.1 90.2 90.2 90.5 90.5 -7.3 8°.9 99.9 91.1 92.3 92.4 92.9 92.9 92.9 92.9 93.0 93.0 93.0 97.3 93.3 72.4 48. 89.8 93.6 92.1 94.0 94.1 95.2 95.2 95.3 95.3 95.3 95.5 95.5 95.9 95.9 72.4, 98. 89.8, 91.1, 92.7, 95.5, 95.6, 96.5, 96.8, 97.1, 97.1, 97.1, 97.2, 97.2, 97.5, 97.5 72.4 (8.0 89.8 91.1 92.7 95.2 95.8 97.2 97.5 97.8 97.8 97.6 98.0 98.0 98.3 98.3 (7.4, 28.0 89.8 91.1 9 .7 95.2 95.8 97.2 97.8 98.3 99.4 98.4 98.5 98.5 98.5 99.1 99.1 28. 39.8 91.1 92.7 95.2 95.3 97.2 97.8 98.4 98.7 98.8 99.1 99.1 99.7170.3 17.4 33.0 85.9 91.1 42.7 95.2 95.3 97.2 97.3 98.4 98.7 98.3 99.1 99.1 99.7174.2

TOTAL NUMBER OF OBSERVATIONS.

USAF ETAC 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

#### CEILING VERSUS VISIBILITY

74-53

YVY

## PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS:

... ALL

1.8.8 . 11 S'A', "E WILES

- 1 - 3 - 3 - 5 - 2 - 5 - 4 - 5 6 - 4 - 5 6 - 6 - 5 6 - 5 - 5 6 - 7 - 5 6 - 7 - 5 6 - 7 - 5 6 - 7 - 5 6 - 7 - 5 6 - 7 - 5 6 - 7 - 5 6 - 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 6 7 - 5 53.7 34.6 54.9 55.2 65.2 55.3 65.4 65.4 65.6 65.5 65.6 65.6 55.6 67.7 54.7 54.9 5E.2 55.3 65.4 65.5 65.5 65.5 65.6 65.6 65.7 65.7 22.7 82.7 P2.9 33.9 84.2 84.5 34.7 84.7 84.9 84.9 84.9 85.2 E5.0 E5.0 E5.3 81.5 83. 34.0 35.1 85.4 85.7 95.9 86.0 96.1 86.1 86.2 86.3 86.3 88.4 88.5 22.3 84.0 34.9 86.1 86.5 86.8 97.1 87.1 37.2 87.3 87.3 87.4 87.4 87.5 87.6 92.6 54.2 65.2 86.4 86.8 37.1 97.4 67.4 97.5 87.6 87.6 67.7 87.7 87.3 87.9 73.4 85.7 86.3 87.6 88.1 48.4 88.7 88.8 88.9 69.0 89.0 89.1 89.1 89.1 89.2 89.3 34.3 56.2 97.4 38.3 89.3 89.6 90.0 90.0 90.1 90.2 90.2 90.3 90.3 90.4 90.6 57.5 89.2 9 .8 91.6 97.0 92.4 92.5 92.6 92.7 92.7 92.0 92.5 57.9 93.1 57.9 89.8 91.6 92.6 97.1 93.5 93.6 93.8 93.8 93.9 94.0 94.0 94.1 94.2 7 .5 .7 .84. 20.0 92.1 23.2 93.7 94.3 94.4 94.6 94.7 94.7 94.8 94.8 94.9 95. 7:6;25.9 68.4;95.5 92.8 94.5 95.6 96.9 97.4 97.9 94.2 98.3 98.6 98.6 97.8 99.5 17.6 25.9 88.4 93.5 92.8 94.5 95.6 96.9 97.4 97.9 98.3 98.4 98.7 98.8 60.2 99.7 7 6 25.3 88.4 93.5 32.9 94.5 95.7 97.8 97.4 98.3 98.4 98.7 98.8 99.7 17.6 25.3 88.4 93.5 32.9 94.5 95.7 97.8 97.4 98.3 98.3 98.4 98.7 98.8 99.7 100.0

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC - 4 0-14-5 FOL A: MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

i j

- 141 CLIMATOLO V 3-440CM - 2740 - 241 - 2 Service AC

CENTRE DATE TO THE TANK

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

74-93

عدهد-چيد

-----2: 2. 2 .3/<u>.2. 13.1.37.2.53.0.56.1.55.3.55.6.56.2.56.4.56.4.56.4.56.3.56.6.56.6.56.3.57.3</u> 4.1.2. 50.6.55.6.56.2.57.7.58.1.59.1.59.2.59.2.59.4.59.4.57.6.33.6.59.6.59.6.50.3 22.3 5/ec. p 1.2.5 5/e5 5/e2.5 6/2.9 6/2.9 6/3.2 6/3.7 6/3.7 6/3.9 6/4.1 6/4.1 5/4.1 6/4.3 6/5.4 6/5.6 6/5.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 6/6.5 5'.4 54.7 65. 45.4 57.1 47.7 68.2 69.3 69.4 69.4 67.5 69.5 49.5 67.7 76.5 57.7 56.5 66.9 51.3 57.2 69.1 70.9 71.6 71.6 72.7 17.7 72.2 17.2 72.2 72.4 73.1 5 .7 67.5 67.0 68.2 1 .1 73.7 71.8 72.6 72.6 72.9 72.9 73.1 73.1 73.1 77.3 74.1 50.6 7 .5 70.9 71.2 73.3 74.4 75.9 76.9 76.9 77.3 77.4 77.4 77.4 77.9 75.5 . 2.3. 71.44.72.0.72.7.75.2.76.1.77.4.78.6.78.6.78.9.78.9.79.1.79.1.79.1.79.1.79.5.2..3. 71.6 77.4 73.1 7 .4 76.5 77.8 76.9 78.9 79.3 79.3 79.5 79.5 79.5 79.9 21.5 1.1 72.4 73.1 74.1 75.3 77.4 75.8 79.9 79.9 80.5 80.5 90.6 60.6 80.6 81.0 81.0 1.1 73.3 74.4 75.0 78.0 79.1 80.6 91.8 81.8 82.3 82.3 82.5 82.5 82.5 82.5 82.6 83.6 1.1 73.7 75.6 76.3 7 .6 79.7 61.2 82.3 82.5 .93.1 .83.1 .93.3 .83.3 .83.3 .83.6 .94.4 .95.5 74.4 75.5 77.3 79.5 31.6 .82.1 83.6 .83.8 .84.4 .84.4 .84.6 .94.6 .94.6 .95.0 .85.7 1.5, 74.4, 75.0, 77.4, 74.9, 81.4, 62.2, 84.4, 84.6, 85.2, 35.2, 85.3, 85.3, 85.3, 85.7, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 86.5, 8 Dier; 75.0. 16.7. 78.4. 31.6.83.6. 36.7.89.1.89.3.90.6.90.8 91.0. 91.0. 91.0. 91.4. 92.1. 1.5 75.2 76.9 78.6 52.1 84.4 57.9 90.6 90.4 92.3 92.9 93.2 93.2 93.4 94.2 95.3 1. 75.2 76.7 70.6 37.1 94.6 38.7 91.2 91.5 93.0 94.9 95.3 95.5 95.7 95.4 97.7 1.4 32.2 76.9 72.6 02.1 84.6 58.7 91.2 91.5 93.0 94.9 95.5 95.7 95.9 97.7 99.6 (1.2.75.2.76.0.73.6.32.1 R4.6.88.7 91.2.)1.5 (3.0.94.9.95.5.95.7.95.9.97.0100.1

USAF ETAC - 0-14-5 (QL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

١,

### CEILING VERSUS VISIBILITY

\_<del>2,.</del>£

u:12-1111

PERCENTAGE FREQUENCY OF OCCURRENCE
FROM HOURLY OBSERVATIONS

USAF ETAC --- 0-14-5 (OL A MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

٠,

AL CUITATOLOSY TRANCH STAC STATUTE STAUL (A.A.C.

100 N 1195 2 104 30

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

74-43

1-47-1400

- <del>100, 4</del>

| 19.5| 53.6| 59.5| 59.9| 59.5| 50.9| 59.5| 59.5| 59.5| 59.5| 59.5| 50.5| 50.5| 50.5| 50.5| 50.5| 50.5| 50.5| | <u>59.5| 5</u>9.6| 59.5| 59.5| <u>59.5| 59.5| 59.5| 59.5| 59.5|</u> 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5| 59.5 | book| | 69.1 | 68.5 | bios | 68.5 | 66.5 | 68.5 | 68.5 | 68.5 | 69.5 | 69.5 | 69.5 | 69.5 | .67.4.7.41.72.2.72.47.12.47.72.40.72.43.72.46.72.43.72.45.72.45.72.45.72.45.72.45.72.45.72.45.72.45.72.45.72.45 74.5 74.0 . 0 1 . 7 . 75 . 1 . 75 . 6 . 70 . 2 . 76 . 2 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 76 . 3 . 79.4 77.5 79.6 75.6 79.6 79.6 79.6 79.6 79.6 79.6 74.6 74.6 74.6 . 14.7, 42.4, 67.5, 34.2, 64.7, 94.9, 35.1, 35.1, 65.1, 35.1, 65.1, 65.1, 65.1, 65.1 47.2 37.5 57.7 07.7 87.7 67.7 F7.7 07.7 15.1 33.6 35.4 Pa.1 A6. 67.7 -7.7 16.5. 36.7. 39.0 90.2 21.3 22.2 93.1 93.5 97.8 93.2 93.2 93.2 93.2 93.2 93.2 12.2 12.2 12.2 /6.5. 36.3. 86.2. 1.9. 92.3. 94.1. 95.7. 98.1. 98.3. 98.7. 98.9. 98.9. 99.3. 99.3. 17.2. 39.2. 78.5. 10.3. 37.2. 2.9. 92.3. 94.1. 95.3. 98.3. 98.3. 98.9. 98.9. 98.3. 10.3. 10.3. 17.2. 39.5 76.5 46.8 89.7 7 44 77.3 94.1 75.7 98.1 48.3 98.7 98.9 95.7 99.3 79.1 90.3171.2

USAF FTAC - - 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

10 0014 101050 04104 110 1110 555410 046

#### CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS


7 G - 7

11,2,-1702

TOTAL NUMBER OF OBSERVATIONS 7

JSAF ETAC 0-14-5 FOL AT MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

MCENTIRE ANGS SOUTH CAROLINA/COLUMBIA LIMITED SURFACE OBSERVATIONS CLIMAT.. (U) AIR FORCE ENVIRONMENTAL TECHNICAL APPLICATIONS CENTER SCOTT A. DEC 84 INSAFFIAC/OS-84/041 314 AD-A159 637 NL HINCL ASSIFTED



E AL CLIMATCEOGY PHANCH SITTO

्र च्यानिक

## CEILING VERSUS VISIBILITY

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

74-83

1124-2401

-- <del>21</del>5

- SB CTH STATITE MILES 2 - 4 - 2 - 7 62 - 7 62 - 7 62 - 7 62 - 9 62 - 9 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 - 1 63 . 4.7. 15.5. 67.5. 53.5. 54.5. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. 68.6. .4 79.6 77.6 79.9 3 .2 90.2 37.5 80.9 81.0 91.0 91.0 91.0 81.0 F1.0 F1.2 73.7 67.8 84.5 35.1 85.2 85.7 86.1 86.4 86.4 86.4 86.4 85.4 65.4 86.4 86.3 36.3 . 7. - . 95.1 . 5. 7 . 95. 4 . 55. 5 . 90. 6 . 27. 2 . 67. 6 . 87. 9 . 87. 9 . 87. 9 . 87. 9 . 57. 9 . 57. 9 . 57. 9 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 62. 2 . 7 -1 35.9 66.4 37.1 37.9 98.5 38.7 89.2 89.5 89.5 89.5 89.5 37.5 89.6 89.6 7 95.7 95.7 7 -1 -6-4 -36-3 -57-0 -5-5 -5-7 -6-5 -7 -2 -5 -4 -93-4 -93-4 -93-4 -73-4 -93-4 -93-6 -93-5 -7 -1 -70-6 -87-2 -58-5 -87-5 -7 -6 -91-1 -51-4 -91-4 -91-4 -91-4 -91-4 -91-4 -91-6 -91-5 7 .1 .20.5 .27. 30. . 33. 6 .00. . 71.4 .92.5 .92.3 .92.3 .92.3 .92.3 .92.3 .92.3 .92.3 .92.4 .92.4 .92.4 .7 .1 .46.6 .07.5 .98.0 .97.5 .6 .97.4 .93.1 .93.4 .93.4 .93.5 .93.5 .93.5 .93.5 .93.7 .93.7 7'-1 86.4 37.6 88.9 97.4 91.6 94.4 96.1 96.5 96.8 97.3 97.3 97.3 97.5 97.5 97.5 7 .1 36.9 87.8 89.2 9 .7 91.6 94.7 96.5 96.9 97.2 97.3 98.3 98.3 98.2 93.3 96.7 99.2 99.9 7 -1 -6-9 67-8 9-2 -7-7 91-5 94-7 96-5 96-9 97-2 97-9 98-4 93-3 96-7 93-2175-2

USAF ETAC 44 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE DISSOLETE

A TAL CLIMATOLD Y REANCH AT TATHER SERVICE/MAC

### CEILING VERSUS VISIBILITY

MOLNITOE STATON NAME JEC ... PERCENTAGE FREQUENCY OF OCCURRENCE

2.5 57.1 57.3 67.4 67.5 57.7 67.9 67.9 67.9 67.9 67.9 67.9 68.2 68.2 53.3 53.3 0 .5 75.8 70.1 76.4 76.5 76.7 76.9 76.8 76.8 76.8 76.8 76.3 76.3 77.1 77.1 77.3 77.3 7 .7 77.4 77.2 73.2 73.3 78.5 73.6 70.6 78.6 78.6 78.6 73.6 73.6 70.9 70.9 72.1 79.1 71.0 76.6 79.1 79.4 79.5 79.7 79.8 79.8 79.8 79.8 79.8 3 .1 50.1 +0.3 50.3 13.1 3.1 87.7 91.0 31.2 81.3 81.5 81.5 81.5 81.5 81.5 81.5 61.9 81.9 62.1 82.1 73.8 31.6 82.2 82.8 83.7 83.3 83.4 83.4 83.4 83.4 83.4 83.9 83.9 83.9 84.0 84.0 23.7 84.8 85.5 85.8 86.2 86.4 86.4 86.4 86.4 86.4 66.8 96.5 67.3 97.3 74.6, 4.5, 85.8 | 87.1 | 87.6 | 38.2 | 88.3 | 88.5 | 68.5 | 88.5 | 88.5 | 88.5 | 88.9 | 88.9 | 69.1 | 99.1 74.6; 34.5; 55.8; 87.1; 67.6; 88.2; 35.5; 58.6; 68.6; 68.6; 68.6; 69.1; 39.1; 50.2 74.6 44.6 35.9 87.4 88.2 88.6 89.4 89.5 89.7 89.7 89.7 89.7 92.1 92.1 92.3 9C.3 - 404 14.6 84.9 86.4 88.5 88.2 90.3 92.7 04.7 90.9 92.1 92.1 92.5 92.5 92.7 92.7 74.6 34.9 36.4 88.5 89.2 90.3 92.7 94.3 94.8 94.8 94.9 94.9 95.4 95.4 95.5 95.5 74.6 34.9 86.4 88.5 89.2 90.6 93.3 95.2 95.8 95.3 96.3 96.3 96.7 96.7 97.3 97.2 74.6 84.9 86.4 88.5 89.2 90.6 93.3 95.4 96.3 96.4 96.9 97.6 97.6 97.6 97.2 99.1 74.6 34.9 56.4 88.5 39.2 90.6 93.0 95.4 96.3 96.4 97.0 97.0 97.8 97.8 97.8 98.51.0.0

FROM HOURLY OBSERVATIONS

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC 0-14-5 (OL A) MEVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

---

SERVICE MAC

#### CEILING VERSUS VISIBILITY

#### PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

47. 3 .= 51.1 71.3 51.5 51.6 51.7 51.7 51.7 51.7 51.7 51.7 51.8 51.8 51.9 51.9 5 .7 50.7 50.1 60.1 60.2 60.2 60.2 60.2 60.2 50.2 60.7 3.6. 56.5 60.9 59.3 60.7 69.6 69.9 70.3 70.0 73.3 70.0 73.3 70.1 70.1 72.1 13.2 72.3 72-1 79-6 50-5 91-3 62-0 92-3 32-7 83-4 83-0 83-0 83-0 93-1 63-1 83-2 43-2 93-4 77.2 77.8 8 .7 81.6 3..3 82.0 53.0 83.3 63.3 93.4 83.4 83.4 83.5 83.5 27.5 93.7 72.7.31. 62.0.42.9.83.7.84.1.84.6.84.9.85.0.85.1.85.1.85.1.85.1.85.1.35.2.5.3.85.4 73.1 31.9 83.2 94.3 35.2 95.7 86.3 86.7 86.3 86.9 86.9 86.9 86.9 87.7 97.0 c7.1 97.2 13.2, 32.2, 33.6, 34.8, 3.7, 86.3, 87.0, 87.4, 87.5, 87.5, 87.5, 57.5, 67.6, 87.6, 87.7, 87.9 -35.1;84.7;85.9,87.2,87.9,88.6,89.1,89.2;89.3;89.3,89.3,89.4,89.4,89.4,89.5,89.5 13.5 73.3 85. 485.3 37.7 88.4 89.3 89.8 69.9 90.0 90.0 90.0 90.1 90.1 90.1 90.2 90.3 73.7, 23.5, 85.3, 86.7, 88.2, 99.0, 99.1, 90.7, 90.9, 91.0, 91.0, 91.1, 91.1, 91.2, 91.4

TOTAL NUMBER OF OBSERVATIONS

USAF ETAC - 0-14-5 (OL. A) PREVIOUS EDITIONS OF THIS FORM ARE DISOLETE

73.8 33.7 35.5 97.1 38.9 89.9 91.2 92.1 92.3 92.4 92.5 92.5 92.6 92.6 92.7 92.3 4" /3.9 33.8 85.7 87.4 89.2 70.7 92.9 94.0 94.3 94.6 94.8 94.9 94.9 95.2 95.2 95.2 13.8 33.8 85.7 87.5 89.5 91. 93.4 95.4 95.8 96.2 96.5 96.5 96.6 96.7 96.8 97.0 13.0 33.8 85.7 07.5 80.5 91.1 93.6 95.9 96.3 96.9 97.6 97.8 97.9 98.2 93.3 98.5 77.8.33.8 85.7.87.5 84.5 91.1 93.6 95.9 96.4 97.0 97.8 98.3 98.5 95.9 99.7 13.8 33.8 85.7 87.5 89.5 91.1 93.6 95.9 96.4 97.3 97.9 98.3 98.3 98.5 98.9100.0

TO AL DEIMATCHOSY PRANCH : PETAC STORE TO THE SERVICE MAC

CENTERE ANDR DE

#### CEILING VERSUS VISIBILITY

<u>ــ کلیل</u> . . .

PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

74-84

10.2 51.7 53.1 57.7 54.1 54.3 54.4 54.5 54.5 54.5 54.5 54.6 14.6 14.6 54.7 53.9 (3.1 64.5 65.5 65.6 66.1 66.2 66.2 66.3 66.3 66.3 66.3 66.4 60.4 60.4 60.4 60.5 66.5 4 • 7 50 • 7 63 • 2 64 • 6 65 • 6 65 • 9 66 • 1 56 • 3 66 • 4 66 • 4 66 • 4 66 • 4 66 • 5 66 • 5 66 • 5 66 • 5 66 • 5 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 65 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 • 66 4.7 67.9 77.4 72.1 73.2 73.5 73.5 74.0 74.7 74.1 74.1 74.1 74.2 74.2 74.3 74.1 5.5 7 .6 73.4 75.1 74.3 76.7 77.7 77.2 77.2 77.2 77.3 77.3 77.4 77.4 77.4 77.5 77.0 7 .6 77.4 75.1 76.3 76.7 77.7 77.2 77.2 77.3 77.3 77.3 77.4 77.4 77.5 77.2 71.3 74.1 75.9 77.1 77.5 77.8 78.1 78.1 78.1 78.2 78.2 78.2 78.2 76.2 76.3 76.4 71.7 74.5 76.3 77.6 78.0 79.3 76.5 78.6 78.6 78.6 78.6 78.5 76.7 76.7 76.8 78.5 5 •1 72.9 75.8 77.6 73.9 79.2 79.5 79.8 79.8 79.9 79.7 79.9 50.0 50.0 -7.1 RU.L 5 • 2 74. 76.9 78.8 8. 1 30.5 80.9 81.1 81.1 81.2 81.2 81.2 81.7 11.7 -1.4 81.4 76.5 79.8 91.8 33.7 83.8 .4.7 34.4 64.5 84.6 84.6 84.6 64.7 94.7 94.8 84.8 11. 77.6 8 3.9 83.3 34.6 85.0 85.5 95.7 85.8 85.9 85.9 85.0 86.0 86.0 86.1 36.2 1.7 78.7 87.1 84.3 35.9 86.4 86.9 87.2 67.2 67.3 87.3 87.3 87.4 87.4 87.5 97.6 2.3 79.6 23.7 F5.5 27.2 97.7 88.2 96.5 88.6 F8.6 38.7 38.7 88.8 98.8 98.9 99.2 72.4 79.9 83.4 25.8 37.5 88.0 88.5 88.8 68.9 89. 89.0 89.0 89.1 89.1 89.2 89.3 67. 30.8 84.4 96.9 88.7 89.3 89.8 90.1 90.2 90.3 90.3 90.3 90.4 90.4 90.5 90.6 97.7 97.8 97.8 97.8 97.9 97.8 97.9 13.4 32.6 85.9 58.6 9 .6 91.3 91.9 92.3 92.4 92.5 92.5 92.5 92.6 92.6 92.6 92.7 92.8 93.4 92.2 86.2 89.0 91.1 91.8 92.4 92.5 92.9 93.7 93.1 93.1 93.2 93.2 93.7 93.2 3.5 3.5 32.5 86.6 89.5 91.8 92.5 97.3 93.7 93.8 93.9 94.0 94.1 94.1 94.1 94.2 94.3 93.6 92.8 86.9 89.9 92.3 93.2 94.1 94.6 94.7 94.8 94.5 94.9 95.2 95.0 95.1 95.2 73.6 92.8 56.9 39.9 97.3 93.2 94.1 94.6 94.7 94.8 94.5 94.9 95.0 95.0 95.0 95.1 95.2 3.6 32.9 57.1 90.2 92.7 93.8 94.7 95.3 95.5 95.6 95.7 95.7 95.7 95.8 95.8 95.9 95.9 95.3 95.7 83.1 37.3 90.5 3.2 94.4 95.6 96.3 96.5 96.6 96.7 96.7 96.8 96.8 96.9 97.2 4 23.7 83.1 57.4 90.6 93.5 94.8 96.2 97.1 97.4 97.6 97.7 97.7 97.8 97.8 97.8 97.8 97.9 96.0 93-1 87-4 90-7 93-5 94-9 96-4 97-6 97-9 98-2 99-4 98-4 98-5 98-5 9-6 90-7 67.7 8..1 67.4 90.7 93.5 95.0 96.5 97.8 98.1 98.5 98.8 98.8 99.8 99.2 99.2 99.4 53.7 83.1 87.4 90.7 93.5 95.0 96.5 97.8 98.2 98.5 98.8 98.9 99.1 99.2 98.5 99.7 17.7 93.1 87.4 9. .7 33.5 95. 36.5 97.8 98.2 98.5 98.8 99.9 99.1 99.2 99.5100.0

USAF ETAC 10 0-14-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

#### SKY COVER

This summary is prepared from hourly observations and is a percentage frequency distribution of total sky cover by tenths, plus mean sky cover and total number of observations. It is presented by month and available 3-hour groups.

NOTES: 1. Some sources of punched data used for this summary report cloud amounts in eights. These have been converted to tenths prior to summarizing, and notation is made on the form to indicate that data were originally reported in eights. The manner of conversion is given below:

EIGHTS	TENTHS
0	0
1	1
2	3
3	4
4	5
5	6
6	8
7	9
8 (or obscure	ed) 10

2. For Airways stations the symbols of clear, scattered, broken, overcast, and obscured were used as input for the total sky cover.

Clear was converted to 0/10 Scattered was converted to 3/10 Broken was converted to 9/10 Overcast was converted to 10/10 Obscured was converted to 10/10

SE TAL CLIMATOLOGY BRANCH

AT LEATHER STRVICE/MAC

**SKY COVER** 

12 1 5 MCENTIRE ANGE SC. STATION NAME

**₩**₩...

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS	<u> </u>			PERCENTAGE	FREQUENC	Y OF TENT	HS OF TOTAL	SKY COVER				MEAN TENTHS OF	*3*±,
MONTH	-LST:	0	1	2	3	4	5	6	7	8	9	10	5KN 30164	94.2 C*
iAN	3-02			<u> </u>						! !	!	· 	•	
	23-05			<u></u>									·	
	258	23.3			13.7			!			15.3	42.7	<u>. 6.2</u>	52
		24.6		-	17.1						15.5	42.8	. 6.2.	8.
	12-14	19.5			24-0			,		i 	. 15.D	. 41.5	<u> 6.2</u> .	88
	117	16.6			25.6				<u> </u>	<del> </del>	. 18-1	39.6	6-4	83
	14-21	3C-5			22.5			<del> </del>			. 11-7	35.4	5.3.	73
	<del>21-23</del>	40.4		<u> </u>	34-7		-	!			8-5	. 36.4	4.5	70
								!	<del> </del>		•		•	
	<del> </del>							<del>}</del>			!	;	-	
													1	
fΟ	TALS	25			20_4						14-0	30.7	5.0	456

IL RAL CLIMATOLOGY BRANCH TATETAC AI REATHER SERVICE/MAC

**SKY COVER** 

72 1 5 ACENTIRE ANGE SC. STATON NAME

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS				PERCENTAG	E FREQUEN	CY OF TENT	HS OF TOTA	L SKY COVER				MEAN TENTHS OF	1014. No 06
	(LST)	0	1	2	3	4	5	6	7	. 8	9	10	SKY COVER	#s 
.ε. <u>.</u>	0-02						!	-		<u> </u>	1		•	
	22 <b>-</b> 05				ļ		<u> </u>	·	+	<del> </del>	!		:	
	.36-08	20.1			-4-2		•	<del> </del>	!	<u> </u>	13.0	42.7	6.2	4.8
	] ]≠ <b>-11</b>	18.1			24.2				-		15.7	41.0	. <u>6.3</u> .	<u>.</u> 82
	12-14	17.1			24.7	· 			<u> </u>	+	21.5	. 37.3	6.4	6.3
	15-17	16.1			25.6	· 			•	i	. 21.3	. 35.9	6.4 .	16
	12:	22.3			27.2		: •	· - <del> </del>	·	1	19.4	<u> </u>	. 5.6	6
	.1-23	41.7			15.7	<u> </u>	<u> </u>	!	<u> </u>	·	11.2	. 31.4	. 4.5.	61
	-					<u> </u>		1		1	-	···-	•	
	· 				<del> </del>		! 	<u> </u>		-				
<del></del>							ļ					· 		
	TALS				-		 	-			<del> </del>		<del> </del> -	<del></del>
	i ALS	22.1		<u> </u>	23.6	<u> </u>	:	1	<u> </u>	<u> </u>	17.1	36.7	5.0	414

FORM JUL 64 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE. USAFETAC

LE TAL CLIMATCLOGY BRANCH TATETAC AT HEATHER SERVICE/MAC

**SKY COVER** 

72.1.5. MCENTIRE ANSH SC.

75-24

1AR

# PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

MONTH	HOURS				PERCENTAGE	FREQUENC	Y OF TENTH	IS OF TOTAL	L SKY COVER				MEAN TENTHS OF	101A. N° (∓
		0	1	2	3	4	5	6	7	8	9		SKY	: #5 :
·• ·	2ن-0			<del> </del>	:			•		· · · · · ·				
	-3-05			i <del> </del>		·			•			•		
	36-38	19.7		<del>-</del>	12.7		-	•		•	. 1° •1	46.3	5.6	56
	3/ <b>-11</b>	13-5		<del> </del>	. 21.6.			•		·	15.4	43.5	. 6.4.	9.
	114	16.5			. 23.5 .	<del></del>			•	<u> </u>	19-1	. 41.3	. <u></u>	9.
	117	11.3		<del> </del>	27.6	·			•	•	21.4	39.6	<u>6.7</u> .	86
	120	18.3			20.6				•	:	15.3	. 37.8	. <u>6.3</u> .	74
	<i>-</i> 21-23	33.6		ļ	23.4.		· <del></del>	*·· - · · · · · · · · ·	•		12.4	. 32.6	. 4.9.	6.9
	-			• · · · · · · · · · · · · · · · · · · ·	:	·	<u></u>	•	•		1	•		
	· · · · · · · · · · · · · · · · · · ·	!	-	<del></del>	•			·		•	*		*	
				<del> </del>	-			• i	•	i	!		·	
101	· · · · · · · · · · · · · · · · · · ·			<u> </u>	<del> </del>	<del></del>		<del></del>	<del></del>	1		<del></del>	+=====	
		10.7		<u> </u>	1 24.9.			·		<u>i</u>	14.1	40.2	6.2	47

USAFETAC JUL 64 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon

.....

.

·

----

TE TAL CLIMATOLOGY PRANCH ATETAC ATE EATHER SERVICE/MAC

**SKY COVER** 

-2-135 MCENTIRE ANGS SC ANGEL -

#### PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

HOURS	İ		PERCEN* AGE	FREQUENC	CY OF TENTH	15 OF 10 14L	SAY COVER				443.5%	
VONTH .3.T	0	1 2	3	4	5 	6		8	·			••
-P <del>ე≖ე2</del>	1 .	·			•			<del></del> .		•		
<u>ئت-</u>	1				·		<del></del>		· · ·			
	26.	!	21.9				·		15.6	. <u>36.4</u>	. 5.7.	586
	. 22.7				·				. <u>20.4</u> .	30.0	. <u>5.5</u> .	9.2.2
112-14	17.7								. <del>1</del> 5 • £	31.9	. 5.£.	899
1 -17	14.3.	·	34.2.						. 19.9	عملت.	. Lal.	_ E31
	+ 22.)		30.1			·	·		15.0	. 31	<u> </u>	717
21-23	<del>:</del> 41-4	<u>_</u>	2.1						. 11-4	. 25.2	. 4.2.	616
		· <del></del>							·	•		
								·	•		•	-
<del></del>		<del></del>			<u> </u>				•	•—-		
TOTAL						h			<del></del>	<del></del>	* · · · · · ·	
TOTALS	24.2		1.27.8						17.1	31.5		4551

USAFETAC FORM JUL 64 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

AL CLIMATOLOGY RANCH CATETAC AT FATHER SERVICE/MAC

**SKY COVER** 

25 A Y

-2 135 ACENTIR: ANGE SC.

#### PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS

بد مین د	HOLRS	i •			PERCENTAGE	FREQUENC	Y OF TENTH	S OF TOTAL	SE'S COVER				vean Linguis	
-		0	1	2	3	4	5	6	7		9			
<b>A</b> 1	a-a2	<b></b>	+	·—	<del>.</del>		<del></del>				·	<b>-</b>		
	.:: <u>-::</u>		<u>:</u>					•			<del></del>		<u>.</u>	
	.⊃5-38	18.9	<del> </del>	<del> </del>	23.2						27.1	37.8	£.3.	£ 20
	<del>-11</del>	15.4	-	ļ	. 25.8 .			•	•——		. 24.2.	33.6	<u> 6.1</u> .	9.29
	.12-14		<u> </u>		36.3			•			<u>28•1</u>	25.5	6.2 .	935
	1:-17	6.2	<u> </u>		4 - 6			<u> </u>	<del></del>	<del></del>	21.7	31.5	. 6.3.	791
	.120	1:-5	<u>+</u>		30-1			•			19-1	37.3	. 6.4.	732
	1-23	26.6	<u> </u>	ļ · · · ·	25.1	-				1	17.9	32.4	5.4 .	44.7
	·		: :	<u> </u>	-					•	· · · · · · · · · ·			
		: <del> </del>	<u>;</u>	<del> </del>	-			:	• • • • • • • • • • • • • • • • • • • •		·			. <u>-</u>
	•	ļ 	1								•			
	TALS				-		 	: 	<u></u>		-	<del></del>	<del></del>	:
	- AL3	14	<u> </u>		31.2		L		<u> </u>		21.9	32.2	. £.1.	4604

USAFETAC JUL 64 0.9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

UL PAL CLIMATOLOGY BRANCH CAFETAC 4! AFAT ER SERVICEZMAC **SKY COVER** 

12 1 5 ACENTIRE ANGE SC

74-83

-----JUN

## PERCENTAGE FREQUENCY OF OCCL TINCE (FROM HOURLY OBSERVATIONS

HTMON	HOURS				PERCENTAG	E FREQUENC	CY OF TENT!	HS OF TOTAL	SKY COVER				WEAN - 15N1	
	LST	0	1	2	3	4	5	6	7	8	9	10	58+ 1.7+6+ +	
ــــــــــــــــــــــــــــــــــــــ	 				+	·	:		:	•				
<u> </u>	عه-ده						•	· 	:	<u>:</u>				
	  -36-35	14.3	-		25.3				i 		21.7	35.7	6.4	64
	39-11	11.2			35.4		•	•			25.8	27.6	6.1	90
	12-14	2.3			44.2		·		·		. 2B.4	. 25.0	. <u>6.4</u> .	90
	1 -17	1.3			45.3			•	·		. 27.0	26.5	. 6.5.	82
	.12:	4.3			35-8	<del></del>	! !	·	 		: 25.8	33.6	6.8	74
	1-23	23			34-1			•			16.8	28.8	. 5.4	49
	<del></del> †			· •	-					_	•	;	•	
	•				1						· · · · · · · · · · · · · · · · · · ·	• — — — — • • • • • • • • • • • • • • •	<del></del>	
			-					<u> </u>				-	, • • • • • • • • • • • • • • • • • • •	
							· · · · · · · · · · · · · · · · · · ·							===
101	TALS	6.3			27.2		!	i			24.3	29.6	6.3.	. 461

USAFETAC JUL 64 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

The state of

\_\_\_\_

T. TAL CLIMATOLOGY BRANCH AT SEATHER SERVICE/MAC

**SKY COVER** 

T2 1 5 MCENTIRE ANGE SC NAME

بإنال

#### PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS:

MON*H	HOURS				PERCENTAG	FREQUENC	Y OF TENTI	S OF TOTAL	SKY COVER				MEAN - MANTHA SA	*, *,
	ις τ. •	0	1	2	3	4	5	6	7	8	9	10	**************************************	· .
- يالمن	<u>)=</u> 0?								: 			•	·	
<del>-</del>	.305								!					
	<u>.</u> E.	11-1			2).0		<u> </u>	:	+ <u>.</u>	•	25.3	31.6	t.t.	84
	11	12-3			34.5			·	•	•	. 27.0	25.7	6.7.	<u> 9</u> 2
	1114	1.0			47.2		<del> </del>		<del> </del>	•	28.3	23.5	6.3.	9.0
	15-17		<del></del>		42.3		<del></del>	<del></del>	<u> </u>	<del> </del>	3≏.8	25.8	. b.b.	61
	12:	8.3		 	29.3			: -		<del></del>	. 26.8	35.1	. 6.º	7.6
	1-23	20.			27-1				<del></del>		18.0	34-1	5.8	50
	•								·	•			•	
	+			<u> </u>	<u> </u>			1	• • • • • • • • • • • • • • • • • • •	! !	<del></del>		<del></del>	
									-			• •		
10.	TALS					<del></del>		ļ	i <b>t</b> I		<del>-</del>	<u> </u>	<del></del>	<del></del>
		ابرها		<u> </u>	34.0		<u></u>	<u>:                                      </u>	<u> </u>	<u> </u>	1 26.5	20.3	<del>6.#_</del>	473

OL BAL CLIMATCLOGY BRANCH FETAC AT CATHER SERVICE/MAC

**SKY COVER** 

12:1 5 MCENTIRE ANGR SC.

PEP OD

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

ONTH	HOURS				PERCENTAG	FREQUEN	CY OF TENTH	S OF TOTAL	SKY COVER				V: 45	• • •
	L \$ T :	0	1	2	3	4	5	6	7	8	9	10	e 1850-egija Liste Liste Amilia	
ــــــــــــــــــــــــــــــــــــــ	.33 <b>-</b> 02			<del> </del>	<del></del>		<del></del>					<del></del>	· · · ·	-
	20-05							•			·	<b></b>	·	
	; <del> 70-08</del> -	15.3			35.3		<del>•</del>	•————			20.4	. 29.C	. 5.2.	84
	]/-11	15.5			47.4		<u> </u>	•			. 22.3	. 21.8	. 5.4.	9.2
	114	1.2			54-6			·			. 27.2	. 17.5	<u> </u>	92
<u>-</u>	15-17	1.3		<u> </u>	46.6		•	·			. 28.D	. 23.4	. 6.3.	82
	1=-20	11			34.3		·				24.2	31.4	6.3 .	
	21-23	2:-3			30.4						12.4	28.4	- <del>4 - 9</del>	5.0
							:		i		· · · · · · · · · · · · · · · · · · ·		·	
	<del></del>										<del></del>	:	·	<del></del> -
											<del> </del>	<u> </u>	<del>!</del>	- <del>-</del>
ror	TALS	12.1			40.3						22.4	25.2	<del></del>	_ 479

FORM JUL 64 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

TE TAI CLIMATOLOGY BRANCH LATETAC AI EATHER SERVICE/MAC

**SKY COVER** 

12 105 MCENTIRE ANGE SC. STATION NAME

74-83

--- SEP.---

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS				PERCENTAGE	FREQUENC	Y OF TENTH	S OF TOTAL	L SKY COVER				- MEAN	• · · · · · · · · · · · · · · · · · · ·
	:L S T }	0	1	2	3	4	5	6	7	8	9	10	SKY COLER	NO CF JES
,:÷	0-02				-			1			!	!		
	3-05		-					<u> </u>	<u> </u>		<del>-</del>	· · · · · · · · · · · · · · · · · · ·		
	ا <del>مناعدة</del>	13.9			24.6		 	 	ļ		21-0	40.5	6.7	82
	102-11	13.9			27.9			-		ļ	. 24.5	33.7	6.4	89
	12-14	5.2			34.3		 		-		25.6	30.9	6.5	89
	15-17	3.5			38.3		<u> </u>		<del> </del>		+ 24.9	33.5	6.7	7.9
	: <del>.1.v=20</del>	13.2			31.8		 	<del></del>			18.6	36.3	6.3	74
	-1-23	26.7			28.2		1	!			14-1	31.C	5.2	49
								1	!			:	<del> </del>	
	! !							1				!		
101	TALS	12_7			21_5						21.5	24 7	4.7	h c 3

USAFETAC JUL 64 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE.

·

. \_\_\_\_

A Commission of

SE BUL CLIMATOLOGY BRANCH BASETAC ALS SEATHER SERVICE/MAC

**SKY COVER** 

72 135 = MCENTIRE A GS SC STATON NAME

74-83

---<del>0</del>Ç<u>T</u>--

## PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MCN*H	HOURS	l			PERCENTAGE	FREQUENC	Y OF TENT	HS OF TOTA	L SKY COVER				₩€4N + TEN*H3_F	* (* * * * * * * * * * * * * * * * * *
	L 5 T	0	1	2	3	4	5	6	7	8	9	10	Ski (c. ini	
)cr_	1.0-02			<u> </u>	<del> </del>		· 	+		· •	•	•	•	
	:-05			-					<u> </u>		+	<b>.</b>	• · · ·	
	.ns=08	28-8			23.8			•	<u> </u>		. 19.C	28.4	. 5.3.	&D
	32-11	25.3			29.2			<del></del>	•		10.1	25.7	5.2.	91
<b>-</b>	12-14	21.7			36.3				! •		. 20.1	. 21.7	. 5.1 .	91
	:15-17	21.6		<u> </u>	35-1				•		. 19.0	. 23.2	5.1.	81
	120	34-1	· ·		27.9	· · · · · · · · · · · · · · · · · · ·		<u> </u>	•		. 16-1	21.9	4.5.	76
	:1-23	47-1			22.1			<del></del>	•		. 10.7	20.2	3.6.	58
	<del>.</del>			<u> </u>	<u> </u>		-	•	<u>.                                    </u>		•	•	<del></del>	
	+							<del></del>			<del></del>	•	•	
	-							1			-	! !		
							<del> </del>				<del> </del>	! <del> </del>		
10	TALS	20.0			29.2			<u> </u>			17.3	23.5	. 4.8.	478

USAFETAC FORM JUL 64 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

-----

. \_

\_\_\_\_

----

TAL CLIMATOLOGY BRANCH A FAT- TR SERVICE / MAC

**SKY COVER** 

72 131 MCENITRE NEE SC

74-83

PER CD

₩<u>0 ¥</u> ...

#### PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS:

HTMON	HOURS				PERCENTAG	E FREQUENC	CY OF TENT	HS OF TOTA	L SKY COVER				gras.	*,*** <b>a</b> ,
	L S T .	0	1	2	3	4	5	6	7	8	•		58.9 (2.68)	* * 
+ CH	  3 <b>0-</b> 02			<del></del>	1			+	•	•	. •	•		
	عد-ده	<del></del>		<del></del>				·	<u> </u>	1	·	•	•	
	.002	26.7		<u>.</u>	21.3				<del> </del>	•	17.4	34.7	5.7	531
	<del>11</del> .	26.2		1	, 21-0		· • · · · · · · · · · · · · · · · · · ·	+	· · · · · · · · · · · · · · · · · · ·		17.5	35.3	<u> </u>	66
	12-14	21			26.4			·	:		. 20.9	. 30.7	5.7	
	1 -17	21.7	·		26-6		! 		·	! !	. 2C.1	. 31.6	5.8.	82
	.124	<del>-34 - 2</del> -		ļ	22.8			·	·	1	14.9	28.1	. 4.E.	729
··	1-23	44.5			17-8			<del></del>	•		10.2	27.6	4.2	686
	•	·		<del> </del>				<del></del>	<del>:</del>	İ	+	•	<del></del>	
_	<b>.</b> . – – –	i 1	· · · · · · · · · · · · · · · · · · ·	-				1	<del> </del>		· 	•——	<del></del>	
	· · · · · · ·							-					<del>!</del>	
го	TALS	20.2			22.7			<del> </del>			16.9	31-3	<del> </del>	- A491

USAFETAC FORM JUL 64 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

TERRETAC AT SETTHER SERVICE/MAC **SKY COVER** 

72 1 5 MCENTIRE ANSB SC MATTER ANSB STATION NAME

4-83

Э£¢

# PERCENTAGE FREQUENCY OF OCCURRENCE FROM HOURLY OBSERVATIONS:

MONTH	HOURS (LST)	PERCENTAGE FREQUENCY OF TENTHS OF TOTAL SKY COVER									MEAN — TENTHS OF	* 2"A,		
		0	1	2	3	4	5	6	,	8	9	10	→ TENTHS QUE SKE CLIVER → → →	185 
) F. C	) <del>3-02</del>				+;		<b>.</b>	·					•	
	03-05							<del></del>		•		· · · · · ·		
	! <del> </del> 10=J8_	21.4			24.3			+		•	13.3	تملعا	. يشمط	- 52
	37-11	27.1			26.5		·				. 14.E	38.5	. 1 <u>.</u> 1.	8.3
	12-14	15.7			27.2		: <del></del>	•		-	20.2	d <b>.</b> ک		À.
	15 <b>-17</b>	14.5			29.0		<del>*</del>	·		•	. 21.5	. 35 <u>.</u> G		19
	14-20	30.3			21.3			· •	· 	<u> </u>	. 12.4	. 36.0	5.4.	7.2
	1-23	41.3			14.4			·		1	9	. 35.4	. 4.8.	<b>6</b> f
	-						<u> </u>	•	· · · · · · · · · · · · · · · · · · ·		<del></del>	·	<b></b>	
								<u>!</u>	:			•	·——	
					-	·		-			·	· • · · · · · · · · · · · · · · · · · ·	<del>                                     </del>	
							! 	 				<del> </del>	<del> </del>	
TOTALS		22.0			23.0			Ĺ			15.2	37-1	5.8.	436

USAFETAC JUL 64 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

\_\_\_\_\_

-----

Service Co

AL CLIMATCLOGY BRANCH - LTAC 47 LEATHER SERVICE/MAC

**SKY COVER** 

.2\_1\_5 MCENTIRE ANDB SC

# PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	+DURS	PERCENTAGE FREQUENCY OF TENTHS OF TOTAL SKY COVER								
	0 1	2 3 4	5 6	7 8	9		e ge			
-AA	LL 25	2.4			. 14.C.	39.1. 5.2.	4569			
- E	22.7	23.6		· · · · · · · · · · · · · · · · · · ·	17.1	36.7. 5.2.	_4.1.8.2			
	13.7	24.3			16.1	40.2. 6.2.	472			
_P	24.2	. 27-8	!	·	. 17.1	31.0. 5.5.	4551			
X	14	31.2	<u> </u>	•	. 21.9 .	32.2. 6.1	4634			
نب	9+3	37.2		-	. 24.3.	29.6. 6.3	468			
	S - 3	34.9	+	+	. 26.5	29.36.4	4734			
<del></del>	11	40-3	<del></del>	<del></del>	. 22.4 .	25.25.3.	4796			
<u></u> -	12-7	31.5		•	. 21.5	34.3. 6.3.	4631			
uci.	29.9	29.2	·	i	17.3.	23.5. 4.8.	4787			
rch	27.2	22.7	-		16.8	31.3. 5.3.	449			
D.C.	23.,	23.8			. 15.2 .	37-1 . 5-8 .	4366			
TOTALS	12-4	20.9	<u>i</u>		19.2	32.5 5.9 5	55127			

USAFETAC JUL 64 0-9-5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

OPERATING LOCATION "A" USAFETAC, ASHEVILLE NC

#### PSYCHROMETRIC SUMMARIES

PART 4

In this section are presented various summaries of dry and wet-bulb temperatures, dewpoints, and relative humidity. The order and manner of repsentations follows:

- 1. <u>Cumulative percentage frequency of occurrence</u>—Derived from available hourly observations and presented by month and annual for all years combined. These tabulations provide the cumulative percentage frequency to tenths, of temperature by 5-degree Fahrenheit increments, plus mean temperature, standard deviations, and total number of observations in three separate tables as follows:
  - a. Daily HIGH temperatures (for available observations)
  - b. Daily LOW temperatures (for available observations)
  - c. Daily mean temperatures (high + low temperatures divided by two)
- 2. Bivariate percentage frequency distribution and computations of dry-bulb versus wet-bulb temperature. This tabulation is derived from hourly observations and is presented by month and available 3-hour groups with all years combined. The following information is provided:
- a. The main body of the summary consists of a bivariate percentage frequency distribution of wet-bulb depression in 17 classes spread horizontally; by 2-degree intervals of dry-bulb temperature spread vertically. Also provided for each of the dry-bulb intervals is the percentage of observations which contain both dry-bulb and wet-bulb temperatures; and dry-bulb, wet-bulb, and dewpoint temperatures separately. Total observations for these four items are also provided in two lines at the end of each table.
- NOTE: A percentage frequency in this table of ".0" represents one or more occurrences amounting to less than .05 percent.
- b. Statistical data for the individual elements of relative humidity, dry-bulb, wet-bulb, and dewpoint temperatures are shown in the section at the bottom left of the forms. These consist of the sum of squares ( $\Sigma X^2$ ), sums of values ( $\Sigma X$ ), means ( $\overline{X}$ ), and standard deviations ( $\sigma X$ ). The number of observations used in the computation for each element is also shown.
- c. At the lower right of the form are given the mean number of hours of occurrence for six ranges of dry-bulb, wet-bulb, and dewpoint temperatures, and total number of hours possible in the period represented. Mean number of hours is shown to tenths and indicates mean number of hours per year in the annual summary, or mean number of hours per month in the tabulation by month.

Continued on Reverse

4

- 3. Means and standard deviations--These tabulations are derived from available hourly observations and present the mean, standard deviation, and total number of observations for the 3-hour groups, by month and annual and again at the bottom for all hours combine. Summaries for all years combined are presented in the following three tables; DRY-BULB TEMPERATURE, WET-BULB TEMPERATURE, AND DEWPOINT TEMPERATURE.
- 4. Cumulative percentage frequency of occurrence of relative humidity--This summary is derived from hourly observations and presents the cumulative percentage frequency of occurrence of relative humidity by increments of 10 percent classes, plus the mean relative humidity and total number of observations presented by month and available 3-hour groups.

**DAILY TEMPERATURES** 

CL NAU CLIMATOLOGY RAYCH LTAC FAT TR SE-VICENTAC TOT MCENITRE FOR MCENITRE NOB SC STATION NAME

61-84

#### CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE FROM DAILY OBSERVATIONS

MAYIMLY

	TEMP OF	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN! AL
,	.2							•2	• 3				_	ن •
Ť	135 [						• >	2.0	1 • 5				_	• 3
•						• 2	∪ • 3 <u>.</u>	11.9	7 • 6.	• 9.			_	2.02
-					1 • 2	€ • 4	25.2	44.8	35.€	12.2	• 3		-	10.3
•				1 • ?	12.3	28•5	63.3	81.1	74.5	45.3	U • 7,			ن • ن
2		- <u>i</u>	1.1	3 <b>∙ 9</b>	30.3	59∙0	88.2	95.1	91.6	72.3	25.4	3 • 4	• <b>6</b>	₹9.5
_		. 2	4 • 7	22.4	48.6	31.3	96.3	99.1	?7 ∙ 8	48.Q	F 4 • 1	16.7	4.9	c 1 • 3
2		1.6	13.3	35.0	68.6	94.9	99.1	99.8	99.9	95.9	74.5	₹9•€	13.1	(2.1
-	- 5 _	7.8	25.3	55.6	87.4	97.8	99.3	100.0	170.0	98.9	96.3	£7.7	26.6	71.5
•		2.3	4 1	74.2	95.3	°9•5	100.0			100.0	96.6	74.6	4C.0	79.6
_	ر <b>غ</b>	47.7	55.7	87 · y	98.9	1 10 • U					99.0	°6.5	60.5_	°6.4
2		6.3 • 2	2.2	94.3	29.7						99.7	95.8	74.6	71.7
2	4 _	76.7	85.6	47.9	99.8						100.0	78.4	00.5	?5 <b>.7</b>
2	4	8 7 • 1	94.8		1 0.0							39 • 5.	97.1	98.3
-	<u>[</u> 5]	4 . 6	99.0	99.7								100.0	9.5.	9.4
_	3 -	9.3	99.8	99.9									79.ε_	99.9
	, , , , , , , , , , , , , , , , , , ,	10: •0											100.0	170.0
≥	, , , , , , , , , , , , , , , , , , ,		100°d	100.0									-	1"6.0
2													-	
2	**	4											_	
≥													*	
_													_	
2		*								-			-	
≥	-						<b>+</b> -							
2	-					+							-	
2								+			•			
<u>&gt;</u>							+						-	
2	-					. +	+	•						
2	-					-+	+						-	
•	-				+	-+-		·•		- •			-	
•			•				+						-	
•	-						+	•		+-	•			
					•		. •		· · •				_	
5	•		•					· ·			+			
2					· _ = ±		. regressing#				eregi kag≢			_2:12
	MEAN	73.4	56.5	66.4	74.0	<u> </u>	_ 8 _ 9	38.6	97.4	82.7	74.5	65.5	57.4.	72.7
	5 0	11.1941		10-100	8.404	6.640	5.787	5.161	5.614	6.473	7.357		10.166	14.694
	TOTAL OBS	669	616	682	659	642	600	647	682	658	7 71	645	<b>6</b> 50_	7651

USAFETAC " 0 21 5 (OL A) PREVIOUS CONTINUES OF THIS FORM ARE OBSOLETE

#### DAILY TEMPERATURES

LTAC LTAC LT FATHER SERVICE/MAC 12 1 MCENTIRE 4500 THE CLIMATCLOGY BRANCH MCENTIRE ANGE SC STATION NAME

11-84

YEARS

#### CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE FROM DAILY OBSERVATIONS.

MINIMEN

	FMP *:		AN	FEB	MAR	APR	MAY	JUN	101	AUG -	SEP	OCT	NOV	DEC	ANN A.
		_		_	_				• 5						• 3
	7			•."				4.2	9.9	4 . 3	1.2	*		-	1.6
	•	-					4	34.2	71.4	66.9	25.1	. 9	•	-	16.
	7				1.	5.3	27.4	71.3	96.3	91.3	57.9	7.0	2.5	1.4	79.9
	9		• 3	1.6	5.9	21-1	56.5	89.4	99.7	98.5	79.2	22.3	6.4	3.4	40.
	5	5	3.9	5 · `	16.7	43.6	78.8	90.2	170.0	170.0	91.6	42.7	14.1	7.2	55.
	-	9	3.7	13.9	32.3	62.1	93.6	99.8			98.5	62.8	29.3	14.3	ςψ.
	4		17.5	13.7	5 T • Y	93.1	08.9	100.5		•	09.8	78.2	44.5	24.9	67.
			31.5	33.3	67.7	92.1	79.8					91.7	61.1	39.4	76.
	3		47.1	51.3	83.9	98.3	100.0			•	100.5	97.4	77.0	55.1	94
			53.5	6 .9	87.8	99.2				•		09.3	12.9	63.5	٠7.
	7		65.9	73.1		1 0.3						95.7	01.6	75.1	21.
	7	-	E 3 • 4	P3.3	79.1							100.0	26.6	90.0	ου• -11•
	-	-	~4 • J	77.6	99.9							1 .0 . 3	79.8	98.5	
	15		18.2	99.5	77.57										?9.
	15		9.4	100.0	tee a								100.5	99.8	٥9.
		· _	1.0.3	100.0	100.0										79.
		_	<b></b>											170.0	170.
												,		_	
		_												_	
		_													
		_													
					•		·	·			•				
		_		•	·	·	•	•	•		•			-	
		-	•	•	•	•	•	•	•			,		-	
		•		•	•	•	•	•	•		•			-	
		•	•	•	•	•	•	•	•		•			-	
		-	•	•	•	•	•	•	•	•	•			-	
		-	•	•	•	•	•	•	•		•			-	
		-		•	•	•	•	•	•					-	
			•		•	•	•	•	•		•	•	•	-	
		-	•	•	•	•	•	•	•		•		•	-	
				•	•	•	•	•	•			•		-	
		-			•	•		•	•		•	•		*	
				•	•	•	•	•	•	•		,		-	
							•								
	***	=	34.5	36.1	44.4	52.3	59.9	76.8	70.8	69.7		c , 3'			
	MEAN	-	39.37 13.3451		9.739	8.372	6.497	5.191	3.176		64.5	52.2	43.3	77.4	
	5 0	-	12.3-31 1736	516	632	659	64.7			3.518	6.169		ោះក្រៀ	_	10.23
10	TAL OBS		00 1	210	0 6 4	659	64.	600	647	6 E 2	65K	701	645	6.	7 - 5 )

USAFETAC 0 21 5 (OL A) PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

#### **DAILY TEMPERATURES**

.. . .

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE FROM DAILY OBSERVATIONS

TEME OF	. AN .	4 t B		APP -	WA+	John .	, ,	AUC.	SEP _	or	NOV	DEC	ANN A
						4.;	• 8 • 1	• 6 • • 3	• 3		*		• 1 1 • 7
				*	2 • -	25.8	55.0	45.5	13.5	• 1			1 • 1 1 1 • 9
		_	. 4	5.1	26.3	70.2	93.4	26.5	F1.4	4.0	. 3		7 1 0 3
. ,	• 1	• .	5.3	24.0	55.4	0 1 3	94.5	77.4	78.9	 1 د 2	3.6	1.7	4 . 3
. 5	2.2	3.4	17.7	45.5	3.7	95.5	170.0		92.4	47.6	11.9	4	
•	1.2	11.4	34.0	66.3	46.1	94.3		• • • •	99.2	78	72.4	12.5	غ•د
, 5	15.5	2 .5	54.7	88.2	49.4	190.0			29.8	67.6	F2.2	24.3	73
,	29.7	35.1	73	97.1	170.0				100.0	06.7	71.6	40.3	75.8
. 4	47.6	54.1	89.0	99.5						99.9	96.	58.9	26.4
•	67.4	77.1	95.9	*00 •0						100.5	60.6	80.3	23.2
· ₹	84.5	92.	99.4								09.4	92.6	°7.3
• 3	3.9	98.1	99.7								99.0	99.1	99.2
?	8.2	99.7	99.9								l″ü•Q	99.7	c9.8.
· ,	9.6	100.3	100.0									100.00	190.0
1	100.0											_	178.8
•						,							
•												-	
									,			-	
												-	
												-	
												-	
			•			•						-	
		•		•	•	•	•	•	•		•	-	
		•	•	+	•		•	•			•	-	
			•	- •	•	•	•	•	•	•	•	-	•
•		•	•	•	•	•	•	•	•	•	•	-	1
•			•	•	+	= + +		•	•	•	•	•	
- :		•	•	•	•	· · ·	- •	•	•	•	•	-	•
•			•	•	-			•	•	•		-	•
•		•	•				•	•	•	• •	•	•	•
		•	٠	+	•	- +	•			•	•	-	:
,		•	•	•	+	•		•	•	•	•	. •	*
,		•	•						•				1
MEAN 5 D	/•883	46 • 5 9 • 345	55.4 8.996	63.4 7.477	70 • 4 5 • 731	76.6 4.771	80.0 3.593	78.8 3.984	73.9 5.589	63.5 7.107	£4.7. 8.556	47.6. 9.535	62.9
TOTAL OBS	664	016	682	659	642	600	647	682	6\$a	701	645	65L	7851

USAFETAC 021 5 (OL A)revious editions on this form are obsolete

FE TAL CLIMATELOGY WRANCH 2 ETAC AT EATHER SERVICE/MAC

#### **EXTREME VALUES**

MAXIMUM TEMPERATURE

FROM DAILY OBSERVATIONS

-2-1-3 MEENTIRE ANGE SC STATION NAME

51-54

HOLE DEGREES FARRENHEIT

75 69, 76, 76, 78 72, 71 71	67 63. 77 68. 73 65. 71	97 91. 79 91. 84# 85.	67. 98 86. 91	94. 91 86.	97. 91	96 97 94. 91	94 # 102 95.	963 77# 97 92.	03 223 95 23.	81. 90 54.	72 -	
69, 76, 76, 78, 72, 71, 71,	€3, 77 68, 73 65,	81. 79 81. 84± 85.	98 86. 91	31 86.	91	94.	102 95.	¢ 7	a 5	a C	5.4	
69, 76, 76, 78, 72, 71, 71,	€3, 77 68, 73 65,	81. 79 81. 84± 85.	98 86. 91	31 86.	91	94.	95.	-	-		-	
7.6 76. 78 72. 71 77, 71	77 68. 73 65. 71	79 21. 84# 85.	98 86. 91	31 86.	91			92.	2.3	4.7	7.5	
76. 78 72. 71 <u>77</u> ,	68. 73 65. 71	21. 84± 85.	86. 91	86.	-	91			- <b>-</b> .	J Z .	7 L L	ş
78 72. 71 <u>77</u> ,	73 65. 71	84± 85.	91	•		/ A	93	28	ዮ 3	75	7 )	9
72. 71 <u>77.</u> 71	65. 71	25.	_		93.	7£.	92	94.	£5.	79.	7 ± _	ŷ
71 <u>77</u> , 71	71			93	9.2	3 -	90	8.5	<b>P</b> 5	76		9
<del>77,</del>	_	70	92.	23.	. 94.	. 96.	1.00.	89.	≗7.	79.	71.	13
71	7.3.	17	A 4	90	۶ 5	3.6	93	P. 7	<b>9</b> 5	73	72	9
-		. 79.	91	94.	121.	IOC.	9 <b>9</b> .	97.	23.	79.	77_	1.3
	75	77	5.8	89	95	95	÷ 1	89	۶7	8.2	2 1	5
73.	7.9.	. 73.	91	₽3.	93.	92.	93.	_ <b>S.3.</b> _	26.	ac.	. 76 .	9
69	71	84	۹.3	91	92	95	93	92	R 9	₹ 3	7.7	9
7 5.	76.	86.	98.	91.	96.	92.	. 95	9ć.	92.	24.	73.	9
<u>ę</u> 4	à_	82	89	93	2 S	92	96	94	٥z	9.5	73	9
75.	81.	89.	89	89	91.	95.	23.	<u>8â.</u>		. 72.	££.	9
5.5	83	85	38≄	9.7	98	104	93	89	<b>₽</b> 8	Я∂ф	72	1.3
* 7 <u>2</u>	71	8.0.	900	92.	102.	97.	96.	97.	<u> </u>	20#	. El.	1.
* 65	75	80	5.3	۵6	92	95	96	91	٥6	930	74	5
* <u>4.5</u>		75	91	87	97	175	102.	97.	86.*	76.₽	73.	1.0
* 66	7.3	81	91	95	98	98	93	92	92*	79₺	74	9
* 7 <u>7</u>	<u>8</u> ©	8.8	93.	92.	93¢	٥,	97.	. 3ù#	€5,#	. 19:	7£.	9
* 64h	71	79	92×	<b>p</b> 9	944	102	105*	96≄	9 8 <b>*</b>	77×	7 t	10
≈ 68¢	7.7	P 2.	£5.	89.								
								<b>.</b>		•		_
,	-	·	·	•								
		•			, ,	·	•				_	
												ene versi La
73.1	73.7.	31.9.	37.3	90.0	24.8	95.9.	95.5.	~1.7.	35.8.	19.2.	73.5.	- 96.
6.37	5.194	3.663	3. 52	3 . 405	3.189	3.999	3.901.	610.2	3.5°B.	3.437.	4.7.2	2.4
	72. 65. 66. 77. 64. 68.	72, 71, 65 75 65 75 66 73 77 80 644 71 68\$ 77	72 71 82 65 75 83 65 75 75 66 73 81 77 80 88 644 71 79 684 77 92	72, 71, 80, 99% 65 75 80 63 45 75 75 75 91 66 73 81 91 77 80 88 839 644 71 79 82* 68\$ 77, 92, 85\$	72, 71, 80, 92¢ 92, 65 75 80 63 96 45 75 75 75 91 87, 66 73 81 91 95 77 80, 88, 83¢ 92, 64¢ 71 79 92¢ 89, 68¢ 77, P2, P5¢ 89, 637, 5.194, 3.663, 3.02, 3.406	72 71 80 92 92 102 65 75 80 63 96 92 65 75 75 75 91 87 97 97 66 73 81 91 95 98 77 80 98 835 92 936 646 71 79 926 99 946 686 77 92 656 89	72 71 80 92# 92 102 97  65 75 80 63 96 92 95  65 75 75 75 91 87 97 175  66 73 81 91 95 98 96  77 80 98 835 92 93# 92  64# 71 79 82# 89 94# 172  68# 77 P2 85# 89  73-1 73-7 81-9 87-3 91-0 94-8 95-9  6-37/ 5-194 3-663 3-32 3-405 3-189 3-99	72 71 80 92 92 102 97 96 65 75 80 83 86 92 95 96 65 75 75 75 71 87 97 175 102 66 73 81 91 95 98 98 93 77 80 88 83 92 93 92 97 97 644 71 79 82 89 94 172 105 46 68 77 92 85 89 89 94 172 105 46 68 77 92 85 89	72 71 80 92 92 95 96 91 65 75 80 63 86 92 95 96 91 65 75 75 75 91 87 97 105 102 97 66 73 81 91 95 98 96 93 92 77 80 88 83 92 93 92 97 94 102 105 96 68 77 92 85 89 89 94 102 105 96 68 77 92 85 89 89 94 102 105 96 68 68 77 92 85 89	72 71 80 92 92 95 96 91 96 65 75 80 83 86 92 95 96 91 96 65 75 75 75 91 87 97 105 102 97 96 97 96 96 96 96 96 96 96 96 96 96 96 96 96	72 71 80 92# 92 102 97 96 97 86 82# 65 75 80 63 86 92 95 96 91 86 836 65 75 75 75 91 87 97 105 102 97 86# 76# 66 73 81 91 95 98 98 93 92 92# 79# 77 80 88 83# 92 93# 92 97 90# 85# 79# 64# 71 79 82# 89 94# 102 105# 96# 88# 77# 68# 77 82 85# 89	72, 71, 80, 92¢ 92, 102, 97, 96, 97, 86, 80¢ 81, 65, 75, 80, 83, 86, 92, 95, 96, 91, 86, 93, 74, 45, 75, 75, 71, 87, 97, 105, 102, 97, 86¢, 76¢, 73, 66, 73, 81, 91, 95, 98, 98, 93, 92, 92¢, 79¢, 74, 77, 80, 88, 83¢, 92, 93¢, 94, 97, 90¢, 85¢, 79¢, 76, 64¢, 71, 79, 82¢, 89, 94¢, 102, 105¢, 96¢, 88¢, 77¢, 76, 68¢, 77, 92, 85¢, 89,

NOTES + (BASED ON LESS THAN FULL MONTHS)

O-88-5 (OLA)

# (AT LEAST ONE DAY LESS THAN 24 OBS)

AL CLIMATOLOGY RHANCH LTEC 2 TET ER SERVICE/MAC

#### **EXTREME VALUES**

MINIM, M. TEMPERATURE

FROM LAST UBSERVAT DNS

2. DE CENTIRE ANGE SC STATION NAME

61-64

HOLF DEGREES FAHRENHEIT

15, 15, 21, 5, 24, 15, 13, 7,	19 25, 23 19, 12 16, 74	31 23. 25 26. 259 25. 22	76* 	45 51. 55 42.	* 54. 55 50.	74 55 53. 65 52.	60 63 64. 59	51# 64# 49 54. 54.	40 338 34 35. 72	31. 29 29. 28. 25.	21 21 21 21		16
11 5, 24 19, 13	25. 23 19. 12 16.	23. 25 26. 25△ 25.	39 34. 37	55 41. 42	55 5 <u>0</u> .	53. 65 52.	64. 58 57.	49 54. 54	34 36. 72	29 29. 28	21 - 21		2.1
11 5, 24 19, 13	25. 23 19. 12 16.	23. 25 26. 25△ 25.	39 34. 37	55 41. 42	55 5 <u>0</u> .	53. 65 52.	64. 58 57.	54. 54	36. 72	29. 29	21 - 21		2
11 5, 24 19, 13	23 19 12 16	25 26. 25 25.	39 34. 37	55 41. 42	55 5 <u>0</u> .	65 52.	58 57.	E, 4	72	2.8	21		÷.
24 19. 13. .7.	19. 12 16. 74	≟6. 25∌ 25.	34. 37	43. 42	50.	62.	57.		_				
24 19. 13. .7.	12 16. .4	25≜ 25.	37	42				54.	<b>3</b> 9.	25.	7 : .		
19. 13. 7.	16.	25.			< ij								
1 3 .7.	. 4		37.			6.	5.8	3.7	74	23	3.2		1
7.		?2		45.	54.	55.	57.	54.	23.	24.	17 -		1.
	13		3.8	42	59	65	5.8	5.3	₹5	2.1	2.		1
1 t:		25.	36.	44.	58.	. 62.	67.	47.	74.	19.	21.		
	17	27	3.2	39	56	56	6.8	Ē >	44	27			1
1:	. 20.	2.7.	31	50.	49	59.	64.	52.	34.	27.	- 24 .		1
2.3	14	3 <i>2</i>	34	44	5.7	64	62	۴ű	7 €	27	2.7		1
71.	22.	3	34.	50.	57.	51.	65.	5L.	29.	25.	<b>-1.</b>		2
2 6	3.1	22	35	52	63	64	64	5 <i>2</i>	77	27	15		1
13.	2 <u>3</u> .	, 3J.	30.	43.	52.	65.	59.	49.	2ŝ.	22.	15.		1
8	19	28	41 *	71	52	64	63	56	36	270	25		
17.	20.	26	44#	47.	61.	55.	62.	55.	. 37.	38.0	24.	*	1
.7 -	25	33	43	50	56	53	60	59	78	24#	22	*	2
2.3	15.	13	42.	45	57.	67.	51.	5é.	4 _ *	30 P	24 .		1
15	19	27	45	45	59	67	65	49	₹6 Kt	296	15	#	1
12	33.	<u>30.</u>	34 m	53	63×	69.	62.	49.	33*	36,0	21.	#	1
? 1%	3 J	37	30 m	45	5 <b>5</b> *	63	60#	5û≉	41#	33 m	24	*	2
2 2 pz	23.	32	44#	52.	- · • ·				·				
	31. 26 13. 8 17. 23. 15. 12. 2.14	71. 22. 31 13. 25. 6 19 17. 20. 25 23. 15. 19 15. 19 12. 33. 20 3.0 30	71. 22. 3J. 70 51 72 13. 25. 3J. 6 19 28 17. 20. 26. 70 20 33 23. 15. 13. 15 19 27 12. 33. 30. 23. 33	71. 22. 3J. 34.  70 31 72 35  13. 23. 3J. 30.  8 19 28 41*  17. 20. 26. 44*  23 15 13 42.  15 19 27 45  12. 33, 30. 34*  23. 33. 30. 34*  23. 33. 30. 34*	71. 22. 3J. 34. 5U.  70 31 72 35 52  13. 23. 3J. 30. 43.  8 19 28 41* 71  17. 20. 26. 44* 47.  23 15 13 42. 45  15 19 27 45 45  12. 33, 30. 34* 53  2.1* 3J 37 30* 45	71.     22.     33.     34.     50.     57.       8.     31.     22.     35.     52.     63.       13.     23.     30.     43.     52.       8.     19.     28.     41*     71.     52.       17.     20.     26.     44*     47.     61.       20.     20.     33.     43.     50.     56.       23.     15.     13.     42.     45.     57.       15.     19.     27.     45.     45.     59.       12.     33.     30.     34*     53.     63*       2.0*     30.     37.     30.*     45.     55*	71.     22.     33.     34.     50.     57.     51.       70.     31.     22.     35.     52.     63.     64.       13.     25.     30.     30.     43.     52.     65.       6     19.     28.     41.     71.     52.     64.       17.     20.     26.     44.     47.     61.     65.       20.     20.     33.     43.     50.     56.     63.       23.     15.     13.     42.     45.     57.     67.       15.     19.     27.     45.     45.     59.     67.       12.     33.     30.     34.     53.     63.     69.       2.07     30.     37.     30.     45.     55.     63.	71. 22. 35. 34. 50. 57. 51. 65. 65. 65. 59. 63 64 64 64 64 64 64 64 64 64 64 64 64 64	71. 22. 35. 34. 50. 57. 51. 65. 51. 65. 51. 65. 51. 65. 51. 65. 51. 65. 51. 65. 51. 65. 51. 65. 51. 65. 51. 65. 52. 65. 59. 49. 68. 19. 28. 41. 71. 52. 64. 63. 56. 17. 20. 26. 44. 47. 61. 65. 62. 55. 27. 20. 33. 43. 50. 56. 63. 60. 59. 23. 15. 13. 42. 45. 57. 67. 61. 56. 15. 19. 27. 45. 45. 57. 67. 65. 49. 12. 33. 30. 34. 50. 59. 63. 60. 50. 49. 20. 30. 37. 30. 45. 55. 63. 60. 50.	71. 22. 35. 34. 55. 57. 51. 65. 51. 29.  70 31 72 35 52 63 64 64 52 77.  13. 25. 39. 30. 43. 52. 65. 59. 49. 26.  8 19 28 41* 71 52 64 63 56 36.  17. 20. 26. 44* 47. 61. 65. 62. 55. 37.  77 20 33 43 50 66 63 60 59 78.  23. 15. 13. 42. 45. 57. 67. 61. 56. 42*  15. 19. 27. 45 45 59 67 65 49 76*  12. 33. 30. 34* 53. 63* 69. 62. 49* 39*  2.1* 30 37 30* 45 55* 63 60* 50* 41*	71. 22. 33. 34. 50. 57. 51. 65. 51. 29. 25.  20 31 22 35 52 63 64 64 52 77 27  13. 25. 30. 30. 43. 52. 65. 59. 49. 26. 22.  8 19 28 41* 71 52 64 63 56 36 27*  17. 20. 26. 44* 47. 61. 65. 67. 55. 77. 38*  23 33 43 50 56 63 60 59 76 24*  23 15. 13. 42. 45. 57. 67. 61. 56. 41*  30*  15 19 27 45 45 59 67 65 49 76* 29*  12 33, 30. 34* 53 63* 69. 62. 49* 39* 36*  20* 30 37 30* 45 55* 63 60* 50* 41* 33*	71. 22. 33. 34. 50. 57. 51. 65. 51. 29. 25. 11.  70 31 72 35 52 63 64 64 52 77 27 15.  13. 23. 30. 43. 52. 65. 59. 49. 26. 22. 15.  8 19 28 41* 71 52 64 63 56 36 27* 20.  17. 20. 26. 44* 47. 61. 65. 62. 55. 17. 38* 24.  20 20 33 43 50 56 63 60 59 76 24* 22.  21 15. 13. 42. 45. 57. 67. 61. 56. 41* 30* 24.  15 19 27 45 45 59 67 65 49 76* 29* 15.  12 33, 30. 34* 53 63* 69. 62. 49* 39* 36* 27.  20* 30 37 30* 45 55* 63 60* 50* 41* 33* 24.	71. 22. 31. 34. 50. 57. 51. 65. 51. 29. 25. 11.  70 31 72 35 52 63 64 64 52 77 27 15.  13. 23. 30. 43. 52. 65. 59. 49. 26. 22. 15.  8 19 28 41* 71 52 64 63 56 36 27* 20.  17. 20. 26. 44* 47. 61. 65. 62. 55. 17. 38* 24. *  20 33 43 50 56 63 60 59 76 24* 22 *  21 15. 13. 42. 45. 57. 67. 61. 56. 41* 30* 24.  15 19 27 45 45 59 67 65 49 76* 29* 15 *  12 33, 30. 34* 53 63* 69. 62. 49* 39* 36* 27. *  20* 30 37 30* 45 55* 63 60* 50* 41* 33* 24 *

NOTES # (PASED ON LESS THAN FULL MONTHS)

O-88-5 (OLA)

# (AT LEAST ONE DAY LESS THAN 24 OBS)

STATION						5	ATION	NAME										YEAR	\$					МО	NTH
																								- NO URS	- . • s : <del>-</del>
Temp			_							ULB TE											T	OTAL		TOTAL	
( <b>F</b> )		1	- 2_	3	1 :	5 - 6	7 - 8	9.	10 11	- 12 1	3 - 14	15 - 16	17 -	18 19	. 20 21	- 22 23	- 24 25	26 27	- 28 29	. 30 • 3	D.I	B. W.B. D.	y Bulb	Wet Bulb	Dew I
				٠																					
	-		•										•		- •		-	-				<b>A</b>			-
																						**			
		• .	•					·· •					•											. `-	_
			•	•			_																	•	
	•							٠	•	-	-		-		•		•		-	-		-			
																							•		
		•	• :										•		•		•		-						
	, •	• .	• !	•		-									_										
	•	. ;	•			•	• .									-	•							•	
	. •	•	• -?	1.		<u>.</u>	•	-										_							
* ′ ·	•		• ′	•			• 4																		:
<i>,</i>	. •	• •	•	1 - "	٠.	• .	• 5															*			
•	•		•	. •		• •	• .															٠ -			
, .	. •	٠.	•	· † •		• .			-													•		·	
		,	•	•		• '																1		14	
,	. •	•	• ,	•	٠.	• • •	•		•				•							•			-	►.	-
			• .	- :			•															,			
		. 4	•		•		-	•	-				-			•	-	•		+	•		7.	٠	-
•			•	•																					
7 -	•	•	• ' '	٠.	•														- ••	-		• •		<u>.</u> .	_
		. 1	• 7										<b>.</b> .			_						•		1.7	
7 1		-	-	•											-	-	-								
	-	. <u>i</u>	•	•	٠.																			. i	_
			•	•																				•	
7 1			• .	٠													. <b>.</b>			-					
/ 1			~																					**,	
	•	•	• .					•	* -										-		-	٠.	٠.	* .	•
		,	•																			•		•	-
		•	•		•	•		٠	•	•	•		•						•	- •	-	•		• •	
,																									
lement (X)	_	ž x	,	- , -		:	X S		¥		٠,		No.	Obs.				M	ean No.	of Hours w	ish Ti	mperature			
t. Hum.											_	+ -				10F	1 32	F	≥ 67 F	≥ 73 F		80 F	• 93 °		Torei
y Bulb											<u></u>									+	_		_		
er Bulb				-	-•-	_						-+-								·					
ew Point																									

C FORM 0.26.5 (OLA) PESSE PREHIOS EDITIONS OF THIS MIGHABLE CIR.

			WET A A 754BED	ATURE DEPRESSION	(E)				TOTAL		iouess.
Temp. (F)	0 1.2 3	1-4 5-6 7-8 9	. 10 11 . 12 13 . 14	15 . IA 17 . IS 19 . 2	0 21 . 22 23	. 24 . 25 . 26	27 . 28 . 29	. 30 * 31	D.B./W.B.	ory Bulb We	TAL Buth Dew
			10 11 12 13 14	13 10 17 10 11					-		
- <u> </u>	· · · ·			• •		•	·	<b>-</b> → -	•		
/-11	·····				<b></b>		<del></del>				
/-i											
	3 . Z	1 4 . 7								•	5
				· · · · · · ·					27	. '	27.
	•						· ·		• · · · · -		
				•							
,			• • •			•		-		•	•
								··· • · · · ·	<del></del>	·	-
	1	1									
					• • • • • • • • • • • • • • • • • • • •	*		<del></del>			
	<b>..</b> .	<del></del>							<b>.</b>		
				·						. •	•
	·										
	· - · - · · · · · · · · · · ·										-
	· · •				• • • •	•					
									<u> </u>		
•			,	1				1			•
F1	ž <sub>X</sub> ,	Σχ		No. Obs.	<del>,</del>		Mana Ma		4 Tamasan		
Element (X) Rel. Hum.	23°75		74 - 15 - 1		± 0 F	± 32 F	Mean No. c ≥ 67 F		h Temperatu = 80 F	• 93 F	Total
Dry Bulb	$\frac{-2}{1}\frac{75}{23}$	15/11	35. 11.10		= 0 7	39.	***	- /3 -		+	+
Wer Bulb			33-111-24		<del> </del>	47.5	••	<del>                                     </del>	<del></del>	<u> </u>	
Dew Point	50.50		28.714.79		1.6	56.0		<del> </del>	+	+	·

STAT ON	STATION NAME	1 - 24	YEARS		MONTH
				F * 1	HOURS IL. S. T
Temp		LB TEMPERATURE DEPRESSION (F)		TOTAL	TOTAL
F 0	1 2 3 4 5 6 7 8 9 10 11	- 12 13 - 14 15 - 16 17 - 18 19 - 20 21	- 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31	D.B. W.B. Dry Bulb	Wet Bulb Dew
	• '				
		• • .			
	• • • •				•
	• • • • • •			٠	1
•				:	<del></del> -
	• • •				
	• • • • • • • • • • • • • • • • • • • •	• • 1			1
		•		· • • • • • • • • • • • • • • • • • • •	. <u>1</u>
		•		•	
		• • 1			ـــــــــــــــــــــــــــــــــــ
•	1.1.1.2	1			: 3 
•			<del></del>	دیمتر، بنگت د قال ا	74
	1 1 1 1 1 1 1 1 1 1 1 1 1	• .		4 43	
		• • • •			
•	. 1. 1.1 1	•			
		• • • • • • • • • • • • • •			<u> </u>
•				7 : 7	· 5
•				<u> </u>	74
				t - t `	7
•	1.1.1.1.1.			<u> </u>	ن
•				"د د	× <u>.</u>
•				<u> </u>	
	• • l• •,			`7 _7	<i>e</i>
		• • • • • • • • • • • • • • • • • • • •	· - · · · · · · · · · · · · · · · · · ·	·····	٠ . نورُ
. 5	• •			1 - 1 -	u <sub>c</sub> .
,	• • • •			. 14. 41.	44
	• •			7	~ 4
		* <del>*</del>		<del> :</del> - : : .	1.4 _ :
	•				1
•				· · · · · · · · · · · · · · · · · · ·	2
1 1	•			1 1	1 .
1.1	• • • • • • •			<b></b> .	£
			•		i
<del></del>	<del></del>	<del></del>	<u> </u>	<del></del>	
lement (X)	z <sub>x</sub> , z <sub>x</sub> y	₹ No. Obs.	Mean No. of Hours wi		<u>.</u>
et Hum.	- • · · · · · · · · · · · · · · · · ·		± 0 F	• 80 F • 93 F	Total
Ory Bulb Vet Bulb	•			<del></del>	

STATION					STATION N	AME	_			75-3				YEARS							AONTH
																				HOURS	-11
Temp.						WE.	T BULB	TEMPE	RATUR	E DEPRES	SION (F	)					TO	TAL		TOTA	
(F)	0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 1	2 13 - 14	4 - 15 - 1	6 17 - 18	19 - 20 2	1 - 22 23	- 24 25 -	26 27	28 29	30 .	D.8	.W.B.	ory Bulb	Wet Bu	b Dew P
<u>:</u>	•	•				•		• • •						•	·	+	•				· •
/ -:																					•
- / - :		•											•								
<u>- / - :</u> :						•					<b></b>										-+ -
/ <u>-</u> '																					
7-11	•	*		-	•	•		•	-				*	٠	-	•	•				•
1 /-1:		_																			
7 7 7		ā' • ' '	4	22.3	11 • A	ر. • ،	7.	• 1	• ?	,									•		
		<b>-</b>	•															7 -		3	<u> </u>
	•	•	•	•		•			<b></b> · · ·			-		-	•	•				•	•
						-					· -· · •			-			• •	•	-	•	•
																- •					
	•	•	†				•			-+											
		·	!																	<b>.</b>	
	+ -	•	<del>-</del>	-+					•								- <b>-</b> -	-			+
			!																		
•	•	•							•					•	. +	•	•	•		•	•
																					·
					•																
÷÷							•	•	+	-+	<u>:</u>							-		•	
				<u> </u>			•			· <del>•</del>											
																			•		
E1		Z X²		+	Z <sub>X</sub>		· -	+ -		No. Obs						4.94	14 -				
Element (X) Rel. Hum.	•		??à	+	- <del>* X</del> - 5044	. c	<u>X</u>	10.8		9 g		5 0 F	± 32 F		67 F	Hours			• 93	F	Total
Dry Bulb		1 32		<del> </del>	770	, -	41.	9.9	67	8.9		- <del></del>	16.	_+-	- 7	- /,,,					
Wet Bulb	•	151.	67		ن ( ي	.7	?7 <b>.</b>	17.0	95	39.			30.		•1						
Dew Point		746	351		2573	٦ ]	29.2	14.5	64	381	7	1.5	54.	1			,		1		

NCITATE		STATION NAME					YI	EARS				MON	
												HOURS	4 - T
Temp.		, n	ET BULB TEM	PERATURE	DEPRESSION	(F)				TOTAL		TOTAL	
(F)	0 1-2 3	- 4 5 - 6 7 - 8 9 -	10 11 - 12 13	- 14 15 - 16	17 - 18 19 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29	- 30 - + 31	D.B./W.B.	Dry Bulb 1	Vet Bulb	Dew F
/					. 1								
				.11		•- · • -							
7			•	• 1						i	1		
1 17					. 1			·					
. 7		•	• **	.1 .1	• 1								
- '			·	• 1		•							
1 7	•		3							•			
•		• `			. <u>• 1</u>						.1.	-	
· .		1		• i	• l								
		• <u>• • • • • • • • • • • • • • • • • • </u>	<u>! • ^ •</u>	<u>· 1 - · ' </u>	<u> </u>					. 17.	<b>.</b> `		
			• •	• 1 • °	• ~					;	-		
<u> </u>		•! <u> </u>	<u> </u>	• · · ·			- •					11	
1 1	• `	• • • • • • • •	· 1 ·	•6 •2	• 7							1 -	i
· · · · · · · · · · · · · · · · · · ·	• " •	• . • l . • <u>i.</u> •		• 2							44	1.	ذ
.* *	• 4 • 7		• * •	• 3 • 3	• 1					4.7	4.7	1 7	
		• 1.4 1.	5.4.2.	<u>. 7</u> <u>. 2</u>	. •1 _						ì	12.	
<b>'</b> :	• 27	.6 1.7 1.7 1.	2 • 4 - 1 •							• :	? •	Ŀ.	2
1 1		<u>. 1.1.2.0.1.</u>		.?						_ 11_	1	41 L	
7 4 7	1 • •	• 7 · 1 • 6 · 1 •	1.7	• r						i i	, -	4 -	
		• <u>•'.l•</u>			•							<u>1</u> 2.	
4 ′ =	1.	• `   • • 1•" 1•	•							1	₹ !	• 7	
_ / _ s	1	• ! • ? • 5 1 •			···							3	
. 1 7	• '	.7 .2 1.3 2.	• *							4.7	47	÷ •	4
_ : :::::::::::::::::::::::::::::::::::	•.• .ê• <sup>6</sup>	• • . <u>1 • 5 . 2 •</u>	<u> </u>							. في	ــــــــــــــــــــــــــــــــــــــ	n 🦫 .	2
1 35	• • 7	• • • • • • • •	,							. 7	. 7	63	4
1 13 .	. • • • • • • • • • • • • • • • • • • •	• <u>1 1 . 1 •</u> •		<u></u>	· - · — • — · ·			<b>.</b>	- ·	. 11	<b>.</b>	L 9.	4
1 71	• *	. 1.	î								- `	4.7	•
,		<u> </u>			<del></del>	•				ii	.41	. ـ د به . ـ .	
/ 3		• ? • • •								ţ	,	. 7	
			_ +		·			·			<del>:_</del>	12.	
1 2		• 1								1	j	72	-
61 k.,					·						1.	. عد ا	
/ 1		• 1								1	,	ì	
<u> </u>					<u> </u>	للل							
lement (X)	*x'	2 <u>x</u>	<u> </u>	<u>",</u>	No. Obs.		1			h Temperatu			
el. Hum.	· ·					= 0 F	± 32 F	≥ 67 F	≥ 73 F	- 80 F	+ 93 F	+	0101
ry Bulb			· · · · · · · · · · · · · · · · · · ·				<del> </del>	<b></b>	<del> </del>	·		- +	
fer Bulb	·						<b></b>	<b></b>	<b></b>	+	+		
ew Point				!			1	1	i	ı			

USAFETAC FORM 0.26-5 (QLA) NEVISE MENOUS BOTIONS OF THIS FORM ARE ORGANICE

THE THE STAMECHAY STATION WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL Temp. 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 # 31 D.B. W.B. Dry Bulb Wer Bulb Daw Poin REVISED PREVIOUS EDITIONS OF THIS FORM ARE OBSCIETE 0.26.5 (OL A) \$ 5 \$ 2 Element (X) ž x No. Obs. X Meen No. of Hours with Temperature •4 7/7257 71/2551 1536/251 53.27.263 46.3 0.997 4 .6 0.491 4463 584 384 4.5 75097 £84

**PSYCHROMETRIC SUMMARY** 

٠į

USAFETAC

STATION	<u> 191</u>	STATION	NAME					EARS				MON	TH
										1.7		HOURS	) , ,
Temp.			WET BULB	TEMPERAT	URE DEPRESSIO	N (F)				TOTAL		TOTAL	
(F)	0 1 - 2	3 - 4 5 - 6 7 - 8	9 - 10 11 - 1	2 13 - 14 - 15	- 16 17 - 18 19 -	20 21 - 22 2	- 24 25 - 2	6 27 - 28 29	- 30 · 31	D.B. W.B. D	ry Bulb	Wer Bulb I	De w
					• `								
Harry Commen						<b>→</b> .		÷	•		: <b>.</b>		
,				_	•• • • ?								
			•	1-									
, -		•	•		- 1					,	-		
		· · · ·			<u> </u>			-		<u>4</u>			-
1. 5					.i. •1.								
		•	• • •	.1			•		•			7	
		• • 1 • 1		. 6 1	1							1	
	• 7	• • • • • •	• 4	1	•					7 77		1	
<b>'</b>	• 4 . • .	• **	_ • · •		6 6							1:	
•	. 1	• ` •1 •4	• 9 • 7	1.6	٤.					4.	4	٠. ر	
	• • •	.1.1	. ] • • • . ]	1.1.1							٠.	24.	,
,	• 1	•1 1•?			, 7					÷	•	٠, ٢	
1.	1.	• _ • 1	1.	•			-			1		<u>.</u> .	3
I	• •		1										
	1 - 1 1	. 1.7 1.1	1.4 1.	. 1 • 1			•	• • •	+	4	<u>~</u> =-	4.	-
4/6			1. 1.							7 ,	•		
	.1 .7 .7	1.2	1					·		<u>z</u>	<del></del>	<del></del> _	
	.1 .	. 1								<b>-</b> ر ،		1 4	
	• • •		1.4							( <u>k</u>		7 1	
7.35	• • •	•4	1.2							2.5	- 4	<u> 36</u> .	
3 1 7	• *	•1 7•7										1. 1	
. (3).	• ,	. •, ^ . • '	. •	·						. 1	1.	+iI .	
, ~		• i								1	1	: 7	
1				<del></del>		<del></del>						-=-	
,	1	• 1								1	1		
				•		<del></del>				<del></del>	<b>_</b>	·	4
4/ "}												•	
			+		++					<del></del>	-		
1 / 1		:											•
Element (X)	Σχ'	ZX	X	*A	No. Obs.	7		Meen No.	of Hours wi	th Temperatur	•		_
Rel. Hum.						= 0 F	± 32 F	≥ 67 F	≥ 73 F	▶ 80 F	. 93 F	T	otal
Dry Bulb													
Wet Bulb	· · · · · · · · · · · · · · · · · · ·			ļ						<b></b>			
Dew Point				1	1	1	1						

١,

WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL

1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 x 31 D.B. W.B. Dry Bulb Wet Bulb Dew Point No. Obs. Meen No. of Hours with Temperature Element (X) 75.244 419.7 235 64 115634 835 535 Dry Bulb 7.1 1712 67 16. 335

USAFETAC FORM 0.26-5 (OLA) REVISED MENOUS EDITIONS OF THIS FORM ARE OLD LIFE.

STATION		STATION HAME		<u> </u>		YEA	IRS				MON
						_			•		HOURS
Temp.		WET	BULB TEMPERATU	RE DEPRESSION (	F)				TOTAL		TOTAL
( <b>F</b> )	0 1 · 2 3 · 4 5	· 6 7 · B 9 · 10	11 - 12 13 - 14 - 15 -	16 17 - 18 19 - 20	21 - 22 23 -	24 25 - 26	27 - 28 29	30 + 31	D.B. W.B. D	ry Bulb	Wet Buib !
	· · · · · · · · · · · · · · · · · · ·										
,		• ,	_							•	
		• •				• •		•	• •		•
,		• . • !									
	• • • • • • • • • • • • • • • • • • • •	•	• '			<del></del>					i
2	• • •	•	-								-
<b></b>	. 1.		•				-				1
	• • • •	1 .7		2					•		1.
,		• !		1	•		•	•		1	
}- ·	. 4	. 1	4	?						_ i.	1.
1		7	• 19 • 19		•		• · ·	-			1 3
	1.1		1								3.5
- ·	.: 1. 1.4 1	.1 .7 1.1	3					*	• • • •	• •	^,
1 6 6 2	.1 1.3	. 1.									,
	1.		i.	•				•		:	
4 1 .	1.1 1.7 1	1.4 1.								1.	
1 / 1	1 1 2 1 2 1 2 1						- •	•		- 1	
,	.1 1.1 1.4 1	.5 1.1								٠,	
<b>!</b>		.2 1.6 1.2			• • • •	- •		• •	• •	•	
		. 1.1							( 4	<u>, (a</u>	. 26.
₹ / 13	1.1 1. 1								4.5	4	
1 /	• - 1 • 1   1	. 1							- 7		- 1
7-7		•. •							1 .		41
1 2 2	• 1	• • 4							<u> </u>	1 -	17
	•	• .					•			- •	71
1 / 2	•1. •1.	• 1							_		27.
	.1 .1	• -	• · · ·	• • • • • •				·			Ιc
									1.	١.	
	•1								1	?	
1 / 1										_	À.,
1				<u> </u>						•	
1 / 1											_
,							-				
	·										
Element (X)	Z X'	2 x	₹ **	No. Obs.					th Temperatur	•	
Ref. Hum.					± 0 F	<u> : 32 F</u>	≥ 67 F	■ 73 F		. •93 F	
Dry Bulb	•		<del></del> i					+		•	
Wer Buib	·		+					<b>↓</b>	<b></b>	<b>-</b> - ·	•
Dew Point	·										

3747/36 3747/36 ANME TEMPERATURE DEPRESSION (F) TOTAL TOTAL

[F] 0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.16 19.20 21.22 23.24 25.26 27.26 24.30 11 D.B. W.B. Dr. Bulls Wei Bulls Des Fin

No. Obs.

738 738

73R

10 F

± 32 F

17.7

#31 2 59.421,923 72(4 44.1 7.013 7.515 39.5 0.275 217.4 29.114.467 **PSYCHROMETRIC SUMMARY** 

Mean No. of Hours with Temperature

١į

REVISED PREVIOUS EDITIONS OF THIS FORM ARE DESCRETE

STRAITE MAL

HOEM 0.26-5 (OLA) RE

USAFETAC FORM AS

Element (X)

Dry Bulb

Wet Bulb

113722

WET BULB TEMPERATURE DEPRESSION (F) 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31

FORM 0.26.5~(OLA) strict mericus toriches of this foldware Mx or

USAFETAC 1988 0.26.5

	ì
3	2
3 40 0	7
Ş	**
AFETAC	

100		
	ì	
3	2	
3 40	า	
ç	>	
5	Z. 64	
ر •		

<b>PSYCHROMETRIC</b>	SUMMARY

																						HOURS:	
Temp.							<u> </u>	ET BU	LB TEM	PERAT	TURE DE	PRESSI	ION (F)						TO	TAL		TOTAL	
(F)	0	1 - 7	2 3	- 4 5	- 6	7 - 8	9 -	10 11 -	12 13	- 14 -15	- 16 17	. 18 19	- 20 2	1 - 22 23	- 24 25	. 26 27	. 28 29	- 30 *	31 0.5	. W.B. Or	y Buib	Fer Builb	Dew Point
/ -									-		•				-								
, '		· 11 •	، ن	14.	• . L	1.2	-																-
											•					•			,	•		7 - 3	•
		-																					
:																							
			•	-	-		•	••	•		-		-			-		-					-
ļ																							
Ì	•	•		•	•	-	-	•	•		•		•	•				•		•			•
}							-		•	-												-	
	•		•	*			+ -	*			•		•					•					•
ļ				- •					_	-•													
			•	•	-						· · ·			-						-			
	•	•	•	•	•		•	•									···		- +-				
		····		<b>-</b>												<del></del> -							
	•	• .	+	- +	٠		• .	•							- +-	•	· · ·	+		-			
	-						-	<b></b>				*											
	•		+	•																			
	•	• •	•												-								
					- +		•																-
Element (X)		z <sub>x</sub> ,		<del></del>	- 1	, X	•	X	-	•4	Ne	. Obs.	7			M	ean No.	of Hours	with Te	mperatur	•		
Rel. Hum.	•		14.	+-		4 15	<u>C4</u>	67.	.19	554		7 4		10F	± 32		≥ 67 F	≥ 73	F .	80 F	≥ 93 F		Total
Dry Bulb						۶ , ډ	54	4 .	r 40.	3 b 3	1	7 ,4			22.		1.1						
Wet Bulb Dew Point	•	<u> </u>	575	-+-		<del>د ر د</del> وان د	30		713			7(4		. 7	35.		<u>•</u> :	-				• -	
Dew Fornt			<u> </u>			۰٬۰۰ <u>۰</u> 	<u></u>	. 7 0	- 4 )	139	<del></del>	7 ( • •			1 34	<u> </u>							

MON\*\*

STATION			,	TATION NA	ME								TEARS							
																			HC JAS	, <del>,</del> , .
					w= *		YEU DEO	TUDE	DEPRESS	ION (E)						TOTA	L		TOTAL	_
Temp					WE	BULB	I EMPERA	16 14	17 18 16	20 21	. 22 23	. 24 25 .	26 27	28 29	- 30 • 31	D.B. W.	B. Dry	Bulb W		De - F
( <b>f</b> )	$\frac{0}{2} = \frac{1}{2} \cdot \frac{2}{2}$	3 · 4	5 - 6	- / · 8	9 - 10	11 - 12	13 . 14	13.10		- 10 1,										-
,									•											
	•							• .		-		-		•	•	•	,			
٠.							• •	•												
							<del></del>	<del>*-</del> :					-· - <del>·</del> ·	*						-
				•	•	•	•	•	•									•		
				· · · · ·	<b>*</b>	:			, .	•		•	•	-	-		•			
				• ,	• 1			• 1	•									٠.		
			. •	. • 4	•	•		-	. •		-	•	-				• .	- •		
	• :	• 1	•	• ,	•	•		• ,	•											
	•	· • ·		. :-		· · • ÷	• •••	- <del>•</del> ·· -	≛ , •	·•			-		-		į			
	•	• .	•	• 1	•	•	• 1	• •	•											
·	•••	• •	• •	· '•-	. · . ·	• ±	<u>*</u>				- •	. +						٠,		. •
	•	•	•	•	• _	•	• •	•	•							1			-	
· . · · ·	•	. •	• •	. •	•	•	. • .	• • •	-	•	-	-	•						•	
	•	•	•	•	• -	•	• -	•	•											
	• • • • •	. • -	•	• _	· •, ·	• .:	• • _ •	• ;	• ,		•	•	•							4
	• 1 1 • 2	,•	•	• /	•	• ,	•	• ‹												,
	-1.1.		•	1 •	• • •	•	•	-		-	•	•			•					i
	· ; · ,	1	• .	•	•	•	•									5.1	1			:
		• •	· • '	1.	• •						-			•	•			•		1.
	- 1 - 7		1.:	1.~	1.2	•										•	ı	•	3.7	•
· <del>'</del>		1.	• 1= 1	- 1	-;- <u>-</u>	÷			- · - ·		-			-	•	•	1			:
, .		1 -	• • •	1 - 1	1											• •	7	1	24.	· .
7 70	1.				. • •	7		-			•	•	•						. •	~ ,
	! . 7	1 - 4		1 - 4	- '.											1 2			2.5	
, , , ,	1.	1.	1.	1	٠			•	•	•	•	•					7	•		_
		1.1	•	4	•											. 1		.1.		. 1
, .					•							•	•		•		. 1	*	. : 7	٠.
7				·													• .	<u>.</u>	01.	٠,٠
,		4	• !	<u> : .</u>			·			•			•	•	·			4 3	100	:
. 7	•		. 1												-•		± .	<b>=</b>	ے ''	. ?
					•		<b>. .</b>						_		-					-
			•														, ,	2.	12	1
lement (X)	ZX		+	ZX		¥	· · · · ·	1.	No. Obs				M	ean Na.	of Hours w	th Temp	ereture			
lel Hum.	-				1						10F	: 32	F	≥ 67 F	• 73 F	· 80	F	• 93 F		Tetal
Dry Bulb			•				4					1			<b></b>					
Ver Bulb			:									ļ						_		
Dew Point			·				·	1		- T		1	,							_

USAFETAC FORM 0 26 5 (OLA) RE-SECRETANUS EDITIONS OF THIS WHIM ARE UNKNOTED

STAT ON	~.		•	<u></u> :	STATI	ON NAME				_ •	<del>- • •</del> •				YE ARS	٠					HOURS	
· · · · · · · · · · · · · · · · · · ·						14	ET BUL	B TEMP	ERATU	RE DEP	RESSIO	N (F)							TAL		TOTAL	
F	<u> </u>	_ ! - :	2 3	- 4 5	. 6 7	8 9-	10 11 -	12 13 -	14 15 -	16 17 -	18 19 -	20 21	22 23 -	24 25 -	26 27 -	28 29	30 + 3	31 D.B.	. W.B. D.	# Bulb !	Ver Burb	Dew P
		•	` . '			٠				•									· · · ·		7	
	•	·					-		- · <del>- ·</del> - ·					-· <u></u>					<u>.</u>		. <u>.</u> .	- <u>;</u>
	*	-		-	-		•	-		٠				-	-				•		•	- '
· •							•								•							
								-	• -						-	•						-
/=11 / 1											·		-			-	-					-
/	. •		i.	14	í.	. 11.	4 · · ·	· · · · · ·	• : .		,	<u> </u>	-	•	•	٠			 - 4			
					•	٠		•	٠	•	•	-		•	• · ·						•	
			•	•	•		•														-	-
						-																
	-	-			•		-	-														
		÷		· -		-·•			-	· •	<b></b>					. <u>.</u>		<del>.</del> .				
						- •	+							<b>-</b>			+					
			-				• · ·		•	• -		÷		••								
lement XI		Σχ			Z x		¥		•,	No.	Obs.	T			Me	en No.	of Hours	with To	mperatur	,		
e! Hum		1 4.	-	- + ··	271	7 0		4.12 •		4	575	-+	0 F	± 32 f		67 F	× 73 f		80 F	₽ 93 F		Total
, Bulb		4	4 .			٠,,,	44.	11.	13?	4	76			114.	- 1	5.3	٤.	2	1.7		*****	7.
er Bulb			5 <u>1</u>	7.5	175	<u> 3€</u> <u>6</u>	34.	1 .	14		575	-		:27.		• *	ļ					_ · · · ·
ew Point		٠, ٠	751	2	1 72	774	200	114.	743	4	7 7 6	1	2.5	433.	1							7,

USAFETAL MAIN 0 20 5 (UL A)

	TAL Builb Dem
(F) 0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29 30 a 31 D.B. W.B. Dr. B. b. Wer	TAL Buit Des
(F) 0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29 30 a 31 D.B. W.B. Dr. B. b. wer	Buit Dew
•	1 .
	٠.
	_
	1.6
	; :
	i
	,
	•
	1
	. *
	-
	,
	÷ .
	_
	. 7
	· '-
landing light of the second of the second of the second of the second of the second of the second of the second Of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of	
	• 1
	* .
المراقب والمرافز والمرافز والمرافز والمنافية والمعترين والمعتر والمعتر والمعتر والمعتر والمعتر والمراقب والمراق	
	* .
and the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contra	-
,	
lement (X) Z X Z X No. Obs. Mean No. of Hours with Temperature	
el. Hum.	
ry Bulb	Tern
te: 8ulb	Tora
lew Point	To:0

HORM 0.26 5 (OL.A). REVISOREHMUS BURIONS OF

USAFETAC NOW

**PSYCHROMETRIC SUMMARY** TO SERVIOLIZABO WET BULB TEMPERATURE DEPRESSION (F) TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 a 31 D.B. W.B. Dry Bulb Wer Bulb Dew Poin No. Obs. Mean No. of Hours with Temperature Element (X) 35750 73.515.274 196 7 40.710.882 10101 37.11.724 1331 1 · 496 : 32 F 21.4 Dry Bulb 486

486

30.1

١,

BEVISED MEVICUS EDITIONS OF THIS PUBLICARE CENTERE

0-26-5 (OL A)

•	J: NTT#1 +	147 c / 1			75-54							Ē	
STATION		STATION NAME					YI	ARS				MO	NTH
										P 1 5	1	,	
												HOURS	L. 5. T.
Temp.					RE DEPRESSION					TOTAL		TOTAL	
(F)	0 1 2 3 - 4	5 6 7 8 9	10 11 - 12 1	13 - 14 -15 -	16 17 - 18 19 - 1	0 21 - 22 23	24 25 - 26	27 - 28 29	- 30 : ≥ 31	D.B./W.B.	ry Bulb	Wet Bulb	Dew P
					1					:	•		
•	• • • • • • • • • • • • • • • • • • • •									<del>-</del>			•
7 7		•	• •	• ! •	3 • 2					!	ì		
<u> </u>			• • •					•				<u>i</u>	
' • '	• * • :	• .*	. 1	• i •						١,	) (	1	
		• • • • • •	· <u>`</u>								. <u>.</u>	<u>+</u> -	
	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • •	• •							•	11	
	•	•				- +				-::-		્રેલ .	- 1
, - ,	• i 1• 7 • ?	• " • " •		**	4						2		
	1.1	• • • • •	<u> 1 -                                  </u>	. ?			- •					ــــــــــــــــــــــــــــــــــــــ	
,	•1 •	• n 1• 4 0	• • • • • •	• 2						* .	٦,	5.	
	#1.1 · 1 ·		<u> </u>	• 2								<u>31</u> .	
1 1	1.4			• •						•	-		
7	1.	1.7 1.7 1			• • •				*		'	1	<u>.</u>
	1. 1.	1.2 1.1 1.								4.5	4	4 0	
	1. 1. 7	1.	- L				•			٠ ـ ـ		u.	
7 + 1	1.5 1.4									· 1		3	:
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·					- •	•					•
7 "	1 ?	1.3 1 1.	· • · · · · · · · · · · · · · · · · · ·							4.	4		
	1. 1.1	2.1								4 -	4	47	L
	<u></u>	1.1 1.2				· · · · · · · · · · · · · · · · · · ·				1 -	31	- 4	
1 34	• • •	2.3								-		ų ų	:
/		1.1.1.	+		_ • •					1	1	. <u>१६</u> -	
	• • • • •	• .								1 -	1	ن ۲	
	, •1, •1	• 1	** **		- •								
	, ,											4	
· , , • · ·	• <u>1</u> - • • •	· - · · · · · · · · · · · · · · · · · ·						•		· · · •		. ـ . ـ	* <u>*</u>
												۷.	
						<del></del>		•		- · - · -•			
, ; .													
1 11	•						• •	• · · · -					•
,													
ement (X)	Σχ'	ZX	¥	·,	No. Obs.	Ţ		Meen No.	of Hours with	Temperatu	re		
el. Hum.		· · · · · · · · · · · · · · · · · · ·				: 0 F	: 32 F	≥ 67 F	▶ 73 F	• 80 F	• 93		Total
y Bulb		<b>4</b>										+	
et Bulb		1				· 		<b></b>	·	. <b>.</b>			
ew Point						<u>i                                      </u>	<u> </u>	1					

USAFETAC FOLM 0.26-5 (O.L. A) BEVISTO MEYOUS EDITIONS OF THIS FOLM ARE ORGULETE

STATION		<u> </u>	STATION NAME			7 <u>5-54</u>		YE	ARS				MONTH
											>: J.		955-11 HOURS IL S. T
Temp.			V	ET BULB	TEMPERATU	RE DEPRESSIO	N (F)				TOTAL		OTAL
(F)	0 1 - 2	3 - 4 5 -	6 7-8 9-	10 11 - 12	13 - 14 - 15 -	16 17 - 18 19 -	20 21 - 22 23	- 24   25 - 26	27 - 28 29	30 + 31	D.B. W.B. D	ry Bulb W	et Bulb Dew I
•			,	-									1
., .			·									•	
, <u>-</u>													
		15.51.	11 . 711.	T 5.7	`• c 1•		1						,
			<del></del>								<u></u>		<u> 125 </u>
					•	• •	•						
								<b>-</b>			<b>.</b>		•
		• • • • • • • • • • • • • • • • • • • •											
		•	•	•	•							-	•
				•			•						
	•	• .	• •	•	• •								
			· ··										
			•	•									
		• • • =			<del></del>	<del></del>					•	· · ·	
							i.						
	•	-+											
		·•-·-			<del></del>		<del></del>			<del></del>			
Element (X)	Z X '	<del></del> -	ZX	¥	•,	No. Obs.	7'	<del></del>	Mean No.	of Hours wit	h Temperatu	70	
Rel. Hum.	َ ذَ ۗ	1.3.3	44927		20.293	45.3	± 0 F	± 32 F	2 67 F	= 73 F	- 80 F	▶ 93 F	Total
Dry Bulb	1		3 2 3 1 7		1.923	925	ļ	6.5	2•1	• •			
Wet Bulb Dew Point		3319	34455 27393		4.465	328 828	• 2	17.0	.?	<del> </del>	<del> </del>	<del> </del>	+
Dem Foint	137	7,1 *	1373	23011	4 0 4 D 7	328	1 96	1 4107		1			

DA 0.26-5 (OL.A) REVISED MERICUS EDITIONS OF THIS FORM ARE OBJUILETE

PSYCHROMETRIC SUMMARY

0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31

. . .

----

----

14

L AL COIMAT LOGY TANGH TUTAT A STANT THE STANTOGRAC

	BANKS STANKED STANKS	
	3	2
	4 40	
2	5	<b>3</b>
·	,	

3121134	STATION NAME	TE ARG	MON · H
		• · ·	HOURS . S. T.
Temp.	WET BULB TEMPERATURE DEPRE		TOTAL
(F)	0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18	19 - 20:21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B. W.B.	Dry Buib Wet Buib Dew Poir
1 / 11			:
			· · · · • • • • • • • • • • • • • • • •
•			•
7			7
	· · · · · · · · · · · · · · · · · · ·		
· -	77 P. 7. 11.415.717.019.71 4.2	N 2 1 5 7	!
	• 7 ] • 7 ] 7 • 17 • 11 • 445 • 7 <u>17 • 21 • 5</u> • 2	ر المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم الم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظ	. ef
		•	
	· · · · · · · · · · · · · · · · · · ·	<del></del>	
•		<del>-</del>	÷ ÷
	• • • • • • • • • • • • • • • • • • • •	<del> </del>	
•			
	'		
	· · · · · · · · · · · · · · · · · · ·	<del></del>	
_			
	·	<del></del>	
			· · · · · · · · · · · · · · · · · · ·
	* - * * * *		
		·	
Element (X)	Σχ' Σχ ξ σ <sub>χ</sub> No. Ob	s. Mean No. of Mours with Temperat	ura .
Rel. Hum.	2220-47 36749 47. 22.703 52		+ 93 F Total
Dry Bulb	7 01 1 45287 55.011.690 °2		<del></del>
Wet Bulb	1,70817 3/736 45,717,100 62	3 4 7	

**PSYCHROMETRIC SUMMARY** 

٠į

USAFETAC FORM 0.26-5 (OLA). HEVID MERCOS EDITORS OF THIS FORM ARE OBSURED

STATION	STATION NAI		75-54		TE ARS			MONTH	
·	J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.					7 / T	1	HOURS IL. S	7 , 7.
Temp.		WET BULB TEM	PERATURE DEPRESSION	(F)		TOTAL		TOTAL	_
(F)	0 1-2 3-4 5-6 7-8	9 - 10 11 - 12 13 -	- 14 15 - 16 17 - 18 19 - 2	0 21 - 22 23 - 24 25 - 2	6 27 - 28 29 - 30	. 31 D.B./W.B. D	ry Bulb	Wet Bulb Dev	P
<del>,</del>			• : • !						
, ,		• 1	. 1 . 1			. <u>1</u> :			
			, , ,	, 7		1			
. · ·			1 1 1 1	. 7 . 1		· · · · · · · · · · · · · · · · · · ·			
•	1	• 7		• :		7			
	• •	1.	· 1 · · ·	<u> </u>	<u> </u>	~.			
	a 1		1 . 3	• 7				:	
6.4		1 • 4 • • • •	5 • <u>5 1 • 2 • • •</u>	· - · - ·		4 .	- <del>' -</del> .	<b>≥</b> .	
• ,	• • • • • • •	1•4 • 7 •	.4			1	:	7	
	• 1 1 • 7 • 5 • 1 • 3	• • • • • • • • • • • • • • • • • • • •	• <u>• • 1• °</u> • • •					بالأيأ	
	• * • 1 • 1		2 1			ì		. 3	
		1 1.2 1.		· · · · · · · · · · · · · · · · · · ·		•	*	75-	
* 1		• 5 • •	4			٠.	٠	4.1	•
·, _` ·		1.07 1.2 1.	3 4			* !		. <i>1</i>	į
• •	100 0 05 0	, , ,				* 2	٠,		
,		$\frac{1}{1}$		· · · · · · · ·		• •	٠, ٠	4.	-
7 47	• • • • • • • • • • • • • • • • • • • •	. 1. 1.	• Ci			7-1 2-0	- 1	4.5	٠
, ,	• • • • • • • • • • • • • • • • • • • •		, 4		· · ·	- 29 -	<del></del>	<u> </u>	
4 / 4 /	1.	1.2 1.2	• •			4 7	6 7	ن <u>د ک</u>	
7 4, -		1.				—— <del>"</del> —		. <u></u>	
						1 -	1	-1	1
7-1		• • • •			······································			<u> </u>	•
. (	•	•					-	٠ <u>٠</u>	4
7 35 1		• • • •			*		٠, ٠	7 .	
7 7:								24	2
•	• • • •	-					-	2	_
1 27					. <u>.</u>				
1 200			1					4	
/ 2 .		<b>-</b>		<u> </u>	·				
7 1									
1.1				<del></del>					
f 1 ;									
/ i		<del>-,</del>	i	<del>,                                     </del>	<del> </del>				٠
lement (X)	Z <sub>X</sub> , Z <sub>X</sub>	X	R No. Obs.	<del> </del>		rs with Temperatu	-		
el. Hum.				# 0 F   1 32 F	*67 F * 7	3 F . 80 F	. • 93 '	Total	o !
ry Bulb				<del> </del>	+			· · · · · · · · · · · · · · · · · ·	
fer Bulb		_ <del> </del>		<del>  </del>	<del>                                     </del>				
ew Point		1 1	:	1 1	1 :				

STATION					STATION	MAME								YEA	#\$						MONT	
																			· .	1	10URS	· s. 7
Temp.						W	ET BULE	TEMPE	RATUR	E DEPRE	SSION (F	}						TOTAL		T	OTAL	
(F)	0	1 - 2	3 - 4	5 6	6 7 - 8	9 - 1	0 11 - 1	2 13 - 14	15 - 1	6 17 - 18	19 - 20 2	11 - 22 2	3 - 24 25	5 - 26 2	7 - 28 29	- 30	31 [	7.B. W.B	Dry B	ulb We	Bulb C	Dew F
/ 1	-	-	-	-	•																	
/ 11	+	•		•				٠		•		•	•		ė	٠				•		-
7			• -				• • •		<del>-</del>						· ·				-		-	<u>ا۔</u> ر
								_														•
7 · ·		•	-																			
′ <b>-</b>							4 1 4 - 1	14.1	٠,	7	4.1 )	1 . ( )		. 1					,			7.7
	•	•	•		•				• .	•	- • 1	•	•	• '					,		/7.	
		•	•	•	•	-	•	-	•	•		. •		-		•				-		
					_						• · - <del></del>										_	
								•	• -						-						-	
		•	,	•	•	•	•	-	•	•		•	•		-		-			-	•	
	•		•		-	٠		•	<del></del>						• •				<del>-</del>		-	
		•	٠	•																		
									<b>.</b>	· •										-		
	•	•		•	•	•	•	·	• • •	<del></del> -	• •		-	٠	•		••		•	•	•	
	•	•	•	+		•			•										-	•	-	
			<b>.</b> .	·	·				•										<b>-</b>			
		•	•		• •	<b>-</b>		•	•				- •				•		-	٠	•	
											<u>.</u>											
ement (X)		ΣX,		<u> </u>	ZX		X	•,		No. Ol	—— — <del>-</del>				Mean No.							
rl. Hum.		1 7	3 - 1	<u></u>	37		47.	22.2				± 0 F	1 3	2 F	≥ 67 F	• 73		. 80 F		93 F	- T	0101
y Buib or Buib	•		514		357			9.5		77			<del></del>		.1.2	+ 7	• 3 ,	1.	<del></del>		<b>+</b> · · · · -	
er Dulb ew Point			7:5		244		32.2			7 7		• 1		. 3	• •	+	+				•	

•	1. No. 1. 7 = 1			16-4							4
STATION		STATION NAME				Y	EARS				MONTH
									8 <b>3</b> 2 5 7	:	HOURS IL. S. T
Temp.		WET	BULB TEMPERA	TURE DEPRESSI	ON (F)				TOTAL		TOTAL
	0 1 2 3 4			5 - 16 17 - 18 19		- 24 - 25 - 26	27 - 28 - 29	- 30 = 31	D.B./W.B. Dry		Wet Bulb Dew F
			• ` • 1	• 1	<del></del>	· · · · · · · · · · · · · · · · · · ·					
				•1	, ,				ÿ	7	
7 5 5				.1				•		•	-
			1	•1	*				1	1	
			-1	. 3 . 4	<del></del>				· - · · · ·	<del></del>	· · · · · · · · · · · · · · · · · · ·
	.) .			<u>.1</u>						•	
							-				 6
y										٠,	
,	1		•	• 5	• . •	•				٠. ٠	1
. ,		.1	.7 1.	• 1							
•	• • • • • • • • • • • • • • • • • • • •	-T11	1.5 1.5		* .			•	· • • •		
		-/ la: -	1.						٤		4.1
17 1 1		1.2 1.7		• • • •				•			9.5
1 .	• 7 1 • 1	.2 1.4 1.3							/	4 7	74
1 47	1.2 .9 1		1		•	•					
/ 4"	1.7 . 1	.2 1.5 .7							•	-	
4	1.	7		• •-	• · · •	•	• •	•			
		1.3	. 1						4	4 <u>.</u> .	·7
- ,						•			** 1	<u>ا</u> ر	
7 57	1.7 . 1	.3 1.0							. و .		>
-, -:											بعد م <del>کا</del> ر
		** 1 * f * 1							15	ì	34
7 3;		. 1.					·		1 4	- <u>-</u>	- ¥
1 3		.11							* -	•	1 . 4
,		•3						-			74 4
1 ->	•										
, ,		*** *** *	<b>.</b> —			•					
21 21											
	• •								- · · · · · · · · · · · · · · · · · · ·	•	
					1						:
7 1	****						<b></b>	<del>-</del>			4
111	1				1						۔ اس
7 11							•				1
× .				i .							·
lement (X)	Z x'	ZX	₹ °a	No. Obs.	II.		Mean No.	of Hours wil	h Temperature		
el. Hum.					± 0 F	: 32 F	≥ 67 F	∗ 73 F	≥ 80 F	* 93 F	Total
ry Bulb						L	L		i		
fer Bulb								i	·		
Dew Paint					1						

P	SY	<b>CH</b>	RC	ME	TRIC	: si	JM.	MAR	١
---	----	-----------	----	----	------	------	-----	-----	---

STAT ON		<del>' '-</del>	· .			N NAME					- 5.4				YEARS							MOI	NTH
																			÷ † ;		1	HOURS I	T
Temp.							ET BUL	B TEMP	ERATU	RE DEF	RESSIC	א (F)							TOTAL			TOTAL	
(F)	0	1 - 2	3 .	4 5 -	6 7 -	8 9 -	10 11 -	12 13 -	14 - 15 -	16 17 -	18 19 -	20   21	22 23	24 25 -	26 27 -	28 29	30 .	31 5	).B. W.	B. Dry E	Julb W	er Bulb	Dew P
																							;
, .		•	•		•	•		• •	+	•	-	-+	•				-	•					-
,																							
,	• 1 .		11.	15.	21.	714.	71 `•	•	7 .	<u>.</u> . •	2 .	′ ,	. 7						_	۲.	;		t ,
· •												*-		<b>-</b>					<u>6.1</u>		_	ــــــــــــــــــــــــــــــــــــــ	
										-													-
		•	•		•	•	•	•	•	•	-		-	-		•					-		
,			•		•	•	•	•	•	•	• -	•	• •				•			•			•
								-			•			-			,	-					
•				•	•	•	•				-		•	•	-	-				-•	•		
-			•	-	-	-												_					
<b>.</b>																							
		•	•	٠	٠	•	•		•								• • •			•	-•	•	
•		•	•	•	•	•		•		-	-+		+				•	-		•	•		
																				<u> </u>			
			<b>.</b>	-+-	• •	•					- · <del></del>												
		•	•		•																	-	•
lement (X)		Σχ'			Z X		¥		·.	No.	Obs.	Í	_		Me	n No. c	f Hours	with	Tempe	ature			
el. Hum.		224	1.	,	35	226		44.0			612	$\Box$	: 0 F	± 32 l		67 F			* 80 t		93 F		Total
ry Bulb		4. 5	577	, -	34	570		11.			672	<u> </u>		2.		7 • 1	1.	<u>٠</u> ٠		<u> </u>			
er Bulb			34			475		1.			572	-		13.		• 2	ļ	+-					-
ew Point		8	40)			<u>£18</u>	33.	14.	124		572			40.	j L								

â

USAFETAC

		1
	ć	
	ď	٦
	₹ <	9
	C	>
400		
IN A F F T A .	,	
9 6 6		
2	١	

- 1 - 1 - 1 - 1			۰,					4																	PS	YC	Ή	RC	M	ET	RI	C	Sl	JM	M	AF
NC.TAT2		<u></u>		<u>; ; :</u>	:	•,* <u> </u>	<u>5</u>	TATI	ON NA	ME			_					<u>.</u>	. <sup>-</sup> u						YEAR	<del>-</del>		<b></b>						HOUR	MONT	
Temp.											ET	<b>S</b> UL	8 TI	EMP	ERA	TUI	RE D	EPF	RESS	ION	(F)									TOT	AL			TOTA		s. *
(F)		0	1 .	2	3 - 4	5	. 6	7	8	9.	10	11 -	12 1	3 - 1	14 1	5 .	16 1	7 - 1	8 19	. 20	21	22 23	- 24	25 -	26 27	- 28	29 . :	30 •	31	D.B.	W.B.	Dry	Bulb	wer B	vib De	ew P
-	•		! : .	ż	•	ι.,	•	<del>.</del>		· - ·	•	٠.		· • ′	'' .	• .		• `				-				-			-							
				•				-			-								~						***										·	
	•-		*				-	-			-				-	-			-			•				٠		• •								
													•				•											•								
				-									-	-					•		-															
				-							- · +				<del>-</del> -		٠				-	٠.	,		-											
				-													-				-	-														
																			_																	
			-																_			_							,							
				<b>.</b> -															~-		-							-	- •		•					
	•																																	-	•	
	-		•	•		•		•	•		٠		-	-			•		•		•	•			•	•		•			•				•	
	•		•	•					•		•		•		•		•		•		•	•	•		•	•		٠	•				•		•	
	•		•	٠				•	·•		- +		•		•						• -	. •			•	•	_								- •	
	•		•	+		• • —		•											- •		• .				•								· · - •		•	
			•	٠		•	•	•							-		•						- •			•			-							
nent (X)	<del></del>		Σχ'		_	-+		Σχ			-	7			7,			4o. C	) ba.		_					ean N	o. of	Hours	with	Tem	pe 101					
Hum Bulb			41	4 5 7	- 4				4	=		<u>3 .</u>	1						25			0 F		32 F		≥ 67 l		<b>*</b> 73	F	• •	0 F		93 F		_ To	101
Bulb	•		15			+			75			6 •	_		134	_	~		25		_			1.	<del></del>	1.	7								·	
Paint	•			-		•		. <u>*-</u>		<del>, +</del>		3.			34		-		25					1.	+	•	-+		+			+-		- +		

STAT:ON		STATION NAME	11-44	YEARS			
							на <b>ця</b> з . s, т
Temp.		WET BULB	TEMPERATURE DEPRESSION	( (F)			TOTAL
(F)	0 1 - 2 3 - 4	5-6 7-8 9-10 11-1	2 13 - 14 15 - 16 17 - 18 19 - 2	20 21 - 22 23 - 24 25 - 26 27 -	28 29 - 30 - 31 D	.B. W.B. Dry Buib	Wet Buib Dew Por
			• •				
				' • <u>-</u> - • <u>-</u> - • <u>-</u> • - • • • • • • • • • • • • • • • •			
				• ' • •		•	
	·		<u> </u>	• • • • • • • • • • • • • • • • • • • •			
	•			•			
							7
				• • !		1	
•					•		
				3			•
		• • • • • • • • • • • •	. 7			1 1 1 1 1 1	1
			•1 • •1				i s
			7			2 7 7	1-1-7
			• 6			~	1:1, 3
		•	• 7 • 1				1 - 7
	• • •	', •;, •(,1•,, • <i>)</i>				1	1777
	. 1	. 1 1.1 1.1	• 4				e * 1
٠.	• * . •	[1•7]1• [ • · [ • · ]				- 47 . · */	1 . 20
	1.1		• 1			234 225	177 1
	1.1.1					, 2 . 4 23 · .	1
	1.4 1.7	• • • • • • • • •				2 1	
		<u>, , , , , , , , , , , , , , , , , , , </u>		·		•	-{- <del>}</del> -
						1 4	2.7 1.5
	_ • . • • . • . • . • . • . • . • . • .					1 4 1 4	317, 24
						134	
	• • • • • • • • •	.1••4.		• •		استقادات	
		• • • • • • • • • • • • • • • • • • • •					1/1
•					• •	= = - + + +	111 1
	1					. 1 .	75 13
-	• • • • • • • • • • • • • • • • • • • •	_+					4
	1					1	15 17
		• • • • • • • • • • • • • • • • • • • •					1
	•					1	4 1 .:
lement (X)	2 1	Z X X	Mo. Obs.	Me	n No. of Hours with	Temperature	
lel. Hum.				± 0 F + 32 F	67 F = 73 F	> 80 F → 93 °	Total
ry Bulb		مستشير بالاناء		<del> </del>			
Wet Bulb		4	<del></del>	·+	<u></u>		
Dew Paint				<u> </u>			

USAFETAC Note 0.26-5 (OLA) strinto retricuis tonionis or him mate utilizative

BEY'SEO MEYICOUS EDITIONS OF THIS KISEM ARE OBSCIETE	
0.26.5 (OL A)	
¥ 6	

		<b>J</b> .	•	•														
STAT ON		. 51:				·			76-74				ARS					MONTH
STAT ON				5 7 /	ATION NAME							*1	ARS					
																•	_	ou <b>es</b> ====================================
Temp.									DEPRESSIO							TAL		TAL
(F)		1 . 2	3 - 4	5 - 6	7 - 8 9 -	10 11 - 1	2 13 - 14	15 - 16	17 - 18 19 -	20 21 -	22 23	24 25 - 26	27 - 28 29	30	31 0.8.	. W.B. Dr.	80 b We	Buit Dem Pon
																		1:
	•		•		. •	•				•	•	•		•		-		
	···			·-· •	··· - <del></del>									_				
	•		•		• -			-	• •.	•		- •			-	•		
					-					-	-			-	-			
		1.7	1° . 1	4 1	4. L.	, ·	4	6	7.71.							4		4
		•									<b></b> -			•	۲.	1	· - · · <sub>/4</sub> ,	. 7
	•	÷	-	• •		•			· ·					•	-			
		•			·	• • •												
		÷ -	٠ –			٠					-	•						
											_							
	• •	•	•						•				•					
									<b></b>									
	•	•		•					·				•- • • =			•	-	•
									•		٠			+	-	,		
	•	•							•							•	-	•
			<b>.</b>	·	<b>-</b>		<del></del>	·										
		•	• -					<del>-</del>		- •-			•			<del>-</del>	•	•
<b>6</b> 1		Σχ'		<del>-                                    </del>	×	X			No. Obs.				Mean No.	of Maure	misk To			
Element (X) Rel. Hum.	• -	1.14	4 3		3-142		22.47		4217	<del></del>	0 F	≤ 32 F	≥ 67 F	≥ 73			* 93 F	Total
Dry Buib		113			1175	٠.٠	12.44	?	4207			47.1	71.7	23.		• ?		
Wet Bulb Dew Point			5 /4 3 Je 1 c	<u>î</u>	3 3 3 6	42 ·	14.71	4	4207	+-	1.1	338.3	2.7					. <u>£i</u> .
DAM LOUNT		7,1	7, 1,		13330	2:0	140 L		4 2 1 1		101	33563	. 6	1				<del></del>

5 x 1 x 2

STATION		STATION NAME					YEARS				MON	
									-		HOURS .	- <u>,</u> -
Temp		WET BUI	LB TEMPERATI	RE DEPRESSIO	N (F)				TOTAL		TOTAL	
(F)	0 1 - 2 3 - 4 5 - 6	7 - 8 9 - 10 11 -	12 13 - 14 - 15 -	16 17 - 18 19 -	20 21 - 22	23 - 24 25 -	26 27 - 28	29 - 30 + 3	D.B. W.B.	Dry Bulb	Wet Bulb D	)e=
	• • • •											
	•1 • •											
	<u>.</u> -1-1.4-4		<u>.</u>					<b>.</b>	<del>-</del>		· · · · · · · · · · · · · · · · · · ·	
	• `• • •								•	1	1.	
	<u> </u>	•									7	
	•	•									٠,	
		•				-				- '	- 4	
	• • • •	•							•		-	
•	·						•				J == -	
		:•1 •							1.	., 9		
		· · · · · · · · · · · · · · · · · · ·		· • · · · • •								. 4
									•		•	
							-		-			
	1.5 1. 1.4	- 4									:	
-				• •	-	•	•		٠ ٠٠٠	-		
	4 1.								•			
	. 1.	•			•		•				• •	
	1.	•								1	•	
-		. , .				•	•	• • •	```	1	1	
											`.•	
	•										-	
								+				
	• `								4	1		
						-			. 4.		9	
	•								•		1	
-		• • • • • • •			- •				* * * .	٠.		
	,											
		•									*	
											•	
•												
ement (X)	ž x¹	z x x	<b>₹</b> 2	No. Obs.	1		Mean	No. of Hours	rith Temperati	17.0		
l Hum.					= 0	F : 32	F + 6	7 F × 73 F	* 80 F	. 93	· . T	0101
Bulb .		· · · · · · · · · · · · · · · · · · ·						. <b>.</b>				
" Bulb .					<del></del>							
w Point					ì							

70 <b>L</b> 00	- \$ ∴ -4		
		PSYCHROMETRIC	SUMMARY
	A		

STATION					75,-94							, .	
		STATION NAME					Y	ARS			_	MON	TH
										. • .1		HOURS	
Temp.		W	ET BULB	TEMPERATU	RE DEPRESSION	(F)				TOTAL		TOTAL	
(F)	0 1 - 2 3 - 4 5	5 - 6 7 - 8 9 -	10 11 - 12	13 - 14 15 -	16 17 - 18 19 - 2	0 21 - 22 23	- 24 25 - 26	27 - 28 29	30 = 31	D.B. W.B.	ry Bulb	Wer Bulb	Dew Po
			-,										Ι,
-							-		- •			. ≱. ≟ .	
						•					· -		-
•			•		• •		•					-	
			·	• — : • •			•				·		-
•			•				•						
	• • •				•			•	. +		•		
•	• • • •	+· · ·	• -					• • •					
•	. , .		-	•									
				+						<b></b>		-	
	1												
	· ··· <del></del> <del></del> -												
									4-				
											•		
Element (X)	2 X,	Σχ	X		No. Obs.	ļ				th Temperatu	-		
lel. Hum.	7 31 763	43005	77.7	14.160	566	: 0 F	: 32 F	≥ 67 F	± 73 ₹	- 80 F	+ 93 F	·	otal
Dry Bulb Wet Bulb	13' 623	27528		077	566	<del> </del>	5.1	3.5		<del></del>	<del></del>		<u> </u>
Dew Paint	122,337 1J55 17	23567		17.253	566 566	<del> </del>	23.3	• 7		+	+		- ;
	1000 1	63201	71.0			-							
					TT TT 31						11		7

# PSYCHROMETRIC SUMMARY

STATION		STATION NAME					7	EARS				MON	tTH.
										- : · · ·	†	HOURS	11 5. T
Temp.					IRE DEPRESSIO					TOTAL		TOTAL	
(F)	0 1 - 2 3 - 4	5-6 7-8 9-	10 11 - 12 1	3 - 14 -15 -	16 17 - 18 19 -	20 21 - 22 23	- 24 25 - 26	27 - 28 29	30 = 31	D.B. W.B. D	ry Bulb	Wet Bulb	Dew P
_			•					-					
		•	. • .										
		•	• 4										
		· <u> </u>	<del></del>	<u>·                                    </u>	····								
	•		•	. •							- 1		
	•	. • •	• -	<u>•</u>	<u> </u>						. <u>.</u>		
	•	• • •		•						i f.			
	•	• •	• • •	• • • •	<u> </u>	<u>i</u>	•					12-	
			1 •	•	• 1					2		7.0	i
•	• • • • • • • • • • • • • • • • • • • •	•		·	· · · ·	•	- +			·			
	1		• •	• " •	. 1							45	•
•			•	•	<u> 1</u>								
		1	1.	•							7.3	4 3	
	1.0	1. 1.	1.	• <sup>3</sup>		-	•						
	-/ 1-1	1.7 1.	1.	• •						ς.	-		
	1 . 1	1.4 1.								[4.4.		71.	
		1.7 1.2	•							, h s	;	15 G	
*		1.2 1.4 1.	• • • • • • • • • • • • • • • • • • • •				• · · -			4 -	<del>- 4</del>	<u> 53.</u>	
			•							4 ;	• •	7.4	
•									-+	<u></u> -	31	<del></del> -	
										1.	3 1	- 3	7
•	• • • • • •		·							· · · · · ·	_ <del>_</del>	7,	
										7	7		-
•		•	• •				•	• • •	· · · - ·	· •		· · · · · · · · · · · · · · · · · · ·	
	. 11	• .								4	L	21.	;
•			• •	•	+			•		• -		٠. أ	.7
	į.	• 3								•	i	_	2
										• • • • • • • • • •		1	4
												•	1
	• !							•		·i	i		
	. • ` • 1 1										,	2	į
•	• • •				1					• • -		1	1
	<u> </u>												1
lement (X)	2 X'	ZX	¥	₹ <sub>A</sub>	No. Obs.			Mean No.	of Hours wit	. Temperatu	**		
el. Hum.			· · · · · · · · · · · · · · · · · · ·			± 0 F	± 32 F	≥ 67 F	≠ 73 F	■ 80 F	▶ 93 F	τΤ	otal
y Bulb .							ļ	<u> </u>	L				
et Bulb						<u> </u>	ļ	ļ			· 		
ew Point			. 1	i		_1	l	i	i				

IM 0.26.5 (OLA) BENSED MENOUS EDITIONS OF THIS NAME ARE

JSAFETAC FORM Signature

,
-2
-
_
_
Ŧ
•
•
2
•
-
÷
.5
-
•
4
2
-
Α.
=
_
5
•
×
ž
2
τ.
-
H . SEC.
=
-
_
ā
-
0
_
S
٠.
•
~
_

A. 10. Mary 1997	
3	10 10 10 10
ş	AX 64
¥	

	. 51	. I ′ / A (						P	SYCH	IROM	\ETRI	c su	MMAR
STATION		*તે કર	STATION NAME			75-;4	<del></del> _	<del>-</del>	ARS	<del></del>			MONTH
3141134											\$ <b>*</b> .*	٠.	HOURS IL. S. T.
Temp. (F)	0 1 . :	2 3 4 5	. 6 7 · 8 9 -	ET BULB	TEMPERATU	RE DEPRESSION	(F)	- 24   25 - 26	27 - 28 . 29	30: +31	TOTAL D.B. W.B. D	T Try Bulb We	OTAL
-	٠	• •		•						•		• •	<u></u> -
					······		<del></del>						<del></del>
		337.776	.°ï7.7í9.	:,_			<u> </u>						1
										· · •	514		234.
	-				·			- •					
	•	• •	··							•		-	
		•	•	• "	• • •	•	+ -	-		•			
			• • • •					• • • = -	••••••		<del>.</del>	-	
									·	<del>-</del> ·			
11. <b>40% WHE</b> 41 H & S.		•••					. 7412-64						_ +
													·
	•	• •	• •	•	• • •			•			·- ··· ·- ·	'	• · · ·
	•		•	•	•								•
	٠	•			<del></del>	<del></del>							
	above.	+				<del></del>					<b>_</b>		
							_+		· <del> </del>	<del></del> -			
					· — · · · ·		i 		i	i.			
Element (X)	2 x'		2 x	X	•	No. Obs.	105	T - 20 F	Meen Ne. ≥ 67 F		h Temperetu • 80 F	• 93 F	Total
Ref. Hum. Dry Bulb	5	16653	56765 522 3	56.1	9.563	930 930	± 0 F	± 32 F	14.0	* 73 F	3	- 73 -	10101
Wet Bulb		4 1753	45353		9.711	930		9.3	2.8			<del>+</del>	(, 7
Dew Point	17	76751	38677	41.5	3.457	930		25.4	, C				ج ج

- 21 - 112. 1-A.

STATION	N. N. I. S.	STATION NAME	<u> </u>	,	YE ARS				MONTH
							11,1	,	1 1 = 1 = .
Temp.			B TEMPERATURE DEPRESSION				TOTAL		TOTAL
( <b>F</b> )	0 1 - 2 3 -	4 5 6 7 8 9 10 11 -	12 13 - 14 15 - 16 17 - 18 19 - 2	0 - 21 - 22 23 - 24 - 25 - 2	6 27 - 28 29	30 = 31	D.S. W.S. Dr.	Bulb	Wet Bulb Dew
			• 1						
	. ,							٠.	
		•		• :			*		
			• • • · · ·	<u> </u>				_ :	
		•	.1 .2 .1				1.7	* <sup>7</sup>	
	• - •			•••			· · · · · ·	-4.	- <b>-</b> -
		• • • • •					(, ,	4	
	•	• • • • • • • • • • • • • • • • • • • •	~ . • • <u>• • .</u> • • • • • • • • • • • • • • •	. •		•			-
	•	4 1 1	1 - 3	• 1				4	. 4
	•	. • • • • • • • • • • • • • • • • • • •		<del></del>				٠.	4
	•						٠.	•	5.7
	• •		1.						 Li
	- 7	-8 -6					- 4	7	·
•		6 1 1 1	3 1 1 1	•	-	-	· · ·	7 .	٠
			1.3					, L	,
	+ 1 1				+			, - u	- 5 •
	1		; •				- 7	٠,	7
•		.1 .1 . 1		• • • • • •			• • •		€3
	• *	*, •2	5 . 3				- 1	11	÷7 .
•							<del>-</del>	: <u>;</u> ; .	45
	• •	1   • 1   •	<b>4</b>				1.7	1.7	η υ <u></u>
	• •	•1 • •	7					7	4 (
		<u> </u>	1				. 11.	11.	ويو
	•	1 •1 •1					` . ·	1	: 3
	• , •	1							73,
	• 1	• :					-	•	:.
		· <del> ! </del>						· .	14
	:								؛ ز
			<del></del>	·				[ -	٠ . د
	• *						•	•	3
	· ·		<del></del>	<del></del>	<b></b>				<del>1</del>
	• •		1				i	•	,
lement (X)	2 x '	Zx	TR No. Obs.	<del> </del>	Mago No	of Hours -is	h Temperature		، د ـ
el. Hum.	· `.*			± 0 F   ± 32 F	≥ 67 F	= 73 F	- 60 F		Terai
ry Bulb			<del></del>		<del>                                     </del>	1	·		
fer Bulb									
ew Point		· · · · · · · · · · · · · · · · · · ·	<del></del>	<del></del>	+	+	<del></del>		

A) BEVISED MEYICUS EDITIONS OF THIS KINEM ARE ORDER FEE

12 0.26-5 (OLA) REVISED PREVIOUS

FETAC NOTH 0.26.5 (C

PSYCHROMETRIC SUMMARY

STATIO WAY

									F 5		HOURS IL. S. T.
Temp.		WET	BULB TEMPERATE	RE DEPRESSION	( <b>F</b> )				TOTAL		TOTAL
(F)	0 1 - 2 3 - 4 5 -	6 7 - 8 9 - 10	11 - 12 13 - 14 -15 -	16 17 - 18 19 - 2	0 21 - 22 23 -	24   25 - 26	27 - 28 29 -	30 - 31	D.8. W.8. D	ry Bulb 1	Vet Bulb Dew Pa
•						•					1 .1
											<u>.</u> .
•			• • • • • • • • • • • • • • • • • • • •								
											~ c :
	7.04.	-141+	15.017.012.	ت • ت • ت خ	1.2	1				·	\$ 7
-									_ 0.7		_ حسلا
•	• • • • • •	··-·									
•					•	• • •	- •	-	- ·· ·•		
-								· · ·			
	·										
					- <b>.</b>		· <b></b>				· • —
	1										
					····						•
	- +										
	i 1	,	İ	1							
			· · · · · · · · · · · · · · · · · · ·								
					<b></b>						_
•											
			<del></del>		,						
Element (X)	Z x'	zx	T **	No. Obs.					Temperatu		Total
Rel.Hum. Dry Bu≀b	757671-		8 32 815	935	5 O F	3 32 F	≥ 67 F	- 73 F	- 80 F	• 93 F	10101
Vry Bulb Wet Bulb	3767572 2578495		2.717.695	933	<del> </del>	1.4	<u> 35.4</u>	130	3.5	<del> </del>	
Dew Point	17702-1		C. 13.668	930		28.4	6.1		<del></del>	<del> </del>	<del></del>
	<u> </u>		+D = 24 2 6 9 0 5	,,,,	<del></del>	6784			<del></del>	<del></del>	

USAFETAC NOM 0 26-5 (OL.A) REVISIO MENIUS SOTIONS OF THIS YORM ARE ORGANITE

#### PSYCHROMETRIC SUMMARY 584 272 11 to

STATION			STATION N	IAME				YE	E ARS				MON'	TH
						т						1 - 1 7 HOURS IL. S. T.		
Temp.				WET BULE	TEMPERATU	RE DEPRESSIO	N (F)	-			TOTAL	~	TOTAL	
( <b>F</b> )	0 1 - 2	3 - 4	5 - 6 7 - 8	9 - 10 11 - 1	2 13 - 14 15 -	16 17 - 18 19 -	20 21 - 22 23	- 24 - 25 - 26	27 - 28 29	- 30 = 31	D.8. W.8. C	bry Bulb	Wet Buit C	Dew P
		-					• 1					i		
_						<u>.</u> .•	: • <u>E</u> .						_	
-					•	• . •	1 • 1				7	•		
						1 1 .	<u> </u>	<u> </u>	<u> </u>			<u> </u>		
					• 7 •	3 • 3 •	- · · ·				•	, L		
			***************************************	••	<u></u>	<u> </u>	•					. <u>-</u>		_
			•	• `•	• • •	^ · °		. 1				- "		
			• .	ينفلني فالم		£ 1 • 4 · •		<u>- L</u>			- i i i i	۷. آ	-	
			•	• ′	• • • •	2	. 7						_	
	•		•			7 1.3	<u> </u>				- <u>:</u>	<u> </u>	7	
		•	• = • *	, ,		2 .7	• "						~ 7	4
			- <del>-</del>		1.7.1.		<del> •</del>				. 1 .	<u>:</u>	75	1
	• •	. 1				2 1.4						' •	- 4	
*			,		1.3 2			-	•		• • •			· - · <del>^</del> - ·
		• ,	1		1.7 1.	•					ί.	*	4.5	•
•			1 7		1.5 1.	· ·		+	• •				+ 1. C	
		1.				Š					3 5	٠.	ر کا ا	
•		• 7	•	. 1.7	٠, ٠	ŗ					4,	4 -		. 7
	• 1	•	1		• 1						2.4	:	57	_ ~ ^
•	• 1	• 1	• • •	• 1 • 7	• 3						15	1.	٠.	- 1
			+				+				1	1.	. ' 6	
	• i	• :	•	•	•								5.0	: '
•	. • <del>}</del>			. •						-	: .	΄.	46.	4 4
	• •	•	• 🗸	• `							1 -	i u	ેંદ	24
-	•	. • .	٠								. 7.	Ţ.	٠.,	_ :
	• •										•	•	1.4	-
-	•			· · - ·					•=			-		<u>ـ</u>
														ر. ن
•	<b></b>	+											, . <del></del> -	_
	٠,													
•	• 3	• -		• • • • • • • • • • • • • • • • • • • •					• • • •	- +				"
	• .**													
lement (X)	Z x'		ZX	7 7	*,	No. Obs.	7		Meen No.	of Hours wid	Temperatu	***		
lel. Hum.							1 0 F	+ 32 F	• 67 F	≥ 73 F	- 80 F	• 93 f	· 7	otal
Pry Bulb					1		I	<del>-</del>					•	
Ver Bulb							1	1	1 .	1		1		
Dew Point					1		т ———		·				-	

STATION		STATION NAME					YE	ARS				MONTH
										~ t		HOURS IL S
Temp.		4	ET BULB	TEMPERATU	RE DEPRESSION	(F)				TOTAL		TOTAL
( <b>F</b> )	0 1 - 2 3 - 4	5-6 7-8 9-	10 11 - 12	13 - 14 -15 -	16 17 - 18 19 - 2	0 21 - 22 23 -	- 24 25 - 26	27 - 28 29	- 30 - 31	D.B. W.B. [	ry Bulb V	Tet Buib Dew
				• • • •		-•			-	•	•	
				•								
	* 4		117	1, 017		•	,					
	• • • • • •		144.	41.554.4	A. b Sec	• • · · •	! <del>-</del>		- +		÷ .	-57
										- ,		2.21
		* <del>****</del>			· ·-				* ** *		•	**
		·									-	_
					•	-						
						•	•	· · ·			•	•
										-		
	· · · · · · · · · · · · · · · · · · ·											
	į I	1										
		····		*								« <del>-</del> -
				, , , , , , , , , , , , , , , , , , , ,						•		
	+ - + + - +	<b>.</b>		<del></del>	-+							•
		<del></del>		•	+					· · · · ·		
		1 :			1							
		·			1							
		· · · · · · · · · · · · · · · · · · ·		<del></del>		+			+_	<b></b>	·	+
		,		1 4	i							
Element (X)	Z g'	Z X	T.	-A	No. Obs.	<del> </del>		Meen No.	of Hours -10	h Temperatu		
	11122	3.722		21.325	867	: 0 F	± 32 ₱	≥ 67 F	+ 73 F	≥ 80 F	≥ 93 F	Tota
Rel. Hum.				10.533	867	1	·u	42.3	24.5	6.2	+	<del></del>
Rel. Hum. Dry Bulb	275533	5 t 326	000	4 - 4 - 4 - 1								
		56326 45853 35022	52.2	8.815	867		29.1	5.0				<u> </u>

STATION		5	TATION NAME						YE ARS			_	MON	
											1.3	•	HOURS	. 5 T.
Temp.						URE DEPRESSIO					TOTAL		TOTAL	
(F)	0 1 - 2	3 - 4 5 - 6	7 - 8 9 - 10	11 - 12	13 - 14 15	16 17 - 18 19 -	20 21 - 22 23	- 24 25 - 2	6 27 - 28 29	- 30 = 31	D.B./W.B. D	ry Bulb	Wet Bulb	Dew F
						•								
						• 1								
			•	•	• 1 .	. 3	. 1							
			• • •	• 1	. 4 .	, <u>, , , , , , , , , , , , , , , , , , </u>	• ?				i	4 -		
		• 1		•	• 7	. 1								
				•		·	1					1		
		•	•	1.1	•			-		• •				
	•			•	1.1 .	7. • 2. •	• 1				£		į	
	• '	. 1.1	1.7	· `` •		•	•	•		•			15	
	_ • `	1.1	1.2	. 7	1.2 1.	21	1						1.1	
•	1.	• 7	1.1 1.1	1.	1.1					•	•			
	• 1	• 1 • 1			1.7	, ,					i	1	64,	ي
•	1.	• • • •	• •	7.1	1.1			. •						
	• *	. 3 . 4	1.2 1.2	1.3	1.5	. 1							5.7	
	. 1.5			1.		1		•			-	*	4 5	•
	1.1	17	1.1 1.3	•	- 5	· =					i	,	. 5 <u>.</u> 5.1	
•	•	· • • • • • • • • • • • • • • • • • • •	1.2 1.	1.1			• •-	•		•				· ·
	•	_	1.1 1.2	•	• -						- 1	٠,	77	•
•	•	•	.4	•	·			_ •		•	17	- : : :		-
	• ?	. 1.1	.1 .4								ì	٠,	44	
•		• 4	7 - 1								<del></del>	1	- 4 ;	
		• .1	•1 •#								1 -	1		
	• 1	• , • 1	. 4									7		<del></del> -
	•	•	• ?								1.	1	11.	ζ.
•	7	• i	•- • •	····	·			•	• • •	+		• •	· • • • • • • • • • • • • • • • • • • •	-2
	, !			_									. 7.	
•	*	1								•		,	5	:
				. <b></b>									د	1
				_										_
				<b></b>										<u>.</u>
												•		1
	- ••	<del>-</del>		<b>-</b>					<b>_</b>				_	
						*	-			-		-	•	1
				<u></u>										
lement (X) .	Σ <u>χ'</u>		2 1	T	• <u>,</u>	No. Obs.					th Temperatu	•		
el. Hum.					ļ		± 0 F	± 32 F	≥ 67 F	≥ 73 F	- 80 F	. 93 9	FT	0101
y Bulb								↓	<b></b>	<b></b>	<b>.</b>	· •		
**.Bulb									<b>_</b>	<u> </u>				
- Point		:	!				1	I	i	1				

USAFETAC NOM 0.26-5 (OL.A) HENDE MENOUS FORCING OF THIS NOM ARE CALCUTTE

ž
500
Ž Q
# A 12 E O
ã
ğ
0.20.2
:

**PSYCHROMETRIC SUMMARY** 55-47276 1 45

STATION			STATION	NAME				Y	EARS				MÓ	NTH
													HOURS	
Temp.	····					RE DEPRESSIO				,	TOTAL		TOTAL	
(F)	0 1 - 2	3 - 4	5 - 6 7 - 8	9 - 10 11 -	12 13 - 14 15 -	16 17 - 18 19 -	20 21 - 22 23	- 24 - 25 - 26	27 - 28 29 -	30 + 31	D.B. W.B. [	ry Bulb 1	Net Bulb	Dew P
	-	• -		<del></del>								-	-	
				**										_
	• 1 •	• •		• • •	12.1.5.	, , , , , , , , , , , , , , , , , , ,	<del>` • • • •</del>				<del>- 7</del>		747	7 -
											/		147	
	•	• -			•	•					•	-		
	•	•					••	•		•	•	•		•
	_	•		<b>-</b>				<del>_</del>						
														-
			• • •									<b>-</b>		
•	•	•								•				-
•	•	:									·			
		•						-	+					
														_
	•													
	+	· † - · · · ·	+											
		1												
		·			• •				•——					•
•	•	+	· · · · · · · · · · · · · · · · · · ·	+					•			•	-	
			1							í				
ement (X)	Z X'	•	Z X	<u> </u>	<b>₹</b>	No. Obs.	1		Mean No. o	f Hours wist	Temperatu	70		
I. Hum.	2.3	2735 33 1	عن به	3 54.	72:-277	747	± 0 F	≤ 32 F	≥ 67 F	≥ 73 F	≥ 80 F	• 93 F		Total
y Bulb			445		9.76?	747		• 1	2000	· • 3	•^			•
Bulb		9341	331		P.6C4	747	ļ	1.1	2.7			·		Ç
ew Paint	141	3 C 3 ]	312	00 41.	12.187	747	1	24.3	. 4					5

STATION	· · · · · · · · · · · · · · · · · · ·	STATION NAME		4		<del>ve</del>	ARS				MONTE	<del>-</del>
											HOURS .	- <u>,</u> -
Temp			ET BULB TEMPERATU	RE DEPRESSION	( <b>f</b> )				TOTAL		TOTAL	
(F)	0 1 - 2 3 - 4 5	-6 7-8 9-	10 11 - 12 13 - 14 15 -	16 17 - 18 19 - 2	0 21 - 22 23	- 24 25 - 26	27 - 28 29	30 + 31	D.B. W.B.	Dry Bulb	#et Bull De	ew Po
		•		_				. ,				
	•		• .							:		
	•	• • •	1						. !	🚣 .+		
-	• •		• • •							1		
	•	• _ 1 • _ •	• • • • •	1						• • .		
			•							•	!	_ :
	*•a • • • • • • • • • • • • • • • • • •	• . • . •	• 1	•						٠.		_
	1. 1	• · · i •								* -		
	1. 1	• • •	•								•	
	$oldsymbol{\cdot}$	. 1. 1.	7 1								10 ×	
		. 1										
	1. 1. 1.	. 1	•								5 t	+
	. 1.	. 1.	•								<b> 4</b> .	4
·	• 1 • 1	•c 1•" •								. *		
	• • 1		<u>.</u>							. •	• .	
•	1.5		!	•							7.1	
	1. 1.		•				_				6 -	_ i
	• 1•	•1 • 7	1	•					1 4	, -		
	1. 1.	• 1 . • •							· ·	4.1	14	_ :
	• • •	••••							١,	4 7		~
		•1 •1									: <u>I</u> .	
											1.	
											ε.	4
											4	1
	•										4 .	٠, ١
											1	
			• •									
						•						1
			•			- + +						į.
	• • •											
	11.124.241	·217• °•	7 7.0 1.7 .	1 .1 .1						1		F 1
					<del>,</del> -				<u> 5 4 .</u>		<u> </u>	
lement (X)	Z x	2 <u>x</u>	₹ ″a	No. Obs.	ļ			f Hours with			_	
el. Hum.	342 55	4 754	57.516.00E	5.4	10F	32 F	≥ 67 F	≥ 73 F	• 80 F	. • 93 5	, . To	101
ry Bulb .	2 575 95	36254	54. 0.458	674	<b></b>	• 7	7.7	1.5		<b>.</b>	<b>↓</b>	
et Bulb	1503447	73314	41.7 7.207	A 54	<del> </del>	3.1	1.4	ļ		<b>.</b>	•	
e- Point	1350014	29304	42.511.923	634	i	12.6	4.					4.

USAFETAC FORM 0.26-5 (OL.A). HEYED MERKUS EDITIONS OF THIS KNAW AND CINCUES.

11112164 0.4400-

#### **PSYCHROMETRIC SUMMARY**

-1.4-=

Med. 0.26 5 (OLA) - service mericus contons of this rule was of

FETAC HORM 0.26 5 (OLA)

STATION	<del></del>	STATION NAME				YEA	RS				MONTH
											iourss. +
Temp		w	ET BULB TEMPERATU	RE DEPRESSION	F)				TOTAL	T	OTAL .
(F)	0 1 - 2 3 - 4 5	-6 7 - 8 9 -	10 11 - 12 13 - 14 15 -	16 17 - 18 19 - 20	21 - 22 23 -	24 25 - 26	27 - 28 29	- 30 ≥ 31	D.B. W.B. D	y Bulb We	Buit Dew Po
	• '										:1
	. • . • .										- 1 <b>1</b>
÷	•										1
				<del></del>						•	
1	·				_						
	• • •			•							
								-			
•	• •	• •		• •	· · · - · ·			***		-	•
	. 1 .017.411.	. 11.711.	111.7 3.7 7.	J 7.7 1.	1.	1			••		
		•	+ · · · -					•		-	7.14
•											
			4 4 A				-	-			
•	• • •	•	• • • • • • • • • • • • • • • • • • • •		• • • •						
				_ +		<b>.</b>					
				<del></del>					- · - · -		
•		• • •	• • • • •		•		•				
								_			
	• • • •		· • · · · · · · · · · · · · · · · · · ·		·· ·· ··			+			
	** ** ****									•	-
								4			
•	• • • • • •					··			- · · · · ·		•
	9	Z X		No. Obs.	<del></del>		M M-	-f Marian 11	h Temperatur		
Element (X) Ret. Humi	2 <sub>X</sub> , 17 116 - 2	271: 1	7 ° 22 • 15°	4724	1 0 F	± 32 F	#een No.	2 73 F	= 80 F	• • 93 F	- Total
Dry Bulb	16/11 45	276-44	59.411.365	4724			162.7	5 3 . 2	1		7 .
Net Bulb	12345234	237252	50.2 7.573	4724		23.6	29.2		• • • • •		74
Dew Point	1879677	195697	41.412.955	4724		203.0	3.5	•			7.

USAFETAC Note 0.26.5 (OLA) REVIEWENNES SOTIONS OF THIS HIGH ARE CALLETE

STAT ON	STA	TION NAME		' <del> " 4</del>		,	EARS				M04	T
											HOURS	· ·
<del>-,</del>		WET D	ULB TEMPERATUI	E DEPRESSION	E)				TOTAL		TOTAL	
Temp (F)	0 1 · 2 3 · 4 5 · 6					1 - 24 25 - 2	6 27 - 28 29	. 30 * 31		Dry Bulb		) F
	· · · · · · · · · · · · · · · · · · ·											
									1			
			•			•	•	•				
		<u> </u>	•									
		• •	•							:	1 •	:
	• • • • • • • • • • • • • • • • • • • •	• _ • _ •	• .			+				- 4	- 11.	-
	, ,	• ' •	•							-		
						•		•	· · · ·	1:	<u>†</u> € ±	-
,	· i• ·	.7 1.	•						•		•	•
	1. 1. 1	• • • • • •	•					. •			، شخب ب	
	1. 1. 1. 1. 1. 1.	• "	•					-		ξ.		٠.
	1 1. 7	• •	• '									
	l 1	• • • • • • • • • • • • • • • • • • • •							- 1			
•		• 2										
	• • • • • • • • • • • • • • • • • • • •		-	•					. <u>L</u>	i	4	
		_ :										
		•			• .	•		•				
•	•						-•			1		
							- <b>.</b>					
	•											
· • •						–		-				•
, ,												
v 1			- •	* *	• • •	•	•		•			
, .												
	• • • • • • • • •							-	•			
	1. 12.340.547.11	• 7.7.7	.1 .2				*					
					·							
lement (X)	Z X' Z	x x		No. Obs.		~-	Mean No.	of Hours wi	th Tempera	ure	<del></del>	
el. Hum.	7-1 1-1		.715.127	5.15	1 0 F	± 32 F	≥ 67 F		80 F	. 93 5	T.	0.0
y Bulb	1 12		6 7.991	5 5			. 3			•		
et Bulb		Jr 51 , 52	.0 3.47	5.85			2.5					
ew Point	1476 11 7	1169 46	·217.933	5,05		9.0	c	,	* * * * * * * * * * * * * * * * * * * *		-	

USAFETAC FORM 0.26-5 (OL.A). HEND MENOUS EDITIONS OF THIS PARTIE AND ALL DATE OF THIS PARTIE AND ALL DATE OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THE ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS PARTIE AND ADDRESS OF THIS

 $\frac{1}{2} \left( \frac{1}{2} \left( \frac{1}{2} \right)^{2} \right) = \frac{1}{2} \left( \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1}{2} \left( \frac{1}{2} \right)^{2} + \frac{1$ 

Temp.							WE.	T BUI	LBT	EMPER	ATU	RE D	EPRE	5510	N (F)								TC	TAL			TOTAL	
(F)	0 1	2 :	4	5 - 6	_7	- B	9 - 10	11	- 12	3 - 14	15 -	16 1	7 - 18	19 -	20 2	- 22	23 - :	24 25 -	26 27	- 28 2	9 - 30	* 31	D.8	. W.B.	Dry	Bulb w	er Bulb	De P
											-					• :								:				
	_													. •			•	٠					-	·-				
									•		•		•	•										i		-		
							.•			• •			<b>.</b>											<u></u>		<u> </u>		
,						• :	•		•	•	•	^	•	•														
				•		• .	. • .		٠.	• '	٠	i	•	. 🖢			•									+		
				. •		• -	•	•	•	•	•	u'	• '	-		• 1								•		•		
			٠.	•		• .	. • !	٠. •	•	•	. •	٠.	• :	. •	٠.												•	
		•	•	•		•	• .			•	٠			•										-			. :	
	٠,	•	٠.	• -	. '	• .	: • .		٠.	•	. :	<b>'</b>	• ,	. •	· .	- •									-			
.,	:	• • •	• ,			• ~	•	•	•	•	•		•	•														
			٠,٠	•		• -	, • .	٠,٠	٠	<u> </u>			•			-	-									!	, '	
,		•	•		1	• . 1	•			1	•	-	•													•		
+	•	•	. 1		. 1	• • •	, .		. •		•			-				*						,				
	,	:	:			•	٠,			1.0	•	۷															-	
	٠.	•	• • •		٠		٠.	1		•	•	-		•									-	5.			- ,	
		:	:	:		:	• ,	•		•	•	•															4	
			•	. 1		•	•				*	•			•	•		•	•	-		•	-	٠.,	-		7 :	
							• •		. :	• ;																	- 4	_
, ,	•	•	• '		٠			٠.	•														•		-		= 1	•
•	_	• 1				· 1	• 1														<b>_</b>			_			4 🐔	
•						•	•																				7	-
4.		,		• .												-											1	
																											*	
																											-	
		•						-						•								-					•	
	-	-	٠		-			•			•											· ·			•	*		
																												,
, , , ·	•	•	•		٠	٠		٠	•		• -			•				•	- •				-•		•			. *
																												•
lement (X)	Ž	.,			ž,			7		7,			No. Ol		7		_			tean No	. of H	ours wi	sh Te	mpera	1010			
el Hum.	-,	•	•		•		· •	^	•		•		::		+	± 0 F		: 32		≥ 67 F		73 F		80 F	-	• 93 c		Tatal
y Bulb			٠				- +													~					•		•	-
er Bulb			•												1-		1										•	•
e Point			•				+								-+		_						-+ -		-		• • • • •	

for the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of t

#### **PSYCHROMETRIC SUMMARY**

STATION					STATION NAME						YE ARS					NTH
															HOURS	- 1 1 14. S. T.
Temp.						WET BULB	TEMPERATU	RE DEPRESSION	(F)				TOTAL		TOTAL	
(F)	. 0	1 - 2	3 · 4	5 - 6	7 - 8 9 -	10 11 - 12	13 - 14 15 -	16 17 - 18 19 - 2	20 21 - 22 23	3 - 24 25 - 2	26 27 - 28 29	- 30 - + 31	D.B. W.B.	bry Bulb	Wet Bulb	Dew P
																<u>.</u> .
	<del>,-</del>		<del>-</del> -					<del></del>								<b></b>
•		•	• :	•	ii g "		1000		• `	•						3
										- •		•			<b></b> .	•
				•	•					•		•				
-			•						•	•		•	•			
				•												. •
						•	•					-				
		•		- •		•	·	· · · · · · · · · · · · · · · · · · ·		•		•		-		•
•	•	•	•	•						•		-+				• -
		-	1					,								
			+	· ·							<del></del>					
	•	•	•	•			•						· - · · ·			
	•	•	•	•	•		•							-		•
=		•		-			•									•
			<b></b>	i	· · · · · · · · · · · · · · · · · · ·		·	-4								
			•	·	<b>-</b>		·	+			<del></del>	<del>-</del>				
								i	1							
ement (X)	<u>.                                    </u>	2 8,	·		Z X	T X	•	No. Obs.	T		Mean No.	of Hours wif	h Temperatu	7.0		
rl. Hum.		315	90	+	1_6		3.195	299	= 0 F	± 32 ₱	≥ 67 F	≥ 73 F		93 1		Total
y Bulb	• ===	7 1	2 4	+	5-858		הפר. פ	899	1	1	40.3	19.2	3.5			4
et Bulb	· • · • · · · · ·		9 c · 7		5.549		7.985	899			7.5	.1	1	1		<u>`</u>
w Point		.17	7153	7	42539		2.297	899	T	11.4		T	!		_ •	

DM 0-26-5 (OL.A) thisto mericus epitions of this form are described

USAFETAC POEM

STAT:ON		-	TATION NAME					ARS				MONTH
										20 <b>X</b> - •	•	HOURS . A.
Temp			WET	BULB TEMPER	ATURE DEPRESSIO	N (F)				TOTAL		TOTAL
(F)	0 1 - 2	3 · 4 5 · 6	7 - 8 9 - 10	11 - 12 13 - 14	15 - 16 17 - 18 19 -	20 21 - 22 23	- 24 25 - 26	27 - 28 29	30 + 31	D.S. W.S. D.	y Bulb	Wer Builb De
<del>-</del>				• • • • • • • • • • • • • • • • • • • •								
,					•	• • • •				•	•	
,	•	•	• • •	• !	1.	, · · · ·		•	•	T 44 T		
				_	1.1	, , ,	1					
				• 1•1	1.1 1.7	1.7			. •	1		
,					1.7 .3 .						- ,	
· • • •				1.1 1.2			• 1				. <del>-</del> -	•
		-	. 4	1. 1.7			• 1					
					4 1.1 1.	1 • •		•	-			٠.
, .		.1 .5		4 7	1.1 1.2					. 1	1	1 3
					1.3 2.4				-	·		**
4		1.	4	. 1.	1.7 1.3	• •				4	, t.	- 4
				, -1 - 1	·					. , .	- 1	~ <del>~ ~</del> ~
, .	1.	• • •	- 7	0.0	1.7 .4	1				-		3
,		•	• • •	· • <del>•</del> ;,-		• •			٠	· -	υ.	, –
	• A •	• • i	• • •	1	• " • : _ f					• •	4 : . 7	. ي د ع
, , , ,	• •	. • • •	• • • • • • • • • • • • • • • • • • • •	···• - <u></u> -	<u>*</u> •				*	· · · · · · · · · ·	1 7	
· , · '	• ,	• /	• • • 1		• ′					1 f		
} , , , , ,	· • · · •	. • ' .	•	· • · · · · · · · · · · · · · · · · · ·				· ·		79.	<u>. t.</u>	
	• 1			• i • i	• 6					``		
	• •		·								, -	<u> </u>
, , ,	•	• =	•1	• 1 • 1								93 45
<u></u>	•	• · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	<u>•1</u>						<u> </u>		45
"		. ,										
		. ••i								• •	٠.	14
												٠
•									•			ζ.
, ,												
		<u> </u>	+	•								
, ,		·	•	·								
,												
			•									-
′,												
/ ?			<del></del>	<del></del>		<del></del>			4.84	A 7		
Element (X)	Σχ <sup>i</sup>		ZX	Ţ	No. Obs.	+			a 73 F	h Temperatur	_	
Rel. Hum.				<del></del>		± 0 F	2 32 F	≥ 67 F	2 /3 P	→ * 80 F	93 1	· To
Dry Bulb						+	<del> </del>	<del></del>	<del> </del>			
Wet Bulb						+	<del> </del>	<b></b>	<del> </del>	+		
Dew Point			ii									

٠į

WET BULB TEMPERATURE DEPRESSION (F) 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | # 31 D.B. W.B. Dry Bulb Wet Bulb Dew Par Element (X) Mean No. of Hours with Temperature 4 <u>C10</u> 64151 71.4 8.974 899 899 Rel. Hum. 5 0 F 5 32 F ≥ 67 F ■ 73 F ■ 80 F Dry Bulb € i • 8 307900 / 2012737 12177 53. 7.514 45.312.456 Wet Bulb 399

FORM 0.26.5 (O.L.A). He sto Mercous Editions of this role are obsorbed and 64

FINIS MAR

USAFETAC FORM

NCITATE	<u> </u>	STATION	NAME	76-96		YE	ARS		_ ` .		MON'	H
Temp.			WET BULB TEMPER	ATURE DEPRESSION	(F)				TOTAL		TOTAL	
( <b>F</b> )	0 1 - 2	3 4 5 6 7 -	8 9-10 11-12 13-14	15 - 16 17 - 18 19 - 20	21 - 22   23 - ;	24 25 - 26	27 - 28 - 29	30 = 31	D.B. W.B. D	ry Bulb	Wet Builb C	ew Po
<i>'</i>			,			• !	• 1					
					.1 .!	· • ·						
				• i 1•1	1.7 .	1.1			٠.			
<u>,                                     </u>				5 1.7	1.1 1.	<u> </u>	• 1		14 -	4		
•			. 7 . 4	1.0 .7	1.7 2.2	. 4			- i	- "		
			• • • •	1 4		7 •:				1.4.		
, ,			1.			•			٠.			
' 7			· • • • • • • • • • • • • • • • • • • •	1.3 .5 .					_ : -	*. = -		
•		• •	? • * • * • * • * • * • * • * • * • * •	. 5 1.7 1.4	1.	l			~			
			l. •1. •1. •2.	1.2 1.7 2.2					12	≥4.	. ,	_
,*	•	• • •	^ •? • •°	1.9 1.6 1.0	• 1				!	-	7	
		على ويلغل	1 1	1.7 .7	• ti					?		
•	• : • *	• 4 • 5 •	4 • 1	2.3 7.2					• .	1.0	5	:
		• • • • •	2] •4] •4 <u>-2•3</u> ,							7.	٠٤.	
•	1 •	•1 • •	1 . + 1	4 .7					4 >	٠, ٠,	: 5	
		. •	• . • . • •	• 6 . • 7							1	3
•	•	• • • • • • •	1 . 4	1.2 .4					٠,		P) 5	
		• *	1 • 1 • 1 • 2	1 .					1 = _		( )	(.)
	• • • • •	•1 •1		<del></del>					r		> 1	1 1
		• <u>= '</u>							1		. 25 _	
, .		•	,						4	u	7.2	
	<u>.</u>	•1	.1						<u> </u>		_ <u>1</u> , <u>5</u>	<u> : </u>
1 47	• '	•1							•		70	5
. 4							<u> </u>				11.	<u> </u>
4 / .	• '									-	ly.	:
		• :		• —•				. ,		•	٠	4
7											ĉ	٠,٠
,					<del></del>						· .	<u>.</u>
1 20												
1 2 2		•		•								
•					<b></b>				· · · - •			. 4.
•												
1	· · · · · · · · · · · · · · · · · · ·							<u> </u>				_
lement (X)	Z x'	ZX	Į 'a	No. Obs.			Mean No.	Hours with	Temperatu	10		
el. Hum.		+	<u> </u>		5 0 F	5 32 F	≥ 67 F	∗ 73 F	≥ 80 F	• 93 F		otal .
ry Bulb	•								·	•		
er Bulb								<u></u>		<b>.</b>		
ew Point		,	, - , -		1 7							

USAFETAC FORM 0.26 5 (OL.A). BEVILLE PREMIUS EDITIONS OF THIS FORM ARE CALCULATED.

**PSYCHROMETRIC SUMMARY** STAVICE ! A STATION NAME WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL
7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.S. W.S. Dry Bulb Wet Bulb Daw Po No. Obs. Mean No. of Hours with Temperature Rel. Hum. 1-50162 4474873 34592 5.579 48491 42.131.585 72.6 3.918 58.4 7.073 10 F ± 32 F ≥ 73 F = 80 F 831 331 931 Dry Bulb Wet Bulb 2 /71/189

0.26-5 (OLA) BEVISE MEVICUS EDITIONS OF THIS FORM ARE DISCUSSE

ETAC NORM 0.26-5 (OLA)

USAFETAC NOW D.

#### **PSYCHROMETRIC SUMMARY**

	MET DUE O TEMPOS TUDE DEDESSION (E)	70741		HOURS . S. T
Temp.	WET BULB TEMPERATURE DEPRESSION (F)	TOTAL _		OTAL
(F)	0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31	U.B. W.B. D.	y Bulb W	et Bulb Dew P
· .	• 1 • • • • • • •	•		
	• • • • • • • • • • • • • • • • • • •	. ندنا	<b>.</b>	_
1 1	•7 •. •4 •4 •1 •7	1.3		
	.1 .1 .1 .4 .1 .7 .1			
7 ?	•: •: 1• 1•: •? •6 •?			
	· •4 1.4 •4 1.5 •7 •6 •4 •1			
	• • • • • • • • • • • • • • • • • • •			-
,	•" • 1•4 • <u>• 6 • 3 1• 3 • • </u>			
			z .	*
, ,				
	•1 • • • • • • • • • • • • • • • • • •	. 5.	<u>~</u>	9 -
	2.	14	-	٤. مو
* *	•1.7•2. • 1.11. •4.1.5.1.63. •7. •1.			* 6.
1 1	•1 1•6 1•1 •5 • 1•7 1•7 1•7 •3 •1			٠ ٢
	. • • . • • . • •		٠,	100
1.7.7		~ 1	<b>-</b> 1	ંદ →
a , r	· · · · · · · · · · · · · · · · · · ·	. <u> </u>		4 4
* T	• 1 • 3 • 4 • 7 • 6 • 6 • • • • 1	7.3		f-1 5
1. 1. 1.	• • • • • • • • • • • • • • • • • • • •		11	75 4
•	• 1 • 1 • 1	1.		
1 47				
4	•1			· • • • • • • • • • • • • • • • • • • •
4/ 4	• * ( • 1 )		-	13 2
/ 41	• 1			17 4
	· · · · · · · · · · · · · · · · · · ·		,	
,	· · · · · · · · · · · · · · · · · · ·			۳۳ با ر
, ,				
, , , ,		•		<u> </u>
· .				• •
- ( · · · · ·		· · · ·		
, ,				
				- ~
-				
. / ?.				
۱ / ۱				
Element (X)	$\mathbf{Z}_{\mathbf{X}'}$ $\mathbf{Z}_{\mathbf{X}}$ $\mathbf{X}$ $\mathbf{Y}_{\mathbf{A}}$ No. Obs. Mean No. of Hours with	Temperatur	•	
Rel. Hum.	± 0 F	- 80 F	≥ 93 F	Total
Dry Bulb				
Wet Bulb				L
Dew Point				

USAFETAC FORM 0.26-5 (OLA) BEINDO REFICUS TOTIONS OF THIS FORM ARE ORDINATED

**PSYCHROMETRIC SUMMARY** WET BULB TEMPERATURE DEPRESSION (F) 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 8 31 D.B. W.B. Dry Builb Wer Builb Dew REVISED MEYICUS EDITIONS OF THIS PUBM ARE GESCUETE 0.26-5 (OL A) ZX No. Obs. Σχ' Meen No. of Hours with Temperature

717

717

717 717 ٠į

46.9

37939 46 '37

43551

52.731.718 57.33.591

56.6 7.383 47.111.744

234 .215 72711 / 3

2.32451

١,

WET BULB TEMPERATURE DEPRESSION (F) D.B. W.B. Dry Buib Wet Buib Dew Poin 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 | 17 - 18 | 19 - 20 - 21 - 22 | 23 - 24 - 25 - 26 | 27 - 28 | 29 - 30 | = 31 40 12 47 47 1. 616 No. Obs. X •, 416 32 67.617.502 Rel. Hum. 516 2 2134 37172 63.3 7.965 Dry Bulb 516 1 54877 Wer Bulb 33457 54.3 7.809

TAC FORM 0.26-5 (OL.A) REYSES MEYHOUS ROHOMS OF THIS FORM ARE OBSOILTE

4 35 - 125 - 146

USAFETAC FORM 0.26.5

STATION				S	TATION N	AME								YE	ARS				MO	NTH
																	- 6	j	HOURS	
Temp.								TEMPER									TOTAL		TOTAL	
( <b>F</b> )	0	1 - 2	3 - 4	5 - 6	7 - 8	9 - 10	11 - 12	13 - 14	15 - 16	17 - 18	19 - 20	21 - 22	23 - 24	25 - 26	27 - 28 29	30 + 31	D.B. W.B.	Dry Bulb	Wer Buth	De-
,						-														
												• 12	٠Ĺ.		-		1.	1		
			•	•		•					•			7	- · - • ·	•			•	•
, .									• `	. 5	, F,	- 4		. 1						
.,			•		•		• :		. 4		- 4	. 4	. 7	. 1			1 :	1		
7 1					_					Ξ.ε,	·			1			1	i ·		
7									onene en		. <u>≗</u>	. 7	• • • •				15	. <u>4</u>	-	
7.77				- 1			•	. 0	• •	- 4	· -	•	• •				1.7	. 197		
7			•		• •		<del>7</del> -	. 7	. <u>≖</u> _£`.	<del>-</del>		•	 1		•			. <u></u>	-	•
			. 1	•	•	• .	• ,		•		•	• -	• 1				. 1		_	
' <del>-,, •</del>		. 1	•	· -=- ·	• • <u>•</u> <u>•</u> .	• • • • • •	- • .		<del>.</del>	· - <del>-</del>		• <u>• -</u>							• <u>2</u>	
,		• 4 • 4	1.	• 3	1.1	• •	•	• 0	• ',	1.0	•	. 1					3 - 3		178	
- <del>; - , -</del>				· ,- <del></del> -	<del>- 1 • 1</del>	<del>-</del> -	<b></b> •		• •	.1.1.	- <u>•</u> -				•-			<u>[4.3.</u>		
	• 1	1 . 4	1 • 6	1 ,	7	• '	• •	1.7	1 4		•,	•					3/.		247	,
,	• • •	1.4		. 1 • 1	. • ′	. • "	•	***	<u>.</u>	<u>•5</u> .	<u>•</u>		-			•		. 33	. 25%	1:
	• .	3 2	• 1	• /	• ,	• (	1 - 1	1 • 1	• °	• ?	• 1						3 - 4		422	1 (
· (	• • •	1 • 5	. ' • 📜	. • ï		• <del>-</del> -	• <u>-</u>	. <del></del>	• 5	<u>. • 1</u> .							_ <u>=11</u> .	. 311	445	- 24
	•	1.	• ]	• .	• "	• _	• '	• 5	• 4	• 1							2+7	76.1	345	3.
4 11 .	• .	•	•_	. • .	. •ુ	. • _	. • 4	4		<u>• 0</u>			·			<del></del>		- 34:	3 <u>7.</u>	2:
	. 1	•	• 3	• *	• "	• 7	• 4	• 2	• )								1 ' 2	15.7	2.75	3.
. <u>/</u>	• • • • • •			<u>• :</u> .	••••	. • #	<u>• · · · · · · · · · · · · · · · · · · ·</u>	. 2 .	•								177	127	3 4	_ 2.
,	• 1	• 4	•	. • 4	. 4	• 4	• -	• 1									114	1 i +	2 7	2.
/ :,	<u> </u>	• :-	• *	4	• ?	• ~	. • 1	- 1		· · · · · · · · · · · · · · · · · · ·									<u> </u>	
		• '	• 2	•	• '	• !	• 1										7 (.	7+	271	1
		•	• 1		•_1	<u>• l</u>												4 <u>1</u> .		_ 21
1 1/4		• `	•	• 1	• '	•													175	2.4
7 41	• .	• 1 _	1	1	. •							+-					16	. 1	. 123	. 23
<b>*</b> :			•	• 5	• 1												7	7	56	•
· · · · · · · ·		•	• 1	• •	<b>.</b>			++									. 7		29	. 2:
1 2	_	•		:				•	,	_		-		-			4	ч	15	ž
1.53								<u> </u>									, , , , , , , , , , , , , , , , , , ,		12	. 1
1 71		•					,										1	;	3	1:
1		•		i												. 1	1	1	. 3	. 1
1	٠											+								
1 "																				
ement (X)		z x'			ž X		Ţ	· ·		No. Ob					Mean No.	of Hours wi	h Tempera	1010		
el. Hum.						$\Box$						2 0 F		32 F	≥ 67 F	≥ 73 F	- 80 F	≥ 93	F	Total
y Bulb						$\perp$		1	$\perp$					7			1			
et Bulb				I ——													.1			
ew Point																1	T			

WET BULB TEMPERATURE DEPRESSION (F) TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B. W.B. Dry Bulb Wer Bulb Dew Po ZX' No. Obs. Mean No. of Hours with Temperature ≥ 67 F ≥ 73 F 15,48865 2 572725 14644304 2484 3 54.62.874 301.67 66.410.056 255078 56.3 7.925 4547 Dry Bulb 4547 .3 357.9 196.7 62.2 4547

0.26 5 (OL A)

STATION		3 A I TON HAME										_			
	_												·	HOURS	
Temp.		w	ET BULB T	EMPERATUR	RE DEPRESS	ION (F)						TOTAL		TOTAL	
(F)	0 1 - 2 3 - 4	5-6 7-8 9-	10 11 12	3 - 14 -15 - 1	16 17 - 18 19	- 20 21 -	22 23 -	24 25	26 27 - 28 2	29 - 30	× 31	D.B. W.B.	Dry Bulb	Wet Bulb	Dem Po
7													•		
		. •1								-			·		
7	• • •	• • • •	•									- 7	4.7		
<u> </u>	<u> </u>	<u>i </u>	<u> 1</u>												
	***		• 1									7 -	7.	4	+ 1
		<u>}.•</u> 2 •	1•1 .							<del>-</del>		111.	11	. <u>1</u> 2	<b></b> .
	• • • • • •	•										• •	۱	1 ^ _	• "
. ,	•1 • •		• •			-						1:		. د سخ	. <u>.</u> _
		1 7 1.	1 • 1									4.	· .±	171	. 7
,		<u>• 7 . 1.• •</u>		•4-								21 .		. 74.	هند ــ
	• 1•	• •	•											7.	- 1
		والمسافعين والمسابق	- · · ·							-			*	_ سود	<u> </u>
, ,		1											,	٠.٠	
		• • • • • • • • • • • • • • • • • • • •	٠	•		-		-					~ -	મુંબુ. રહ	· -
•	• •	• /										. 7			
: .		• . • !	• • •	٠		•	-		·	-		. 12.	<b>A</b>		
	•											-		•	
	•					· - •	•	• • • • •		- +			·		. <u>*</u> -
, .	• • •														
· · ·						~								1	
	1													-	•
77.5	• • • • • • • • •	·													
7															
-,		• •													
	1. 4.44 . 4	4.5 4.6 4.	1.	• 1				+					. 7		<u>.</u>
*					* · · ·				• •					- ` 7	
•															
		· · · · · · · · · · · · · · · · · · ·								<del></del> -					
	•				•										
					_+										
	<del></del>	<del></del>	<del></del>									Temperat			
Element (X)	ZX	ZX	7	•	No. Obs.			. 12 =			78 W/F	* 80 F	u!• 		Total
Rel. Hum. Dry Bulb	342.732	<u> 6756</u> 533.r		2-743	<u> </u>	<u></u> :	0 F	± 32 F	<del></del>	~-+		<del></del>			. 0101
Ver Bulb			64.5		127		-+		40.		• ?	• 1	<del></del> -		
Dew Point	5110 6.\(\)	45097	58.3		<u>- 327</u> 327		+		110		• 7		<del></del>		
DEM LOINT		4311/	35.	- • 4 7 1	361			• '	14.	0 1					

STATION	STATION NAME	7 <u>5 - 3 4 - 3 4 - 3 4 - 3 4 - 3 4 - 3 4 - 3 4 - 3 4 - 3 4 - 3 4 - 3 4 4 - 3 4 4 - 3 4 4 - 3 4 4 4 - 3 4 4 4 - 3 4 4 4 - 3 4 4 4 - 3 4 4 4 - 3 4 4 4 - 3 4 4 4 - 3 4 4 4 - 3 4 4 4 4</u>	YEA	RS		MONT
			_			HOURS
Temp.		B TEMPERATURE DEPRESSION (F			TOTAL	TOTAL
(F)	0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 -	12 13 - 14 15 - 16 17 - 18 19 - 20	21 - 22 23 - 24 25 - 26 2	7 - 28 . 29 - 30 = 31	D.B. W.B. Dry Bu	Ib Wet Built De
, ,		• :				•
		مَجِهُ مِن مَنْ الْمُنْ مُنْ أَوْلًا مَا		· -·· • · · · ·	1 -	•
, .	•		• .		- :	i
<del> </del>	***************************************	• • • • • • • • • • • • • • • • • • • •	<u>• i                                     </u>		<del>_</del>	·
		7 l				
		1.2	•1			
7 1 77	1. 3.2 1. 7.2.	4 4	• 1			1
. •	.) 1. 3. 1. 2. 7.			•		
	7.2 P. 2.1 P. 4 .	. 7 . 7				-
7 .	1. 7. 2. 1. 1. 1	1.1 .7				:
	• 1. 7 1. 2 1. 7 1. 1 1.	· • 1 • • 1				1. 171.
•	• 7 1 • 7 • • • • • • • • • •	~ 1.1 .3 .3			4	117
	. • • . • . • . • . • • • • <u>•</u>	• <u>•</u> •			4	- 11c
<i>'</i> .	• • • • • • • • • • • • • • • • • • • •	1 • 7 • 2			ار با∵	- 1 ,
	- · · · · · · · · · · · · · · · · · · ·	<u> </u>			12. 45	
	• • • • • •				17	45
	• • • • • • • • • • • • • • • • • • • •			** . ** .		
	• • • • •					1.4
-', , -		<del></del>				<del>- 1</del>
,						1.
7	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s					
4						4
						-
<i>i</i>		+				
•						
· · · · · · · · · · · · · · · · · · ·				<del></del>	<del></del>	
, , , , ,	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	·			•
Element (X)	Σ <sub>χ</sub> ' Σ <sub>χ</sub> χ	Mo. Obs.		dean No. of Hours wi		
Rel. Hum. Dry Bulb	· · · · · · · · · · · · · · · · · · ·		± 0 F ± 32 F	≥ 67 F = 73 F	- 80 F - 9	3 F To
Wer Bulb	· · · · · · · · · · · · · · · · · · ·	+		<del></del>		
Dew Point			<del>++</del>			

MOH\*H HOURS 5 WET BULB TEMPERATURE DEPRESSION (F) 0 1.2 3.4 5.6 7.8 9.10 11.12 13.14 15.16 17.18 19.20 21.22 23.24 25.26 27.28 29.30 #31 D.B. W.B. Dry Bulb Wei Bulb Dew Po. No. Obs. Element (X) 55117 55-24 55-57 ≥ 67 F | → 73 F → 80 F → 93 F 73. 5.72 04.4 6.336 50.8 50.8 Rel. Hum Dry Bulb · u . > Wet Bulb 2 ) 9

LC HORM 0:26 5 (OLA) - REVIEWENDS BRICONS OF THIS K-BM ARE CALCUTE.

5-1417. 1 25

STATION	STATION NAME		YE	ARS		MONT
					** * :	HOURS .
Temp.	WET BULB TE	MPERATURE DEPRESSION (F)	)		TOTAL	TOTAL
(F)	0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13	- 14 15 - 16 17 - 18 19 - 20 2	1 - 22 23 - 24 25 - 26	27 - 28 29 - 30 *	31 D.B. W.B. Dry Bul	b wer Bulb D
			• 1		<u>:</u>	
		· · · · · · · · · · · · · · · · · · ·	•		. ! .	
1		•1 •4 •	• •		•	-
		<u>• • • • • • • • • • • • • • • • • • • </u>	<u>• ' • • • • • • • • • • • • • • • • • •</u>	<b>-</b>		
	• •	. 4 1.5 1.7 1.4	•1 • • • • • • • • • • • • • • • • • •		•	
1	•	• 1 • 1 • •	•			
	• • • • • •		• 1 •			
1, .			• 3			
, ,					1	
			•			
		<u>*                                    </u>	•.4			
						. ,
1				*	•	A
		-1			, :	
						J .
		•				
1 1						
	• }				, 1	и .
· ·				· · · · ·		
1 1 to 1	•				1 :	: 192
	•					
1.7						
4						
*1						
7 4 .						
1 = -	عامين ويساعين وها المهاد يساعه والم				•	
1.						
	the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon					
1 ,						
E1	Σχ' Σχ χ	No. Obs.	<del> </del>	Mean No. of Hours	mid Tamasassas	
Element (X) Rel. Hum.	-A	-A	10 F 132 F	≥ 67 F > 73	and the second second	] : To
Dry Bulb			- U - = 32 F			. '0
Wet Bulb						
Dew Point			<del></del>			•
<u> </u>	<del></del>	<del> </del>				

The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s

PCYC	HPOM	FTDIC	SUMMA	PY
L21C	<b>DKOM</b>	EIRIC	20WW	AK I

STATION			<u></u>			ON NAME					<u>1-24</u>				YEAR	5							)4 TH
																			• !	. ' . '		HOURS	S. S. T.
Temp.							WET B	ULB TE	MPERA	TURE D	EPRESSI	ON (F)							TOTA			TOTAL	
( <b>f</b> )	0	1 - 2	3 - 4	5 .	6 7						' - 18 . 19				26 2	7 . 28 2	9 - 30	* 31	U.B. W.	B. Dry	Buib	Wet Bulb	Dew P
		•	•	•		• "	• 4 1 2	• ( )	7 - L	1	• ** · **	•	. 1.	•						,			•
	-	•	•	• •	•-	•							•	•								1	•
			<b></b>																•		-		
	•	•	•	•																			
												-											
				• -	+				···						+								•
	-	•		•		•.•											-			-			
	•	•		•	•	-			•	• •				•	•	•	•						*
	•	•	•	•	•	•		-		- •	-	•	*.							•			
					_				- +														
			+				. +				· ·								•				
			1																				
			+	•																			
	•	•	•	•		• -		-		•	-									•			
	-	•	•	•	•	•	•	•	•			-											
						·	+																
		-	•								<u> </u>												
		•	•		•										-				•	- •			•
lement (X)		Zx'			Z X		1 5	7	· R	-	o. Obs.	<u> </u>			- 1	Hean No	. of Ho	urs wid	Temp	reture			
Rel. Hum.			135	· • · · · · · · · · · · · · · · · · · ·		267	+		. 599	I	3,15		2 0 F	: 32	F	≥ 67 F	1.	73 F	▶ 80	Ē.	• 93 F		Total
Dry Bulb			135			7	7 3	• ^ Te	. 213		005					80.		5.7	44.	-1)	•	<u>.                                     </u>	
Wer Buib		1	5 . 1 .		2	, 777			127		5) 5			L		48.		P . B					
Dem Point			3 44	. !	5.	115	56	<u>- 5 [5</u>	٠,٠٥;		305			1	4	12.7	<u>'</u>	- 2	:				;

STATION	STATION NAME	75,	YEARS		Mo
					11
					HOURS
Temp.	WET BULB	TEMPERATURE DEPRESSION (F)		TOTAL	TOTAL
(F) 0	1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12	2 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22	23 - 24 25 - 26 27 - 28 29 - 30	231 D.B. W.B. Dry Bu	b Wet Bulb
		• ! • *	•		
			.1.1	<u></u>	
		. 1.1	.6 .6 .3	*** *	
		. ! .! ! .! !	_ •1 • • • • • • • • • • • • • • • • • •	<u></u>	
	• •	1.7 7.3 1.4 1	1.4 .1	11	1
		<u> </u>	<u>.</u>		
			• 1		
,		. 1 . <u>1 . <del>2</del></u>	<u> </u>		
		· i. l. l. l. l.		7 - 7	
					· <u>J ·</u>
				٠: ٠	^ S
•			<del></del>	e de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de l	للحندة ا
•				-1 -4.	177
				•	3 A
,	2	• 1 • 1			
,		• • • •			<del></del>
	. 1			• • • • • • • • • • • • • • • • • • • •	د ۶
F + : + *	• 7		*····		र प
				•	7.1
,	• 1				7 73
					14
	• i • :			•	-
				•	· ,
4					
* /	• • • • • • • • • • • • • • • • • • • •	· ·- · · · · · · · ·			
•		*···			
5 / • .	ماند والمنسخات للهالتالية	·	<del></del>		
" , <sub>* 1</sub>					
		· · · · · · · · · · · · · · · · · · ·	+	• · ·	•
			<u> </u>		
Element (X)	Z X Z X	₹ No. Obs.		urs with Temperature	
Ret. Hum.		10	F = 32 F = 67 F =	73 F + 80 F + 9	3 F
Dry Bulb		+			+
Wer Bulb		+			
Dew Point		1	· _ · ·		

**PSYCHROMETRIC SUMMARY** STROIT STAC Temp. WET BULB TEMPERATURE DEPRESSION (F) TOTAL 1 . 2 3 . 4 5 . 6 7 . 8 9 . 10 11 . 12 13 . 14 15 . 16 17 . 18 19 . 20 21 . 22 23 . 24 25 . 26 27 . 28 29 . 30 . e 31 D.B. W.B. Dry Bulb Wer Bulb Dew Poin ti . 7.012.14.214.210.2 5.4 4.5 751 . 721. Element (X) No. Obs. Mean No. of Hours with Temperature 213177 221757 3417957 48.412.35 79.2 7.155 65.5 5.256 56.2 9.335 7.1261 52645 51105 Total Rel. Hum. 791 791 10 F ≥ 67 F = 73 F > 80 F > 93 F : 32 F Dry Bulb 7t. . 4 Wer Bulb 791 47.3

BENISED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE HOEM 0 26-5 (OL A)

USAFETAC

STATION		STATION NAME			75-64	***	YE	ĀRS				MON	TH
										• •	•	HOURS IL	, 5. T.
Temp.					E DEPRESSION					TOTAL		TOTAL	
(F)	0 1-2 3-4 5	6 7-8 9-	10 -11 - 12	13 - 14 15 - 1	6 17 - 18 19 - 20	21 - 22 23 -	24 25 - 26	27 - 28 29	- 30 : ≥ 31	D.B./W.B. (	ry Bulb	Wet Bulb	Dew P
,					• 1					1			
				<u>-</u>	_ •! • •!	<u> </u>	<u> </u>			<del>-</del> -			
				•	•1 •1	• *	,						
<del>- ,</del> - <del></del>		<del></del>		1.	<u> </u>	•				<u></u> -			
1			1	1. 1.1		.7.	1				ta n		
7			1.	1.7 1.3		+ +	÷ + ·-			· ·- <del></del>	,		
•			<u>. 1., '</u>	. 7 1	<u> </u>					. 1	. 7	. <b>.</b> .	
.7	• ' 1 • •	. 2 ·	2.1.	. 7 1.4	• • • •	• 1				~ 1	7.1	4	
		:	<u> </u>	• <u>?</u> <u>•</u> ?	<u> </u>	12			<b>-</b>		- <u></u> -	<u></u> .	
,	$\frac{1}{2}$		4 i.	1.1	• 4					1	;	71	>
	• • • • • • • •	1	<u></u>	1.7	• • • • • • • • • • • • • • • • • • • •					·	. يېد .	. <u>-∑-</u> 1⊃6	
-		7	1.1	4	• •							109	t 7
		1.		1 1	•	•	•		-		7	,	7
,	• :		, .	• 1						:	~ ;	1 9	7
	• • • •	1 .1 .		•			-					/ 5	
, -			·			<b></b>					-	<u>36</u> .	
	• t •									•		ેંદ	4
	· +· · ·			·		<del></del>		- · ·				<del>- 2</del> -	<u> </u>
	. 1									.i		1.5	•
				•	+							7	
4 4	1									*		2	•
47						•		• • •	•	•			
1.46			4		<del></del>	· ·							ļ
	1												
,	·+ ·+ ·						··						_
	i .												
,				<del>+</del>	<del></del>	<del></del>				•	· - · ·		-
,													
•	211.511.	17.717.	411.7	9.710.0	4.3 7.7	1.6 .	ς						-
		<u>.</u>								7		122	
Element (X)	Z <sub>X</sub> ,	Z X	X	<b>"</b> a	No. Obs.				of Hours with	<del></del>			
Rel. Hum.	2 336 77	14197		7,745	732	10F	≤ 32 F	≥ 67 F	• 73 F	- 80 F	<b></b> * 93 ¹	•	Fetel
Dry Bulb Wet Bulb	4 14 '(4	53982		6.301	732			c1.4		17.4	<del></del>		
Dew Point	7.11773	47114		5.058 9.275	732	i	τ.	30.7	4.7	·	<del></del>	- +	<u></u>
	43 44 43	74334		( ) ( ) (	136			<u> </u>					

USAFETAC NOTA 0.26 5 (OL.A) ternito mencous torions or this Kiam ant objecter

**PSYCHROMETRIC SUMMARY** 57-710-7-4 WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 D.B. W.B. Dry Bulb Wet Bulb Dew Pa BEN'SED PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE MORM 0-26-5 (OLA) Meen No. of Hours with Temperature No. Obs. 2557457 Rel. Hum. 10F ≥ 73 F Dry Bulb 449 1/70543 25017 62. 6.435 448

STATION	1 11141 4	STATION NAME			· · · ·		· · · · · · · · · · · · · · · · · · ·	EARS				MON	TH
											1	HOURS	<u>.</u> . s. t.
Temp.			WET BULB TEA							TOTAL		TOTAL	
(F)	0 1-2 3-4	5 - 6 7 - 8 9	- 10 11 - 12 13	- 14 - 15 - 16	17 - 18 19 - 20	21 - 22 23	- 24 - 25 - 20	6 27 - 28 29	. 30 + 31	D.B./W.B.	Dry Bulb	Wet Bulb	Dem P
						•							
	• • • • • •		<del>-</del>		. •	. •	•1 •			. 11.	. ii.		
				. • ,	• • • • • • • • • • • • • • • • • • • •	• [	• • •				+ "		
<del></del>			<del>·</del>	• 1 • -	· · · · · ·	<del></del>	• • • • •			<del></del>		·	
•			•			• (	• !			11.	1.1		
<del>,</del>	<del></del>			1 1.	· • • • • • • • • • • • • • • • • • • •	* th				- •		-	-
,		1	. 1.1 1		, 7		. 3			171			
7		1	• h • 1	. 1 .		•1		•		31.		•	
7 - 7		- · · · · · · · · · · · · · · · · · · ·	• 1 • • <u>1</u>	<u>•?                                    </u>	? . • 1.	<u> 1</u>					11.	<u>.</u>	
, ,	• • • •	1. 1.1 1	• 3 1 • 1	• 7 • • •	• * • * *	• 1				4 l 3	4.1	44	
		· · · · · · · · · · · · · · · · · · ·	• • • •	<u>• 5</u>					+	. 4 <u>7</u> i .	4	257_	
, ,	•1 1•	1. 1.		•7 •¢	4					٠, ٦	4	4 + 1	11
4	. •	.1.1	• • •	•â•\$. •ā •1	. • 3 . • 1		•	•	-	. 641	441.	\$ 1 L	.21.
		•		• D • 1 . • 9	• :					11.	7.1	675 599	41
	-			1 1	•	• •				1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		- 위 건가 - 목 약 E	4 .
• .	•	7		• 1						1	1	3 26	_ 4 _ 1
				•						<b>-</b>	• • • •	310	
			• ` • 1	• 1							7:	202	7
	• • • • • • • •		• 1								ر ر	101	3.0€
			•								1	175	
. ,	• [ • 1	• 1 • ,								-		177	7 !
		•		+		··		•			ᆂ .	<u> </u>	-
/ 4												7.2 3.5	1
42						• • • -					- •	÷ ¥ .	1.
7. 63						_		_		•		ો	1
						** ** -***							
, ,		• · · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		<u> </u>				<b>.</b>			2.5
, <i>1</i>													٦ (
	• • • • • • • • • • • • • • • • • • • •	•	<del></del>			<del></del>		<del>-</del>		·			
, ,													
Element (X)	Z x'	ZX	X	••	No. Obs.			Mean No.	of Hours wit	h Temperat	ure		
Rel. Hum.		<del>+</del> -				5 0 F	± 32 F	≥ 67 F	≥ 73 F	> 80 F	• 93 F	7	0101
Dry Bulb	•	<u> </u>					<u> </u>			<del>+</del>	· • · · · ·		
Wet Bulb													
Dew Point		1	1	!	1		l .	1	. — —				

USAFETAL NOTA 0.26-5 (O.L.A). INVIEWING SOTIONS OF THIS KNOW AND CORNICES.

**PSYCHROMETRIC SUMMARY** Stall to 1 - Al STATION NAME WET BULB TEMPERATURE DEPRESSION (F) 1 - 2 3 - 4 5 - 6 | 7 - 8 | 9 - 10 | 11 - 12 | 13 - 14 | 15 - 16 | 17 - 18 | 19 - 20 | 21 - 22 | 23 - 24 | 25 - 26 | 27 - 28 | 29 - 30 | a 31 D.B. W.B. Dry Bulb Wer Bulb Dew Participation (F) No. Obs. Mean No. of Neurs with Temperature 51.170.485 73.4 8.554 64.7 6.514 57.5 0.340 1.157242 45162153 11674553 15015334 2:19**3**2 33:370 4612 4612 596.1 405.4 184.2 2650**7**0 2650**2**0

٠į

USAFETAC FORM 0.26-5 (O.L.A) REYNO MEYNON SUNIONS OF THIS FORM ARE OBSURED

AL GROVATOLOSS ARCH Tur Turk Steeler AR

7			WET BUILD	TEMPERATU	RE DEPRESSION	( <b>E</b> )				TOTAL		TOTAL	
Temp. (F)	0 1 2 3 -	4 5-6 7-8	9.10 11.12	13 - 14 - 15	16:17 - 18:19 - 2	0 - 21 - 22   23 -	24:25 - 26:2	7 - 28 29 -	30! * 31	D.B./W.B.	Dry Bulb	Wet Bulb C	Dew Po
- <del> </del>	· · · · · · · · · · · · · · · · · · ·		1	14:13.	10 17 10 17 1					<del></del>			
			-							:	•		
				<del>-</del>								•	
,			• •	. i						1	1 .		
, 7			• • • • •								:		
		1									- ;		
<del></del> 7		7.1.6									:- : -	,	
		1.1								1.53	4.7	. 7	
; ,	1 7.7		- I - I -	•	•		•	-	. •	1 7	1	175	
	1		2 4							1 1	3 - 3		13
	4.1 2.		- 4	•1	•						. •	1"4	14
	.1 .2 1.		. 4	<u>. 1</u>						7	•	43	13
<del></del>	1 1.		** -1						. •		* -	7.	ن <del>ده.</del> ای
, .		7 4	• 1	•						,		2.	
, ::	1.2		• • • • • • • • • • • • • • • • • • • •				• •	•			. 1	2 <del>5 5 −</del> − 4 20	
		1									• •		
,	- 5, - 5	<u> </u>		* ·· ·· ·					•	•			•
	• . •	• •										•	<u>i</u>
<del></del>												,	
" 7 3	·												1
7 67	*									•	_		
1 4 °		l											
				<del></del>							•		
1 4 "	1								_	_			
77			-··•	•	_ +			-	-•	•			
1			4										
r" _ " "	. \$4.0\$2.	514. 1 9. 3	4.7 5.3	• 5,							٠.		٠,
								· · · · ·				. 25.	
				<del></del>									
	·	1											
				+		<del></del>						-	
				<del></del>		<u>, , , , , , , , , , , , , , , , , , , </u>							
lement (X)	Σχ'	ZX	X	· **	No. Obs.	ļ			d Hours wit			<u>.</u>	
el. Hum.	5/1504		3 41.1	11.555	ــــــــــــــــــــــــــــــــــــــ	5 0 F	3 32 F	≥ 67 F	> 73 F	• 80 F	+ 93 !	· T	otal
ry Bulb	124436			5.160	950	ļ	ļ .	71.P	32.4		<del></del>		ċ
let Bulb	379140			5.232	857	<b></b>		54.4			<del></del> -		<u> </u>
Dew Point	353955	7 5457	9   44.2	6.421	850	1		39.7	1.5				٤.

USAFETAC FORM 0.26-5 (OL.A) HEVITO MENTALS EDITIONS OF THIS FORM ARE DISJUELLE

STATION		STATION NAME			16-51		Y	EARS				MONTH	
										8 5 L T	1	19 : - 1 HOURS IL. S.	<del>                                     </del>
Temp.		W	ET BULB	TEMPERATU	RE DEPRESSION	(F)				TOTAL		TOTAL	
(F)	0 1-2 3-4 5-	6 7 8 9 -	10 11 - 12	13 - 14 15 -	16 17 - 18 19 - 2	0 21 - 22 23	- 24   25 - 26	27 - 28 29	30 - 31	D.B. W.B. D	ry Bulb	Wet Bulb Dev	≈ Po
7				•						2			
				. • . •	<u> </u>					1:	<u>.                                    </u>		
"				•	0 •1 •1	• 1				16	1		
		<u>.</u>	· · · ·	1.1 .						45	1		
,		• 1		1.5							2.1		
		<u> </u>	4 2 - 5										
	• i l •		1 7.	1. 1.	9 .7 .1 1 .6 .1					3 2 1	11		
· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • •	7.0 5.47	1 - <del>2 - 1</del> - 7	1.1 1.		••	•			<b>≜</b> ⊥≜ 17.	111	• •	
, ,	." 1. 3.	. <b>7.</b> / 3.	1.		6 •1 •1					1 7		74	~
<u>-</u> ,	3 1 7 1 .	1.	<del></del>		· • · • · • · ·					· .▲	ا الشخصان المانية	1 : 7	
1		5 1.	· .	7	3 • 1						-	174 1	1
- · · ·			7	•1									٠, ٠
	• •	.1	1	. 1						٠.	. 1	-	14.2
$\mathcal{L}_{I_{i}}$ , $\mathcal{L}_{I_{i}}$			1	• 1		• •	-			1.	1	67	41
1.	• * • 1									<i>:</i>		.9	- 4
	• !	.1	•	•					•			4 1	-
· ·	. •				- <del></del>			•					- 1
1 57	• '										1	-	:2
			+		-+							·	<u>. : '</u>
												1 1	٠.
										<del></del>			· ·
4 47													٠,
4 -	· · · · · · · · · · · · · · · · · · ·										-		- :
414													,
m/ 4, *	. , ,		<del></del>		<del></del>			• • •				•	•
,													:.
, , ,				+				<del></del>				. +	
- 1 T													*
, ,		018.215.	15.1	11.3 7.	7 2.3 1.3	• 3					· ,	(	
		+				<del></del>				3.5		∑~ <u>⊌</u>	_
		1						1					
Element (X)	2 x'	ZX	X	<b>₹</b>	No. Obs.	<del>                                     </del>		Mean No.	of Hours with	Temperatu	·•		
Rel. Hum.	3/18521	56437	62.7	4.124	253	5 0 F	± 32 F	≥ 67 F	≥ 73 F	- 80 F	• 93 F		
Dry Bulb	¢ 7 489	71 02		5.686	900			07.7	79.1	41.7			
Wer Bulb	4377,750	62639		5.030	200			63.7	29.4		-	- +	
Dew Point	37 - 3991	58005	64.5	7.120	900			45.3	4 . 3	i			٠, -

WET BULB TEMPERATURE DEPRESSION (F)

AFETAC FORM 0.20-5 (OL.A) REVISE MEYOUS EDITIONS OF THIS YORK ARE ORDUSTED

Temp.

A STATE SECRETARY

STATION NAME

**PSYCHROMETRIC SUMMARY** 

WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 - 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 31 D.B. W.B. Dry Buib 2 x •, No. Obs. Mean No. of Hours with Temperature Ţ 23 3537 3-3345 4 51516 7:47154 46467 51.717.927 75415 63. 6.154 63498 72. 4.897 9.10 9.10 ≥ 67 F = 73 F 36.0 88.3 Dry Buib 56713 63.2 7.343

MAN 0 26 5 1. L A

STATION	STATION NAME		YEARS		MONTH
				* * . * . 1	1 7
Temp.	WET BULB	TEMPERATURE DEPRESSION (F)		TOTAL	TOTAL
(F)	0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12	13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23	1 - 24 25 - 26 27 - 28 29 - 30 * 3	1 D.B. W.B. Dry Bull	b Wer Bulb Dew F
			• ′	•	
			• 1		
		• • •			
		1.7	•	··	
,		1. 1.	4		
-		1. 1. 2. 2. 3. 4. 4			• •
	• 2.0	1. 7.3 [1.3]	.4	11	
-	•1 •1 1•1 2•	7.7.1.4.3.4.1.1.	•	1 1	
	<u>•' • 1• 1• 1• 1• 1• 1• 1• 1• 1• 1• 1• 1• 1</u>	7.4		i :	
•	. 1. 1	•1 • 1• · 1•	• 1		
7		<u> </u>			
	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		+ <b>L</b>	
		• • • • • • • • • • • • • • • •			
,		• 1 • 1			1 4 1
			· · · · · ·		4
	• • • • • i	• •		1	
				· · · · · · · ·	• . •
/ .	• :			1 1	•
•	• •				15
· - ,					1.
7					
	• • • • • • • • • • • • •				
1 5					
-/	• • • • • • • • • •	•			
/ 4					
	and the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street of the street o				•
• • • •		······································			•
<u> </u>					
lement (X)	Z <sub>X</sub> , Z <sub>X</sub> Ž	TR No. Obs.	Mean No. of Hours		
el. Hum.		±0#	± 32 F ≥ 67 F ≥ 73 F	▶ 80 F • 93	l F Total
ry Bulb					<b>.</b>
fer Bulb		<del></del>	<del></del>		•
ew Point	- 1				

ACTION SECURITY AND A

## PSYCHROMETRIC SUMMARY

MCITATE			- 7.1		<u> </u>	STA	TION N	AME											YEARS							м	0NTH	
																							1			HOURS	7.4.7	÷
Temp.								WE	T BUL	LB TEA	APERA	TURE	DEP	RESSIG	DN (F)								TOTA	<u>.</u>		TOTAL		_
<u>(</u> F`	0	) 	1 . 2	3 ·																		* 31	D.B. W	.B. D.	8016 T	Bull	Dew	- F
			•	* •	٠.	, ;	•	•	1.	11	• [1]	"•	£°•	·	. "	• <u>5</u> .	• -	1.	•	!	• '						,	
		-		•	•	•		•	•	•		-	-			-			-	•	•		. i.	_	٠		•	
																		_										
			_																									
										•	•		•	•	-					-								
		٠		•	•	•		-		-	· · · - + ·							•	•	-	-				•		• •	
																											-	
									-	• • •										-	-							
	•	٠		•	• •					• •	-		•			-				٠	- •			-	-			
	-	•			•	•							•		• •		-	-			-		•	-			-	
																									-	_		
					:																							
	• · ·			· •																				- •				
	•	•		•	•	•	•		•		. +-		•	- •				-	•		-			-	•	-		
																		_										
		٠		•	• ~	-			- • -									<del>-</del>						-			•	
-		٠		• .		•	•			•													<b></b>	-			-	
													<b></b>	· · -										•				
ement (X)		<del></del>	x'			Ž	<u>,                                     </u>	-	- <del>-</del> 7	<del>-</del>	•,		No.	Obs.	<del>- 1</del> -			*-	Me	en No.	of Ho	re with	Temp	erature				_
I. Hum	•			7.	-+		137 :	5		-16				رز ،		: 0 F	:	: 32 F		67 F		73 F	▶ 80		• 93 F	-	Total	ı
Bulb	•		5 5 2	<del>, 7</del> }		- (-	77.	7	54.	1 6	. 74	· ·		<u>: , ;                                   </u>						9.1	-	1.5	6 `	• '	- •_'			-
Bulb			, , ,	7:1	<u>. i</u>		7 ن		7	4	. 44	7		C.3 5			$\perp$			1.		: <u>. :</u>					_	_:
w Point			<u> </u>	7-7			14	4	62.	7 7	. 44	<u>,                                     </u>		باز ه	_				3	U . T	1 .	7 . 3						


FORM 0.26.5 (OL.A) BESSE MERKAUS EDITIONS OF THE

SAFETAC FORM C. 2.

STAT-ON			STATION NA	ME							YEARS					MO	h, " H
															•	HO JRS	- <sub>5</sub>
Temp.					8 TEMPER								TOT			TOTAL	
(F)	0 1 - 2	3 - 4 _ 5	- 6 7 - 8	9 - 10 11 -	12 13 - 14	15 - 16 17	- 18 19 -	20 21 -	22 23 -	24 25 - 2	6 27 - 28 2	9 30 2	31 D.B.	W.B. D.	y Bulb	Wer Buit	Dew P
								•						•			
						• .		•	•		-			-			
					1	•	• : •		1								
						•	• • •	•									
-			· · · · · ·	·* <del>-</del> -	<del>`</del> -		• ;•	- ·	:						•		
			. : 1.	1. 1.	7 1 6	1. 1				1			•		٠.		
			• 1.	1.1.	1.1	1.1		•		i							
		.,	<u>,</u> .			•	•										
				· • · •	1 • 1	• .	• .	•					1				
•	· · · · · · · · · · · · · · · · · · ·				1 - 1	• .	•			•			·		•	11	
			1.	• * . •	1,												
,	•		• · · · · · · · · · · · · · · · · · · ·	• • •	• 1											1.1	
		. •	•	. •	•										. :	1.5	. :
	•		• • •	- 1										-		•	
*						•				•		-		•			
, ·	•	. • •							-					<u></u>		:	
																•	
,	,			• •				•		•	•		•	•	•		
· .									-								
· 4		•				-	-	•	•								•
•																	
<i>'</i> •																	
				•		. •-	•	• •	•	**	•		•				
	• - • 1	· · · · i · ·	1 • 4 1	4. 11.	1.	• 7	-1	, , ,	•	•	,	"			74		٠
ement (X)	ž x'	·	Z X				o. Obs.	<del></del>			Mana Ne	of Hours	7 u			• • •	
emenrik). Hum	- <del>-                                  </del>	¿ , •		<u> </u>	15-1		- u		0 F	- 32 F	e 67 f			0 F	. 93 -		Tora
y Bulb	4.5	5 7 .	-1,	1 1.	2 <u>6 • 1</u> •	<u>i</u>	74 7	-• -	<u>.</u>			7/.	, <u>4</u> ]		<u>:</u> •	ι,	
r Bulb		<u> </u>	1 .				74.2		+		<u> 27.1</u>	• بَسنا	3	• I			
w Point		4 - 4	47-4	2 63.	7.17	<del>_</del>	747	<u> </u>			41.0		٠				

USAFETAC NORM 0.26.5 (OLA). Hints Minklus terroms or the minemake cases, it

												Z		
	AD-	A159 6	37 B	CENTIRE DESERVAT ECHNICA ISAFFTAC	ANGS S	SOUTH C	AROLIN	A/COLUN	BIA LI ENVIR	MITED S	URF ACE	4	14	
	HNC	ASSIF	EU I	ECHNICA	L APPL /DS-R4	CATION /041	IS CENT	ER SCOT	T A	DEC 84	4/2	NI		
				↓										
I							<u> </u>	L						
1														
ĺ														
1														
Ì														END OATE FLIEB 11→85
1														11 <b>≃8</b> 5 ptic
								_						



STATION STATION NAME

VEARS

MONTH

Tomp.

WET BULB TEMPERATURE DEPRESSION (F)

TOTAL

TOTAL

Temp.					RE DEPRESSION					TOTAL		TOTAL
(F)	0 1 - 2 3 - 4 5	3 - 6 7 - 8 9 -	10 11 - 12 13	- 14 - 15 - 1	16 17 - 18 19 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29	30 * 31	D.B. W.B. D	ry Bulb	Fet Bulb Dew P
*			•							i	1	
_			· . •									
		1 .			1		-			1	i	• • •
, ,	?	1.		• 1							-	
· •	• 1	. 1. 1.		.,	:							
7 7	, a				4							-5
<del></del> ;		. 1. 1.				• • • • • •				* ; :	•	3 =
		1 1 4 1 -			•						**	,
		1	<del>.</del> .	• .	·	• • •	• •					
			:		•						1.	
	-,	1 -	<u> </u>						•		عدا د	<del></del>
		• . 1• . •	• •							* 6.		•
		***************************************							• -			7
	•	• •	•							1.	4	45 ]
	• • • •	•		<del>.</del>	·					. 4		1 1
	• '	• .								-	4	15 2
												15
												J 1
											<u></u> -	7
												i.
· · · · ·									<b>.</b>			
7												
4												
+ 7 · · ·												
/ 0												
, ,						•						
′ ′ 23												
	13.431.443	. 14.2 ^.	5 4.7 1	· n 1.2	? •? •?	+		<del></del>		* · ·• ·	ti	u,
				:						403		4-3
				1						+		
· · · · · - · · · ·				-	<del></del>			<del> </del>		-		
	1	İ						1	;			
-			1		+			+	+			· · · · · · · ·
		1		1	i i	: 1			1			
Element (X)	Σχ'	Z X	X	<b>₹</b>	No. Obs.	· · · ·	- '	Meen No. o	f Hours wif	h Temperatu		
Rel. Hum.	7 - 52 1	2729	75.512		493	5 0 F	≤ 32 F	≥ 67 F	≥ 73 F	▶ 80 F	• • 93 F	Total
Dry Bulb	2 44154	36 16	73.1 5	143	453		<u> </u>	87.7	49.8	9.7	<del>                                     </del>	
							1		4 - 6 12		1	
Wet Bulb	2271437	33375	67.7 4	937	473			58.4	14.1	i		

MOEM 0.26-5 (OLA) REVISEO ME

SAFETAC POEM

THE CONTRACT COLD OF ACTUAL CONTRACT CONTRACT

#### PSYCHROMETRIC SUMMARY

4

FORM 0-26-5 (OLA) REVIEW REVIOUS ERRIDONS OF THIS FORM ARE OMULEIS

JSAFETAC FOLM

7	į		^	:_	:	~	i.	7		Į,	^		٧		rt	۵	40-	
ŗ	Ŧ	١	Ü															
	-	•	T			,			٠		1	7	r	-	1,	٨	^	

STATION			STATION HAME					Ţ	EARS				MONT	
_											2011		HOURS IL.	. s. 1
Temp.						RE DEPRESSION					TOTAL		TOTAL	_
( <b>F</b> )	0	1 - 2 3 - 4	5 - 6 7 - 8 9 -	10 11 - 12	13 - 14 15 -	16 17 - 18 19 - 2	0   21 - 22 23	3 - 24   25 - 26	27 - 28 29	- 30 = 31	D.B. W.B.	Dry Bulb V	fet Bulb D	)ew l
5 1							,		- , -		•			
. 1.1.			7./41.717											
	• 1	. • 1 • 1	* * * * * * * * * * * * * * * * *	• ( <u>)</u>		- 6.7 Se	7.1	• • •	• '	• ^		4557		4 /
	·				*	·	<del></del>		<del></del>		45	<u>-</u>	<u>032</u>	
							+				•			
			·											
											<del>-</del>			
•	-	• •	* ·		*	•		•	• •			•		
			· · ·	•	*····									
							-		-				_ •	
				+	•	<del></del>			•					
•		••	•		<del></del>	<del></del>	<del></del>	·			<del></del>			
		1												
					<del></del>	*	· · ·							
					<del></del>		-+		• • <del>•</del> •					
-	•		· · · · · - · -		+		•	· — • · · · ·	•- ·- • ·-	<b>.</b>		-		
•					• • •					• • • • • • • • • • • • • • • • • • • •	<del>-</del>			-
			·				)							
		·		•			•							-
		•			·	<del></del>					+		- •	-
							I							
Element (X)		Z g'	2 x	T		No. Obs.	<del>† • •</del>		Mean No.	of Hours wil	fi Temperati	uro.		_
Rel. Hum.			29645:	63.2	18.27	4692	± 0 F	1 32 F	± 67 F	- 73 F	= 80 F	+ 93 F	Te	otal
Dry Bulb		$\frac{72}{257}$	3607 5	78.5	7.778	4692			678.1	554.0	333.6	.4.1		7.
Wet Bulb		2 54414	37441+	09.1		4692				235.3	• 2			7
Dew Point	1	1 174044	299290	63.5	7.063	4692	1	1 .3	322.3	30.2	1		1	7.

AL CLIMATTERUS TOA 64

## PSYCHROMETRIC SUMMARY

	\$25 \$735 BX	STATION NAME			76-27			EARS				MONTH
STATION		STATION NAME					•	LARS		p <sub>z</sub> r	1	
										174.1	1	HOURS (L. S.
Temp.		WE	T BULB	TEMPERATUR	E DEPRESSION	(F)				TOTAL		TOTAL
(F)	0 1 - 2 3 - 4	5 - 6 7 - 8 9 - 10	11 - 12	13 - 14 15 - 1	6 17 - 18 19 - 2	0 21 - 22 23	- 24 25 - 26	27 - 28 29 -	30   > 31	D.B./W.B.	Dry Bulb	Wet Bulb Dew
		• 1								•		
',-·		- <del> </del>	-,	+								
-		7.1 1.2	1.								٠.	
7 / 77	• <u>• • • • • • • • • • • • • • • • • • </u>	- • • • • • • • • • • • • • • • • • • •	• .		+			•		•		
, -		4 4 1 5	• .							1:9	} = -	49
<del></del> -	។ ព្រះបានកម្មា	3. 1.2 .!		•!				·		1 1	1 .	1 4
. , .	2 / 7			• -						i	1	109 1
= -, -, - ,	•1 • 1			• •	-• •	• •				1 .	1 -	107 1
7.61	1. 2.1	• i • '								4	44	443 1
		•			-					1	1 7	5.7 1
	• 7 • ?	• 1						<b>.</b>			٠.	
/	• 1									ì	ì	17
,		•					-					
												4
		+								<u> </u>		
/												
	1. Fr. 15.47	6.07.0.2.2		. 1	<del></del>		·	<b></b>				
1.	1. [3. jo.4]	6.6 7.5 2.5	1.	• 1	-		·	**************************************			ر د ب	
ř	1. [3. <b>1</b> 5.4]	6.0 7.0 2.3	1.	•1	-+			*				3 <u>5 9</u>
7.	1. [3. ]0.4]	6.6 7.6 2.3	1.	•1	-+	**************************************		**************************************		<u> </u>	 ۲	
	1. [3. is.ui	6.0 7.0 ?.3	1.	•1						<u> </u>	· · · · · · · · · · · · · · · · · · ·	
	3. <b>1</b> 3. <b>1</b> 9.4 <b>1</b>	6.0 7.0 2.3	1.	•1							7	
	1. [3. ]0.4]	6.0 7.0 ?.	1.	•1				•				
	1. [3. ] 9.4 [	6.0 7.0 ?.	1.	•1								
	1. [3. ] b.4]	6.0 7.0 ?.	1.	•1							7	
	1. [3. ] b.4]	6.0 7.0 ?.	1.	•1							7	
	1. [3. ] 9.4 [	6.0 7.0 ?.	1.	•1							7	
	1. [3. ]o.4]	6.0 7.0 ?.	1.	•1							. 7	
	1. [3. ]o.4]	6.0 7.0 ?.	1.	•1							. 7	
	1. [3. ]o.4]	6.0 7.0 ?.	1.	•1							. 7	
	1. [3. ]o.4]	6.0 7.0 ?.	1.	•1							. 7	
	2x <sup>2</sup>	6.0 7.9 ? 2 <sub>X</sub>	1.	•1	Ns. Obs.			Meen No.	of Hours with			
Element (X)		2x 71523	*		859	5 O F	= 32 F	≥ 67 F	≈ 73 F	h Temperat		359
Element (X) Rel. Hum.	Z <sub>X</sub> <sup>2</sup>	2x 71520 6323 <sup>2</sup>	7 87.3 73.6		859 359	s o F	= 32 F	≥ 67 F	• 73 F 56 • 8	h Temperat	ure = 93	359
Element (X) Rel. Hum. Dry Bulb Der Point	Z <sub>X</sub> ,	Z <sub>X</sub> 71520 6323 <sup>2</sup> 6-147	X 82.3 73.6 73.1	2.570	859	s o F	= 32 F	≥ 67 F	≈ 73 F	h Temperat	ure = 93	359

NORM 0.26-5 (O.L.A) REVISE MEVILS EDITIONS OF

TO MAL COITHWINGOSY STITAT STATE SERVICE

STATION	<u> </u>	STATION NAME				YI	EARS				MONTH
									ع ۾ ه	1 .	HOURS (L. S. T.
Temp.		WET	BULB TEMPERATU	RE DEPRESSION	(F)				TOTAL		TOTAL
(F)	0 1 - 2 3 - 4 5	-6 7-8 9-10 1	11 - 12 13 - 14 15 -	16 17 - 18 19 - 2	0 21 - 22 23	- 24   25 - 26	27 - 28 29	- 30 - 31	D.B. W.B. 0	ry Bulb Y	for Bulb Dew P
-				• 1					i	;	
				<u> </u>	. 1				عافا ا	4.	_
			• •	2 .4 .7	• 1				l.	i	
			u						1.		
• c		• `	• 2 2 • 1 •						4 T	4.7	
<u> </u>			2.7 1.7 1.								
,	_	• 1•3 5•3							1 :	1.	
^ (		• " . ] • ] . ] • ] _	<u> </u>			• -			. 1	1.	-
7		** ***	1.1						} += 4 <sub>4</sub>	} - 3	_
, , - · · · <b>,</b> · · ·		•4 7•8 2•6 - 3 #	• - • 4 •	1					. 1	1.	. د د
, , , '	1.1 7.1 7	•: 2•4 •:	, ,						i,		1 0
	1 - 1	* 1 · · · · · · · · · · · · · · · · · ·	• 7 • 1					- •	. , .	٠ ڊ ي	1 74
	. 1.	.4 .1	• '						, 4	-	243 17
								-		$-\frac{\sqrt{1}}{1}$ .	$\frac{162}{26}$ $\frac{17}{17}$
. 5	9	•1							. 1		60 1
67 67		· · · · · · · · · · · · · · · · · · ·	- <del> </del>						: -	, ,	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
1 9	•								•	-	17
7									• • • •	· · · · -	
/ 50											
					<del></del>	·-·	*·-				
,											
. / 5											
		· ·									
t .	4 - 1 - 11 -	.117.921	2.3 9.9 5.	: 2•2 •c	• 2					i.	© 1
<b>-</b>				<del></del>					. 21Z.		×12
	. + +		i			+					
	i !		:	-							
		<del></del>	<del></del>	<del></del>	<del>:</del>		·		·		
	•			1							
•	• • • • • •			+	•						
		!			: !		į	İ			
Element (X)	2 1	2 x	X Ta	No. Obs.	<del> </del>		Mean No.	of Hours wid	h Temperatu	•	
Rel. Hum.	112547		5.012.901	912	= 0 F	± 32 F	≥ 67 F	≥ 73 F	- 80 F	→ 93 F	Total
	11545	74534 8	1.7 5.248	212	<del></del>	<del>                                     </del>	92.6		62.5	1.5	· · · · · · · · · · · · · · · · · · ·
Dry Bulb	11070										
	4.71614		3.0 3.378	912	<del></del>	<u> </u>	58.6		8		, 91

STAT ON		STATION NAME				**	ARS				MON1	
									ř · · ·	:	HOURS IL	
Temp.				RE DEPRESSION					TOTAL		TOTAL	
(F) 0	1 . 2 3 . 4 5	-6 7-8 9-10 11-	12 13 - 14 15 -	16 17 - 18 19 - 2	0 21 - 22 23	- 24 25 - 26	27 - 28 29	30: ≥ 31	D.B. W.B. D	ry Bulb	Wet Buib C	) P
<del>/;</del>	· · · · · · · · · · · · · · · · · · ·				+		•					
1.					_ 1		. 1					
· ;		*···					• 1		• •		· · · ·	
					.7		. 1		1	•		
					<del></del>	-						
· ,				, ,	.,	•						
				1. 1.		,						
, ,		• •	4 3		• • •					1 .		
	•		• •	•	· • ·	•		-		1 .	•	
		. 1.5 3.4 4.							, -	1 .		
-			1	. •						- · -		
	• •	• ' [•] [• ] • ]	1.7	•					2	,		
			<u> </u>			··· •—-			· ·	`		
, - •	• 1	•2 1•2 1•	·	<b>:</b>							۷.	
		• • • • • • • • • • • • • • • • • • • •	• • •						1	1	157	
' /	• / / • 1	• • • ? • • 1							٠,٠	- '	217	4
	. •1. •1.	•1, •1,				•			<sup>1</sup>		130	-
<i>r</i>	• 4 • 4									+1	143	1.
	• .								. 1.	7.	71	1.
6 !	• '								*;		<b>با</b> د	1 4
									····	<b>.</b>	17	<u>1 :</u>
/ 1											?	7
t ·												
1.00												
- <del></del>												à
./ 5						_						
					2.1			_ •				
1	1.314	.2 2.142.343.	319.714.	710.3 5.5	3.1.1.	2.1.2				11.		
									51.		+1_	
		•			1							
					<u> </u>						_	
•		-										
lement (X)	2 x'	2 x	<b>₹</b> ,	No. Obs.			Mean No.	d Hours wil	h Temperatu	re		
lel. Hum.	28 1735	49354 54	713.512	91.	± 0 F	≤ 32 F	≥ 67 F	± 73 F	≥ 80 F	+ 93 1	·T	0101
Dry Bulb	68 9934		5.928	012			93.0	90.9	82.3	17.	7	٠,
Ver Bulb	4997774	67444 74.	3.341	212			90.6	64.2	2 • 3			
Dew Point	4209734	61836 67.	4.319	912			60.9	13.9		•		4

NE OLIMPICECAM RABICH 20 LT20 CATOLR BEHMTCLYMAG

			1 & £	1 15 HOUR	s
Temp.	WET BULB TEMPERATURE DEPRESSION (F)		TOTAL	TOTA	
(F)	0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 -	28 29 - 30 - *	31 U.B. W.B. (	Dry Bulb Wet Bu	1F C
73 .	• • •	1			
$-\frac{1}{1}$		<u></u>	:11 -	<u></u>	
1 37	• • • • • •	1	i	1	
	• • • • • • • • • • • • • • • • • • •	·	<del></del> -	<del></del>	
			3	. 1	
<del></del>	•			· <del>- / -</del> · · -	
			١.	1	
			- 1	1 7	•
	1.1 2. 3.1 2.7 1.5 .4 .4		7	ا ان-	
<u> </u>	.4 .1.7 2.2 2.3 .5 1.4 .1			7	-
] ,	•1 1• . •7 ?•1 1•1 1•		· .		
	• 1•1 • 1•1 • 2 •1			1	<u>-</u>
7 ' 77	• 1.7• 1.4• 1.4 . • 1.2		, -	1.	•
7	1.11.2	•		ī	3
16 7 T	•7 1•2 1•·		- 4	1 · .	-
77 / 11	• 2 • .			14.	
4 6 7				. *,	ų.,
	• • • • • • • • • • • • • • • • • • • •			· · · · · · · · · · · · · · · · · · ·	5
51.	• .			1	7_
				;	:
<del>-                                    </del>	··· • · · <del> </del> - • - • - • - • • • • • • • • • • • •				
) / s	1				
- /	a de la la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la casa de la			•	٠
. ′	2. C. C. C. C. C. C. C. C. C. C. C. C. C.	•		1.1	
		<del>'</del>		- <del></del>	 U
			• •	•	
· ·		<del>-</del>			-
•	*				•
Element (X)		on No. of Hours		•	_
Rel. Hum.		67 F = 73		• 93 F	. T
Dry Bulb	· · · · · · · · · · · · · · · · · · ·	<u> </u>		<u> </u>	
Wet Bulb		1.5 6.		<del></del>	
Dew Paint	3631671 54677 67.2 4.931 814 5	6.C   11.	1	<u> </u>	

STAT ON	1111	STATION NAME		<del></del>		EARS			MOH	TH
								1 ;	HOURS IL	. S. T
Temp			ET BULB TEMPERATUR	RE DEPRESSION (	F)		TOTAL		TOTAL	
(F	0 1 - 2 3 - 4	5 - 6 7 - 8 9 -	10 11 - 12 13 - 14 - 15 - 1	16 17 - 18 19 - 20	21 - 22 23 - 24 25 - 26	27 - 28 29 - 30 + 3	D.B. W.B. D.	ry Bulb Y	Ver Bulb C	Dew Pa
					•			1		
					1.				_	
	• • •	•- •	• • • •	•	•1 •7		7	~		
				•	<u>• i                                     </u>		<u></u>			
			•: •	l . ·	• 4 • 1		2 %	į ·•		
			• • • • • • • • • • • • • • • • • • • •	<u>: •4 • • * </u>	<u>•1</u> •1					
	, ,		* * * * * * * * * * * * * * * * * * * *	1.7 .1			_ t-			
- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		. • . •		• <u>• <u>1</u> .</u>	. <u></u>		. 532	<u>.</u>		
•		• • • • • •	. 7 . 7	7 .4	• 1		1	.7		
		_• _ <b>.</b>	·							
•	• • •	7•1 · 1• · 7•	(4 · · · · · · · · · · · · · · · · · · ·				5,	-		
	1.	<u> </u>	<u>:</u>	<u>i</u>	<del></del>		7 -	<u> </u>	_ 1	·
r 7	• • • • • • • • • • • • • • • • • • • •	j• / ]•1 •	• • • •				14	7 -	> 1	;
•							5	7.5	141	<u>.</u>
	1.2.2.5	• • • •					* 7	. i	199	٠
, , , , , , , , , , , , , , , , , , ,	• 4 . • • . <u>]</u> •	••,	1					- 34	4 2 4	1 -
	1.	• 1					: 1	11	1.1	1 1
	• • • •	• •							41_	1 .
										' '
=										
,	1								4	,
<del></del>					<del></del>	· · · · · · · · · · · · · · · · · · ·	<del></del>			
c , c										
···		•				•··· • · · · · · · · · · · · · · · · ·	·· · · - ·	-		-
,	•									
	•		• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·				•		
	.1 7. 13.21	4.715.014.	117.1 9.7 5.9	. 7.4 7.7	1.1 .7 .3			753		7.1
•				<u> </u>	· · · · · · · · · · · · · · · · · · ·	<del></del>	7 £ 1		74.1	
							• • •		-	
			<del></del>	<del></del>					•	
									•	
-										
						<del> </del>				
Element (X)	2 x'	ž <sub>X</sub>	Ÿ FA	No. Obs.		Mean No. of Hours w	ith Temperatur			
	75 9649	2 <sub>x</sub> 5,329	¥	761	± 0 F = 32 F	Mean No. of Hours w	ith Temperatur	• 93 F	·	Total
Rel. Hum.	2x <sup>2</sup> 75 9649 6357		<del>+</del>		1 0 F 1 32 F	<del></del>	• 80 F		, T	Total
Element (X) Rel. Hum. Dry Bulb Wer Bulb	75 9649	5,322	66.115.432	761	± 0 F = 32 F	≥ 67 F = 73 F	. 80 F		,	Total

USAFETAC FORM 0.26-5 (O.L.A) HEYND MENOUS BRITONS OF THIS FORM ARE OBSOUTED

STATION	<u></u>	STATION NAME		"4-, 7		YE	AS				MONTH
									F.	1	1 - 23 HOURS 1. 5. T
Temp.			BULB TEMPERATI						TOTAL		TOTAL
(F)	0 1-2 3-4	-6 7-8 9-10	11 - 12 13 - 14 15 -	16 17 - 18 19 - 20	21 - 22 23 - 2	24 25 - 26	27 - 28 29	- 30 + 31	D.B. W.B. D	ry Bulb	Vet Buit Dew F
- G		i i	• *								
	- · · · ·			<u></u> . •			+	•		<u>.</u>	9
,		1.4.1.	1								
<del>/</del>		1.4.7.	1		<del></del>					<del>, , ,</del>	
, -	. 1.		• • •						114.		<u>.</u>
7 7 7 7		• 5.5 •5	• •			-					7
		• <u>f</u>					-		. I.	- ` .	iz.
, .			• *						1 .	}	1 -
() (	2 4 1	<u>•</u>						•	- <u>- 1</u>	<del>-</del>	131 1
. 67									, ,	,	. 45 <u>. 1</u> .
	- · · · · · · · · · · · · · · · · · · ·						•	•			7
											- i
<i>'</i> :											_ 1
					·						
· · ·		* · · ·					• •	• •	• · · •		• •
	. 2 . 2 . 46	.712 7.4	4 2.0 .	6 . 2						1.1.	
									1		: 1
					<del></del>	<del></del>			<del></del> -		
	4 1										
	· · · · · · · · · · · · · · · · · · ·		· <del></del>					_ •		-	
	; ; <u> </u>			··-+	<b>.</b>						
	1										
											-
	1										
•			······································								•
•										•	•
Element (X)	2 x'	Z <sub>X</sub>	X C	No. Obs.			Mann No	of Hours wit	h Temperatu		
Rel. Hum.	30 (1.56 Z )		7.411.664	51	10F	: 32 F	≥ 67 F	4 73 F		. 93 F	Total
Dry Bulb	11027		6.1 7.993	551			92.6	76.1	19.0	<b>←</b>	•
Wer Bulb	2527554		1.5 2.923	501			: 7.1	21.4		<b></b>	· · ·
Dew Point	234372		P. 3 3.710	501			65.9	11.4	,		

STATION	( "11/4 "14"	STATION NAME					YEARS			<del>-</del>	40NTH
										HO JR S	·
Temp		WE	T BULB TEMPERA	TURE DEPRESSION	(F)				TOTAL	TOTAL	
(F)	0 1-2 3-4 5	-6 7-8 9-1	0 11 - 12 13 - 14 15	5 - 16 17 - 18 19 - 1	20 21 - 22 2	3 - 24 25 - 2	6 27 - 28 29	- 30 + 31	D.8. W.8. C	ry Bulb Wet Bul	b De
- 1						•	• 1		•		
					• 1	• 1 • _ *	<u> 1</u>		1/	•	
				•	• 1	•	• 1		-		
					<u>-</u>	•	•		i. +	:	
			• "	• • •	• '	• " • "					
;				<u>. 1.1</u>	•=	•		* .	1	4	
		•	. 1.1	• "	•	• !					
		•	, _, •_, . ; •	1.4	•						
1		*		•	• •				*		
		•		· · · · · · · · · · · · · · · · · · ·	• • .			96		<u>.</u> .	
	•	• • • • • •	1 1	• 1						,	
, ,			- 1		•	-					
<b>,</b>	• 1•1 4		7 1	• •						4	•
,	وَ مِنْ مِنْ مِنْ مِنْ مِنْ مِنْ مِنْ مِنْ	·:	<u> </u>				*			·	
	4		1						61		
	1 1 1 4 2 2 1		' <del>*</del>		•	•	•	•	4 1	11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00 11.00	
	1. 1.										
		·					•			124 . <del>6</del> 96 374	
		•								1 4 0	
17.7		•	•							77	Ť
	•									1 19	,
										-	
/ Turn						•					
			· · · · · · · · · · · · · · · · · · ·							-	
' .	· 11•115•42	• • 11 • • 11 •	. 3•'' u•'d i	4 5.7 2.	1.6	• 6; • 6	• •			• • •	4
							<del></del>		<u> 476 </u>	. 4.75 .	-
	· - · · · · · · · · · · · · · · · · · ·								· ·		
Element (X)	2 g 2	Z <sub>K</sub>	X Tx	Ne. Obs.	1		Mean No.	of Hours wi	th Temperoru	.re	_
Rel. Hum.	221112	314743	56. 17.1.3	475	1 10 F	: 32 F	≥ 67 F	₹ 73 F	. 80 F	. 93 °	7 6
Dry Bulb	51-14455	327547	51.4 7.31?	4759	Ţ	1	734.3	458.3	42: , 7	21.2	
Wer Bulb	25,47361	344947	72.5 3.522	4754			7.4.5	385.7	7.3		
Dew Point	2212502	323859	66. 4.415				<del></del>	1,4.9		•	

# PSYCHROMETRIC SUMMARY

MONTH -

314.134					3.41104	1 11 11 11 11													.04
																	•	HOURS	
Temp.						WI	ET BULB	TEMPERATI	URE DEPRES	SION (F)						TOTAL		TOTAL	
(F)	0	1 - 2	3 - 1	4 5 - 6	6 7 - 1	8 9 - 1	10 11 - 12	2 13 - 14 - 15 -	16 17 - 18	19 - 20 21	- 22 23	24 25	26 27 - 2	8 29 -	30 • 31	D.8. W.	B. Dry Buil	Wet Bu	t De- P
,					•														
				•	:	. •													
5				1.4	i .	•				-	-						. ~		
,,		1_				<u>;                                    </u>												,	
, ,	-	•	• 1	1 ~ • 1		-										1	; -		-
	•	1 • 1		· ·	•	`. •					-		-				;	197	
i	•	10.0		•	•	•										1	: ·	_ ' ` i	i
	• •	. • 4,	. 7 •	, 1 •												3	ì	1 5	
•	•	• .	•	•	•	•										2		11-	1 -
		_ i • 1	.1•	•	•	-										1	٠		-
		· ·	•	• .	ı • 1	7											•	;a .	~
· · ·		· • .	. •	, .			-											1	
		• '	•	• :	•														
																		i	
																		-	
,						-						+						1	- :
, .																			
		1	į ,	· is .		1 .		• • • • •		+					+		- ;	-	
	• •	. • .	•		• :	•	•									7			
			•		•		•									- '		•	
	•	•	•	•	-						-								
	-	•	•	•	•	•	•			- •	• •	•		•			•		
					_														
									-	-	-				•		•		-
			,		-	· • -										_	_		
					•			<del></del>						·					
																			-
Element (X)		ž "			ž <sub>X</sub>		<del>-</del> <del>-</del> <del>-</del> <del>-</del> <del>-</del> <del>-</del> <del>-</del> <del>-</del> <del>-</del> <del>-</del>		No. Obs				Neces	No. of	Hours wi	A Tenne	Intura		
Rel. Hum.	•	٠ ن	5	- •	•	7 - 1	35.4		: 7		10 F	: 32 F		7 F	≥ 73 F	• BO	•	F .	Total
Dry Bulb	•	4 - ,	5:7	· •	7.71	73:4	7/.	7.74	+				1,5		46.5	1.		•	
Wet Bulb	•	1.74			***	<u>- 15</u>		3.F90	7				7 5		200	·			· · · · ·
Dew Point	•	4-	56	* * *	5	557		4.53	07				٤5		13.0	<del></del> -			

C FORM 0.26.5 (OLA) BEYND REYNUS EDITORS OF HIS NORM ARE C.

ISAFFTAC POINT

STAT ON	5	TATION NAME		YE ARS			ଲିପି√ିନ ଅନୁମୁଣ ମଧ୍ୟନ୍ତ ଓ ୯
Temp .	0 1 2 3 4 5 6	WET BULB TEMPERATUR		24 25 - 26 27 - 28 29		D'AL	TOTAL Net But Dem Po
	<u> </u>		•				
		· · · · · · · · · · · · · · · · · · ·				-	
			· · · · · · · · · · · · · · · · · · ·	• - •			
						•	
			• *				
	•		• 1				
	• •			•			1.
			•				
	• • •	• •					162
	• •	•1			-	19 19	- 1
	• •	•	•	•			
	· · · · ·						. !
*		· · · · · · · · · · · · · · · · · · ·		<del></del>			
					_		
,							
	• in• in•	11.117. 11. 7.21.1				•	
	• • •	+	*			•	, →3₩,
	• • • • • • • • • • • • • • • • • • •	·	. +		• •		
			-				
lement (X) el. Hum.	Σχ <sup>2</sup> μφ:μς 7	Z <sub>X</sub> X T	No. Obs.	Mean No. ± 32 F ≥ 67 F	of Hours with Te		T
by Bulb	6713	75141 8 10 5.194	737	¥2.6	27.5	80 F . 91	F Tatai
er Bulb ew Point	<u> </u>	67735 77.5 3.366 64174 69.5 4.893	730	71.7	24.2		

USAFETAC FORM 0.26.5 (G), A) 11-16 Mission terror terrors terrors of the result is 171

NOTE TO A TOTAL TO A STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF T

#### **PSYCHROMETRIC SUMMARY**

WET BULB TEMPERATURE DEPRESSION (F) TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 \* 31 No. Obs. Element (X) Mean No. of Hours with Temperature X 737.4 52197 56.112.466 93026 36.5 5.767 637.3 73.7 3.758 93. Dry Bulb 5 171 ° 63.3490 93.3

FORM 0-26-5 (OLA) BEYISE MEYROUS FORIONS OF THIS FORM ARE OBSVIET

STATION	STATION NAME	i <u>4 - c. 1</u>	YEARS			MONTH
3.41134	J. H. W. H. H.			٠	1.7	1_1_1
			***			HOURS 5. 1
Temp.		TEMPERATURE DEPRESSION (			TAL	TOTAL
(F)	0 1-2 3-4 5-6 7-8 9-10 11-12	13 - 14 .15 - 16 .17 - 18 .19 - 20	21 - 22 23 - 24 25 - 26 27	28 29 - 30 + 31 D.B.	W.B. Dry Bulb	Wet Bulb Dew F
1:			• 1	• 1	4	
, ', ', ', ', ', ', ', ', ', ', ', ', ',				1	÷	
				4 • 1	•,	
<u></u>			<del></del>	1	<del></del>	- <del></del>
		•		-2	1 4 1 6	
	- · · · · · · · · · · · · · · · · ·	1. 1. 1.			17 - 17	
		3.5 4.5 7.7 1.7	• •	,	37 34	
		4.6 2.7	• • • • • • • • • • • • • • • • • • • •		11 111	
		4.2 2.1 1.0	• 1		7.5 12	
· · · · · ·	1.13.	2.1 1.7 1.4 .7	- <del></del>		1 11	
	• 1 • 7 • 1 • 1 • 1	.7 .7 .7		1	7. 7	
7 1	2	1.2 .4 .7 .6			- <del> </del>	
• •		.4 .2 .7			· ·	1 č
7 / 7	1.1.1				74	153
2.9	. 1.				7	1:7
	· · · · · · · · · · · · · · · · · · ·	•?	• • •			214
1 7	• 6 1 • 6 • 1				15 15	23 1
* * * * * * * * * * * * * * * * * * * *	• • • • • • • • • • • • • • • • • • • •					° 2 1:
6 <b>6</b> 7	• • • • • • • • • • • • • • • • • • • •					73 13
; * .						
	· · · · · · · · · · · · · · · · · · ·					4 .
						٠ ۲
		· · · · · · · · · · · · · · · · · · ·				<u> </u>
						· ·
		······································				
<b>,</b>						1
<b>.</b>						
	i ,					
	. 2. 5.4 4.5 9.511.014.51	7.014.211.7 4.2	1.8 1.7 .5 .	7 - 7	C = 1.	•
					24	_
	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	<del></del>	<del></del>		
				i		
Element (X)	Z <sub>X</sub> , Z <sub>X</sub>	TA No. Obs.	Me	en No. of Hours with To	npereture	
Rel. Hum.		5.054 924	± 0 F ± 32 F	67 F × 73 F ×	80 F 93 9	Total
Dry Bulb		6.309 824	9	3.0 89.5 7	. 7	ς
Wet Bulb		3.515 824		8.7 64.5		
Dew Point	3773195 35595 67.5	5.196 924		2.9 11.4		4

TO SECULIATE DO CORANGA CONTAC CONTAC SERVICE /MAC

#### **PSYCHROMETRIC SUMMARY**

É

STATION			STATION NAME	•			167					₩0	• • •
										P 5.27	i	HOURS	
Temp.					RATURE DEPRESSIO					TOTAL		TOTAL	
(F)	0 1 - 2	3 - 4 5 - 6	6 7-8 9	- 10 -11 - 12 13 - 1	4 15 - 16 17 - 18 19 -	20 21 - 22 23	- 24 25 - 26	27 - 28 29	- 30 : = 31	D.B. W.B.	Dry Bulb	Wet Bulb	Dew P
•	<del></del>					• ;				1	•		
						• 1	. 3						
,		•	•		· · · · · · · · · · · · · · · · · · ·						_,	•	
,						• • 1				ė			
7 .				. 4	• )	• 1							
				.: . 1.9		3 • 1				2.			
	• • • • •	• -	• 1 1	. 1								•	
· .			1.3 3	. 1 2.1		•				<u> -                                   </u>			
,		1.	4 4 • ° 3	• 4 1 •			*			7	7.7	-	-
,		1.2 4.	<u>. 3• - ⊃</u>	.7 1.7 .4	. 5					1 5	1		
7			5 6 5	• 7 1 • • 1						1 4	. <u></u> j. 4		
7	2.	4. 3.		•1 •6 •4						٠. ٠	4.5	79	
7	.1 1.	7.11.		. 4						1 772	•	14.4	
1.7	• • • • • •	2.1 1.	7 .4	•							, .	1 2 5	1.
1		1.	3 . 3	.1 .1				•	•	+ 7	4 -	ī	17
1 5	• 1	. 7	4 . E									94	1 4
5.		al .	1					•	•	· · = - = 7			1.7
4										1	i		
. ī													··
, .												c	
-;	• • • •		- +		· · · · · · · · · · · · · · · · · · ·							· <u>-</u>	
1		i										_	
					<del>-+</del>								
													•
-7 - 1	• • • •	- +											
•		7. 17.	116.614	. 410 . 1 . 7 . 1	3.0 1.6 .	• •6		_1		•	77	•	-,
	1			•	•		•			77.		77.	
•	+ †				<del>+</del>							·	
		1	•		1								
	•			<del></del>	<del></del>	*							
•					<del></del>								•
					<u> </u>				i				
lement (X)	Σχ'		Z X	T .	A No. Obs.			Mean No.	of Hours with	Tempera	·ure		
lel. Hum.	7 - 41	7.	53987		67 77'	1 0 F	2 32 F	≥ 67 F	≥ 73 F	■ 80 F	<b>→ 93</b> (	-	Terei
Dry Bulb	4 59	4 7	61640	36.1 5.5	35 770			92.9	£3.9	٠	1.		
Wet Bulb	4315	771	55384	72.6 3.5	88 773			_ 56.8	53.	. 1			
441 0010					51 770								

USAFETAC NOM 0.26-5 (OLA) REVISE MENDUS EDITIONS OF THIS NOM ARE OBJUSTED

AS TANTE OF STANISH ASACH CONTRAL GARL W.

#### **PSYCHROMETRIC SUMMARY**

STATION	ting the same	STATION NAME			- <del>4-</del> 53		· · · · · · · · · · · · · · · · · · ·	EARS				MONTH
										<b>⊬</b> 1	i	1
Temp.	<del></del>		ET BULB	TEMPERATU	RE DEPRESSION	(F)				TOTAL	_	TOTAL
(F)	0 1 - 2 3 - 4	5-6 7-8 9-	10 11 - 12	13 - 14 (15 -	16 17 - 18 19 - 2	0 21 - 22 23	- 24 : 25 - 26	27 - 28 29	- 30 - 31	D.8./W.8. D	ry Bulb 1	Yet Bulb Dew !
, .				• `						•		
		·····	<u>·</u>	·						<u> </u>		
- Z _ ;	• '		, 4							1 .	:	
	• • •							<b></b>				
,	`•21 • • :	• • ?										Ĺ
<del></del>										<u>. i .</u> _	<u> </u>	_ · · ·
		• 4	• '							r.		116 .
		• • • • • • • • • • • • • • • • • • • •				- • •				- '	3.7	102.11
	• • • • • • • • • • • • • • • • • • • •	• 1 • 6								٠.	٠,	2 y
	. <u> </u>	•: • 4									<u></u>	<u>```</u>
3		• 4										12
												- 1
												1, 4
,												٤.,
, ,												
				· · · -								•
,	20 CA 117			2								_
-i · · .	• 4. • 4	11.4.7.	4 1.	<u>.                                </u>				• • —				
										5 :		51. u
- •	• • •				<b></b>							
					<del></del>			·				
•	• • • •				· · ·	• • • • •	. 4		•			
+	• •	•		•	• • •		•		•		-	•
	1											
•	- +			·	_+	· ·						
			•	•——	<del></del>			•				
•	• • • • •			+		-+						•
						1						
Element (X)	Z X'	ZX	¥		No. Obs.	<del>                                     </del>		Meen No. o	Hours wiff	Temperatu	•	
Rel. Hum.	3577571	4.659		9.653	500	10F	: 32 F	≥ 67 F	≥ 73 F	• 80 F	• 93 F	Total
Dry Bulb	12-35	37456		3.741	500		1	92.3	68.6	9.3		÷
	25.16771	35431		3.490	500		1	83.7	53.7			+
Wet Bulb												

USAFETAC NORM 0.26-5 (OL.A) REVISE MENOUS EGRICOMS OF THIS YORM ARE OLDUSTED.

NO SAN CHIMATCHOS COLANCH NO LIAC

# PSYCHROMETRIC SUMMARY

STATION		STATION NAME			-	•	¥	EARS				MONTH
										3 <b>6</b> 7 °		OURS L. S. T
Temp.			ET BULB	TEMPERATU	RE DEPRESSION	(F)				TOTAL	T	DTAL
(F)	0 1 - 2 3 - 4	5-6 7-8 9-					3 - 24 25 - 26	6 27 - 28 29	- 30: = 31	D.8./W.B. D	ry Bulb We	Bulb Dew F
· · ·			10 11 10					<del></del>			·	
/:										4	<b>.</b>	
77.1	• • •						1				÷ •	*
4						_ 1		- 1	•	1.4	i -	
. ~ ; - +					• • • )	• 1	.1					
: *											3.7	
•					7 .6.			· · ·		<del></del>		
/ ;			_	1.4 1.			• ^			23.1	1.1	
	•		1.	<u></u>	2		= •		•	= 311	7	*
4.0		1.		1.:	7	. 0				37	31	
		• 1 1 • 2 3 •	7 1.	1.1	7 .4	,					·	
•	• .	. F 2 . 3	6 1.t	• 5	7					4	47.	
		2.3 2.4 1.	·	• 7 •					•	4		1
/ 7 .	. 1.	3.2 1.6 1.	3	,	2 • 1					4 7	4	26
17 97 1	11. 13.5	2.2 1.4		•1		-			•	4	47.	ςς <b>μ</b> * ΄ <u>,</u>
. 7	2.2 7.7	1.0 1.	5 "	•1						645		٠
1	4.1 7.5	1.3	3	• 1			- <del></del> ·		-	442		58 <b>4</b> 6.
7 1	.1 3.0 2.3	-3 -4	1							34		835 104
	17.11.1	- 4 .6	7							<u>271</u> +		576 5
. 4;		.: .? .	¥							117		362 7
ファドカナ		• •1			<del></del>					40		3
1 1 F		• • :										l 😽 - 2 c
1 51	•1 •	·	•				•			·		79 71
• 7	•	• 1								Ų.	-	35 14
7 7.7										*·		7 1
, / 5	1											
WA 65.5									•	• •	•	1
:4 :				•								
, ,		• • • • • • • • • • • • • • • • • • • •			·							
4 17		i '				1						
·	. 14. 16.51	2.612.311.	417.0	F. 5 5.	3.P 1.F	. 7	.4 .4	• 2			1931	4
		. :								48 1	4 9	3.1
										-		
lement (X)	Z <sub>X</sub> ,	Zx	Ť	-	No. Obs.	<del>-</del>	····	. Heen Ma	of Moure will	A Temperatu		
Rel. Hum.	242327 3	332375		5.812	4 ^ 3 1	± 0 F	± 32 F	≥ 67 F	■ 73 F	- 80 F	• 93 F	Total
Dry Bulb	314724 1	398317		7.320	4331	† <del></del>	<del>                                     </del>		627.7		•	7.
Wet Bulb	2 327654	349254	72.3		4931	+	<b>†</b>		u38.9	1.5	<del></del>	74
Dew Point	22051759	329959		4.889	4831	<del> </del>	<del> </del>		131.2	+	<del></del>	74
								1	,		4	

USAFETAC FORM 0.26-5 (OL.A) TEVIED MENOUS EBITORS OF THIS FOUR ARE OLD USER

·	24 80 F T 37 1 80;				74-83			EARS				MON	.,
STATION		STATION NAME					•	LAND			1	್ರ HOURS ((	
Temp.			ET BULB	TEMPERATU	RE DEPRESSION	(F)				TOTAL		TOTAL	_
(F)	0 1 - 2 3 - 4	5 - 6 7 - 8 9 -	10 11 - 12	13 - 14 - 15 -	16 17 - 18 19 - 2	0 21 - 22 23	- 24 25 - 26	27 - 28 29	- 30 = 31		Dry Bulb		Dew P
, ,	•		1										
7		• '								14			
7	1	1								٤	*	ز	
		<u>• • • 1 • •</u>	<u>:</u>								·	<u>. 74</u>	
	• • • •	• • •	••							1 4	4 44 14	117	
· · · · ·	· · · · · · · · · · · · · · · · · · ·	•4 • 7						· · - · · · · · · · · · · · · · · · · ·			1	. <u>1</u> 95.	!
		• •	,							* #	• '	1	1 ~
		1	·	• • —				-	-		5 	; <u>t</u> .	. `
· /			1									7.	
	1 1 1							· · · · · · · · · · · · · · · · · · ·				+2	
1 : 5	1.7 1.1	,	4								•	42	4
											1	<del></del>	
/ -	• 7 1 •	• • • •								۲.		ر ا	
/	• • • • •	•1 •7					•			1:	1 '	2 u	
/	• i 1 •	•1								1.5	1 ~ .	. <b>?</b>	
7 0.7												11	1
/ u												11.	
4/ - 1												:	1
	+		+		· · · · · · · · · · · · · · · · · · ·					···			
	<u> </u>												À
<del></del>													
	.14 .115.	9.8 4.3 1.	, ,										ين د
<u> </u>	• • • • • • • • • • • • • • • • • • • •	· • • · · · · · · · · · · · · · · · · ·	• 1			<del></del>		•		F42		34,	4
					1					F 4 2		24.	
-				·	<del></del>			•				-	•
				1									
• -												·	
		· · · · · · · · · · · · · · · · · · ·											
				<del>                                     </del>									
			i	!	1	i							
	<del></del>	<del></del> ,		<del>+ - + +</del>		<del></del>		ــنــــ	<u> </u>				
Element (X)	2 x'	Σχ	X	<b>7</b> 4	No. Obs.	105	T - 20 -	· · · · · · · · · · · · · · · · · · ·	of Hours with	<del></del>			
Ref. Hum.	3 54172	712d <sup></sup> 56720		0.507	942	10F	± 32 F	≥ 67 F	# 73 F	- 80 F	<del>- 93 !</del>	•	Total
Dry Bulb Wet Bulb		54286		6.179	842	<del> </del>	<del> </del>	57.5	17.7	- 1	<del></del>		
Dew Point	3539474 3345766	52564		7.933	842	<del> </del>	<del> </del>	37.5	4.0	<del></del>	<del></del>		<u></u>
	2343700	74304	94.0	10733	0 7 6	·	1	1 3 1 0 3	1.1				- 3

USAFETAC FORM 0.26.5 (O.L.A) REVISE MENOUS EDITIONS OF THIS FORM ARE OBJUSTED

at chimat into season

#### PSYCHROMETRIC SUMMARY

٠,

HOURS 10 5 T WET BULB TEMPERATURE DEPRESSION (F) 1 . 2 3 . 4 5 . 6 7 . 8 9 . 10 11 . 12 13 . 14 15 . 16 17 . 18 19 . 20 21 . 22 23 . 24 25 . 26 27 . 28 29 . 30 . . 31 • 1 No. Obs. Meen No. of Hours with Temperature 935 30 5 4935 41562 7 3671761 51°03 67°51 58.513.75A 75.3 5.628 891 Rel. Hum. 2 67 F 2 73 F 2 80 F 79.9 6.31 Dry Bulb 51.5 50593 63.7 8.244 891 5 A . 9 27.5 56719

FORM 0.26-5 (OLA) REVISE MEVIOUS EBITIONS OF THIS FORM ARE OLSCHETE ALL 64

USAFETAC FOR 0.26.5 (c

STATION	STATION NAME				YE ARS				МОН
							• • • •	:	HOURS
Temp.		ET BULB TEMPERATUR					TOTAL		TOTAL
(F)	0 1-2 3-4 5-6 7-8 9-	10 11 - 12 13 - 14 15 - 1	6 17 - 18 19 - 20	21 - 22 23 - 24 25 - 2	6 27 - 28 29	- 30 · * 31	D.B./W.B. 0	bry Bulb 1	Vet Bulb
,		• 1					:	-	
/ 				• 1 - • 1			<u>i</u>	1	_
'			1.1 .7				:		
		. 1 7.	1.				1	1_	
7	•	7.3.1 7.3 7.1	•4 • 1	• 1			4	t, •	
} <i>-</i>		4.7 3.3	<del>•</del>				111	1	
, , ,	• 1•2 4	7 1 - 4 1 - 7 1 -		•			. 1	1?	
,		7 1 - 2 - 1 - 7		. •	•			- · · • · ·	
7 / 17		1. 1.2 1.2	• 7 • 6	3			- :	٠.	<del>,</del> ,
	1	1		•1	•				د 11
		7	?						211
		7 . 7	٠.٠٠					<u> </u>	115
	•2 • • • • • • • • • • • • • • • • • •		•1						- 4
, ,	• 7	•1 •2 •2		-		•			75
7	• : • 4 • 1						1.1	1.1	1
	•						1 .	4	۲
2 1 .									40
1.54	•1 •- •!						د	•	77
5.7			<del></del>					·	<u> 26</u>
, .									Ĵ-
7	<del></del>		······································						- 1-
									i
77.7					·····		•	•	•
. / 4									
41		<del></del>	*-· *	+					•
1.4									
								•	•
		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·						
1 '	2.2 6.3 .7 8.512.	519.015.417.0	7.4 3.0	• 7 • 5				र ड	
		-+	<del></del>			_ <del></del>	8,5		٠,٠,٠
				:					
Element (X)	z <sub>X</sub> , z <sub>X</sub>	X *A	No. Obs.		Mean No. o	f Hours with	Temperatu	70	
Rel. Hum.	11451 50151	56.314.444	840	± 0 F ± 32 F	≥ 67 F	≥ 73 F	• 80 F	• 93 F	
Dry Bulb	5,23533 7174	30.6 7.178	890		56.2	77.9	54.3		1
Wet Bulb	437755 61656	69.3 5.906	890		64.7	36.5		<b></b>	
Dew Point	3573530 55932	62.8 8.111	893		39.2	2.3			

MQ. A. C. SCHITTARELL BY CATACL BARNSSIVECE CONTRACTOR

		; ± ; ; ;	HOURS
Temp.	WET BULB TEMPERATURE DEPRESSION (F)	TOTAL	TOTAL
(F)	0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 - 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 - 25	9 . 30 . 231 D.B. W.B. Dry B.	ib Wet Bulk Dew
<i>1</i> 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			-
:	<u> </u>		
7	• 1• • 1 • • 1	1. 1	
	• 1 • 1 • 1 • 1 • 2 • 1 • 1 • 2 • 1 • 2 • 1 • 2 • 2	·	
= /		* I 4	•
	\$ \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \frac{1}{2} \\ \		<u>.</u>
,	. 1 1.4 5.3 1.8 1.7 1.4		٠,
, •	.1 1. 1. 1.1 1.4 .7 .6 .7 .7 .3	4.7	÷ ,
7 1 77 "			<del></del>
, -	•1.1• • 1•1 •4 •4 1•1 •5 •4 •1		· • •
7:2	• • • • • • • • • • • • • • • • • • •		₹1 ;3 <del>5</del>
7.03	• 2 1 • . • • • • • • • • • • • • • • • • •	- 4	4 195
		1- 1	
.' ક	•1 •9 •1 •1 •1	•	1 د ً
57	5 · · · · · · · · · · · · · · · · · · ·		- <del>- 3</del> - 1
•	•1 •	~	
			3 3 3
	••	L.	7
7			,, ,
5 ( 1			11
			4
, 47			
4 /			
		<del></del>	<del>-</del>
• • • • •			
1 25			
· 7 · .	2. E. F. 6.211.510.013.217.612.3 9.0 6.7 1.5 .5 .5	7:2	7
		, <b>7</b> 50	743
Element (X)		, of Hours with Temperature	
Rel. Hum.	2675 51 43325 55.115.752 791 ±0F ±32F +67F		3 F Toro
Dry Bulb	52 (564 63512 85.0 5.967 79% 85.1	<del></del>	7.7
Wer Bulb	1 1 234 54690 69.2 5.534 791 53.7		
Dew Point	7171751 49335 62.4 8.041 790 34.6	3.1	

STATION		STATION NAME	:					TEARS				MUN N
										* h . *	1	HOURS IL S. T
Temp.			WET BULB TEM	PERATURE	DEPRESSION	(F)				TOTAL		TOTAL
(F)	0 1 - 2 3 - 4	5 - 6 7 - 8 9	. 10 11 - 12 13 -	14 .15 . 16	17 - 18 19 - 20	1 21 - 22 23	- 24 25 - 2	6 27 - 28 29	- 30 + 31	D.B. W.B. D		
<del></del>	<del></del>					• 1		-				
• =				1		••				•	2.	
	• •	• • • • • • • • • • • • • • • • • • • •		· ·		•	•-		•	•	-	•
, .		_ 1		. 4	• 1					1	-	
			<del>-,-,-</del>	4	<del>- [</del> ]					7	<del></del>	
,		• :			• 1						- 1	
	<b>.</b>			$\frac{1}{r}$ $\frac{1}{r}$								*
	•									, ',		•
, ,	•			· <u>i</u> . • <u>i</u>						a Alaka	* 5.5 -	,
	• •	1.6 ( 1.5		1 1	• 1					1	• :	13
		3. · · · · · · · ·		1 1	<u> </u>				• • •	. 7	7	174
7 11	<b>7.</b> " 3.€1			1 .1						* •	· •	175
· · · · ·	1.1.1.		.4 .7	<del></del>			•			. '. <u>.</u> k		° 71.
,	. 1.		• • •	. ì						- ن <u>ن</u>		(i 1)
3.5	• • • •		• 4			_				14	54	5.5 7
	• • • • • • • • • • • • • • • • • • • •	7	• 1		•		-			1	i	٠
1 .	• 7 i • 1	1.1 .7										₹7 →
/		4 - 7 -				* . *	• -			•		نه ر ت
7 57	•1 •?	. 1								4		
/					<b></b>	+·	•	<del></del>				, i
-15-		. :								ì	:	11 1
-, , -						·				: •	•	1
												1 1
					•	<del></del>		<del></del>		<del>-</del>	-	·
. 4												1 1
_ , = , = .	•	• • • • •			<del></del>				- •	•		•
7, 4,												
	1-14-	<b>43.</b> (15.61)					-	• •				
-	1 • 14	43.115.517	• 1	, i: 1 , 4	• 4	• 1				_	4 .	7:-
		·								. I'-1		74].
		<del></del>			<del></del>							-
-		·				<b></b>				<b>.</b>		-
lement (X)	ž <sub>X</sub> ,	ž <sub>x</sub>	¥ -	σ <sub>8</sub>	No. Obs.	<u> </u>		Hen Ma	of Maura -1	fh Temperatu		***
lel. Hum.		·+	<del>+</del>		741	± 0 F	: 32 F		a 73 F	* 80 F	 • 93 F	Tatal
Dry Bulb	4123 61	53,57	71.013.	237	741		= 32 F	72.4	<del></del>	<b></b>		·
Pry Bulb For Bulb							<del> </del>		<del></del>	1.01	<b></b>	-+
	3434267				741		+	59.1	+	<del></del>		
Dew Paint		47517	64.1 7.	<u>. 114</u> 7 [	741	l	1	43.1	4 - 1			

STATION	_ '	11 45 L	STATION HAME			- 4 - 3 :			EARS				MONT	TH-
											5 L .		HOURS	
Temp.				VET BULB	TEMPERATU	RE DEPRESSION (	F)				TOTAL		TOTAL	
(F)	0	1 - 2 3 - 4	5 - 6 7 - 8 9 -					24 25 - 26	27 - 28 29	- 30 = 31	D.B. W.B.	Dry Bulb	Wer Bulb C	) F
,			•	, ,										
, ,		•		. • '	<b>.</b>									
. ,		•									•	,		
	· · · · · · · · · · · · · · · · · · ·	7	1	<del>'                                    </del>								_ =	·	· · · —
	*1	. 1	1.2	2								7.	٤	
		1 4.5	1. 1.						• •		•			1:
••			•		. • .					-		4 7		
\$4 T		• •	•	•							4	4 1		•
	,		· · · · · · · · · · · · · · · · · · ·		· · · · ·						. :		. • •	
, ·			• • •	, ii							1 .		7.3	
		•						•						
			-								•		15	
		•	• • •				. ,	•	•	-			1:	
,				• =-	·									
													1	
		+	• • •	•		· · · · · · · · · · · · · · · · · · ·		<del></del>						
, .														
		4	17.7.7.07.	1.	•." •	7							•	ι.
											. • ``.		465	
				•	· - · ·			•						
		•												
		* ·												
						•								
Element (X)	. · · · · · · · · · · · · · · · · · · ·	x'	Z X	¥	-,	No. Obs.			Man No	of Moure -	ith Temperat			_
Rel. Hum.		23.75			9.899	4.7.0	10F	± 32 F	. ≥ 67 F	≥ 73 F	▶ 80 F	. 93	F T	etal
Dry Bulb	•		34352		5.496	405			69.2	36.7			*	
Wet Bulb		1 5544		66.?	5.777	49			, t	7.4				
Dew Paint		31775	31266	63.A	6-517	49:			41.1	2.0				

STAT ON	STATION NAME		YEARS		Mon
					HÇ∪#S L
Temp		MPERATURE DEPRESSION (F)		TOTAL	TOTAL
(F)	0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13	- 14 15 - 16 17 - 18 19 - 20 21 - 22	23 - 24 25 - 26 27 - 28 29 - 30 -	31 D.B. W.B. Dr., B.	b Wer Bulk
İ		• .	•		
		• . • . • . •	• • • •		
			•		
		• • • • • • • • • • • • • • • • • • • •		- 7, '	- •
	- 1 - 1		•		
1		jarijus jar jās jas	•	-	
i	1. 1.				
,					
. 7		• * . • * . • • •		7:1	. 1.
7 / 17					
		• * . • •		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	· · · · · ·
1 11		• • • • • • • • • • • • • • • • • • • •		-	7 - 4
<b>\</b>				4.1	. "'1
		• 1 • 1		,	447
	1./1.71	• • • • • • • • • • • • • • • • • • • •			3 1
	1.1	• 1		1 3 1	7 jau
· .		•		11 11	
/ .					
1	• • • • • • • • • • • • • • • • • • • •		· · · · · · · · · · · · · · · · · · ·		1 1 4
	· · · · · · · · · · · · · · · · · · ·				3.177.
	• • • • • • 1			· - · ·	7.
	• • • • • •				· 4 · 4
	• •			•	
1					. le li
1 *					1
	• • • • • • • • •			•	
			·· <del>·</del>		
<b>.</b>					
	;, <u>,4</u> ;, <u>,,,,</u> ; <del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>	<del></del>			
	. 15. 2 . 14. 11.4 7.2 9.1 5	• 1 ° • 7 ° • 7 1 • ° • 4	• 1 • "	4 + 12 4 + 12	ય હું હું કું હું હું હું હું હું હું હું હું હું હ
Element (X)	z x, z x	Ta No. Obs.	Mean No. of Hours		
Rel. Hum.	2326 647 3189-3, 63.717				93 F T
Dry Bulb	2-,24677 34-870 75.1 7			2 22 . 4	
Wet Bulb	21417575 314727 07.5 6		457.5 131.		_ · · ·
Dew Point	115241 17 293421 63.7 7	. P.25 4644	319.4 22	. 9	

					WET		7505	DATE	DE DE	PRESSI	OM (E)							OTAL		HOURS	
Temp. (F)	0 1.2	3 - 4	5 . 6	7 . 8								22 23	. 24 25	26 27	78 79	30 -			Dru Bulk	TOTAL	D 6
<del></del>			• :		- 10			- 13.	10 17						. 20 27	. 30					
		•	•																		
	-				•	•	•		•		٠	•			-					. •	-
				. 1																	
<del></del>				•			-					-+	•		-	-			•	. !	
,			• .		•	•														7	
, <del>, ,</del> ,				- <u>-</u>	•	•		-			•		•			•					-
,	• 4 . •	1																			
					٠,	-			*	•	,					•		•	-	, ,	
		, i.	1.	7															1		
		• • • • • • • • • • • • • • • • • • • •	1.	1.1			•	•	•	-	•									:	
		* • **	1.	•	•															•	•
		17.0	1			•	•		•	•		•			•						٠.
	٠.		i	i • 1																	
• •	•	• 1		• • •		•					•							٠,		<u>.</u>	
4	1.	* •	1.																	4.5	
	1	· · · · · · · ·	•			•			•	•	•	-	•	•						4.4	
	1.5	ì •	• ~	• 1																	
. +	· 1.	1.0	• .			•	-	•	•	•	•	•		•		•					
•	1.	1.	• 14																		
	•		• !	· ·· ·		•	•	-	- •	• -	•	-		•	-	-			-	•	
	•																			• •	
	•												• -	•				•			
	. • 1	• 1_								_										Ł.	
, , ,	• .						-		•	•	•	•	•	•	•	•					
· .																					
, -																					
! .										<b></b> .			-•			_					
	3. 47.8	34 - 1	1 • 1	•	•	• 1															
															•	-		: · .		. · .	
							<u>.</u>	·					,	-							
				<del>-</del>			<del>-</del>			01.	· -					<del></del>					
lement (X) <sub>.</sub> . el. Hum.	Σ <sub>χ</sub> ,	u		2 <u>4 ° 5 ;</u>	<del>,</del> -	X			No.	Obs.						of Hours				_	
ri. Hum. y Bulb		8-64-	. ~ -	4 5 6 4			6.9			31		1 0 F	. 32		₹ 67 F	→ 73 F		80 F	* 93	•	Total
ry Bulb er Bulb	/ ·•						+				<del>-</del>		·							•	
er Guib ew Paint		<u> </u>		4142		11 • 1 • 6 • 1	7.5			F 1			7.	<del>-</del> +	7	··	1 -			-	
/W FOINT	3 4.	7		30.00	<u> </u>	• • •	<del>د د. ۹</del>	17.					_ ( •	i_	•						

USAFETAC FORM 0.26.5 (OLA). HE NO MENNISTORION OF PRINCES ATTENTION

																				HOURS	- <u>}</u>	
Temp. (F)						WET	BULBT	EMPERA	TURE DI	PRESSI	)N (F)						TOT	AL _		TOTAL		
	.0	1 - 2	3 - 4	3 . 8	7 - 8	9 - 10	11 - 12	13 - 14 15		. 18 19 .	20 21	. 22 23 .	24 25 -	26 27	28 29	30 2 3			y Buib	We' Buil	_ D	
									• (									:				
		•	•		•	• • •	•	• 1			*	-						* .				
						•			. :									· -				
, .					1.1	• '	•	• 1		• :					+						•	
			. • _		<u>i</u> .	•	1.	• •	• 1	•								. 1	•			
		•	•	:•	•	1.1	•	• 1	• 1													
		. • .	•	. , •		. • .	•-"	, • Ţ.	•	• 1		-				-	*	•	:	٠.	-	
,	,	•	: • .	•		•	1 •	1.	• 1	• :								, ,		~		-
	• •		- , • -	, •			1.5	<del>-</del>	<u>- i </u>	<u>• 1</u>	-					. •			,	-	-	
	• :	•		3	1		1.	7. 7	•	. 5										1		
		1.1		1 -,	- i • -		<del></del>		<u>-</u>				**		•	•						
		:.;		1.1			1.:		•										:	٠,		
		•	•	1.2	1.	1.	1.1	•	•	•	-	-		•	•					٠ - د		
		. • `	• ′	1.2	1.	• 1	•	• 1										. ;	٠, -	. 4		
,		• ;	• .	• .	1.1	•	• `	_		•	•	-	,	·	•					7 _		
		. • !	. •	. • 4	. • <sub>1,</sub>	, • <u>•</u> .	•									_			<u>.</u> .	i		:
		• 5	• •	• .5	• .	•												ì	1 }	7.5.		
. , -			. • (	• •	- • <u>i</u>	• [		· ·											i.			•
		•	•	•	• .	•														٠,		
			•	•	- 1	<u>-</u>											-	- 1		· · · · · · ·		
,			• .																			_
		•	•	•	•		•		•-				•			-	•		•			
, -												_										
									•		-	-	•	·				-		1		
						· · · · ·																
, .																						-
· ,																						
,																						
			•	•	•								• •	•	•		-				-	
<i>',</i> '																						
Element (X)		Σχ'			Z X	<del></del>	X	•,	No.	o. Obs.	- (			Me	an No a	f Hours w	ith Tem	parature	<del></del> -			
Ref. Hum.		*		<b>-</b> · · · ·					1		<del></del>	0 F	: 32		67 F	≥ 73 F		0 F	. 93 c		Total	1
Dry Bulb												1					- •	•		•		
Wet Bulb				i					1											•		
Dew Point		_									1							- •		•		

USAFETAC NOM 0.26.5 (OLA) IENZO MENZO SOTIONS OF INVINIMATE CIDENTEE

**PSYCHROMETRIC SUMMARY** 50291361 1 AC WET BULB TEMPERATURE DEPRESSION (F) TOTAL D.B./W.B. Dry Bulb Wet Bulb Dew Point 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 .717.71 . 1 .717.713.2 7. 7.4 1.7 .1 No. Obs. Mean No. of Hours with Temperature ≥ 67 F = 73 F = 80 F 3 . . 3 56.7 8.111 49.411.407 26176 51748

١,

USAFETAC FORM 0.26-5 (OLA) BEYIND REFIDURES OF THIS FORM ARE CINCULTED.

STATION	***111	STATION NA	ME		<u> </u>		· ·	EARS				MON	TH
										1 1 1		HOURS	<u>) ()</u> . 5. Y.
Temp.					JRE DEPRESSION					TOTAL		TOTAL	
(F) 0	1 - 2 3 - 4	5 - 6 7 - 8	9 - 10 11 - 12	13 - 14 - 15 -	16 17 - 18 19 - 1	20 21 - 22 23	- 24 25 - 26	27 - 28 29	- 30 + 31	D.B./W.B.	Dry Bulb	Wet Bulb (	Dew Po
,						, , , ,	. 1 . 3						
						<u> </u>							
		•	•		1	!						•	
					." ,? .	• 1				1 +	i -		
				• 7	7 . 3	• 1							
		• 1	. 1.5	. > 1.	. 1.2 .	• • 1				۳.			
		•	7. 1.	1.	4 .5	• 5	•			7 5	7	-	
7 7		. 1.1	1. 1.1	7.3 1.	5 1.4	• :							
7	•	• • • • • • • • • • • • • • • • • • • •	1.1 1.	1.7 1.	5 1.	• !					- J		
	• * •	• •	1.0 1.0	1.1 1.	u . 7 1					:	7 .		
=, ·	• 1 • 1		1. 1.	1.2 2.	1.7	• 1				7	7		
	• 1	• 4 •	1.		6 1.7	• 1				ن	, .		i
		• 4 • 2	• 7	2.1 2.	- 1.1					· -, ·	•	t ô	
	•	1	1.4	2.3 .	• /	1				5		· 6	
	•1	u r	1.5	1.7	!	• • •	•			: 7	, , '	36.	- 1
i	• 1 • *	.1 .4			. 5					. 4	_ la	13	
,	• -			. 4	1	•	•				1	59	44
1 T	• 1 •		• :: •	• 3 •	3								ų.
		•1 •1					- · •	•	•	12	1	59 <u>-</u> 72	
,	• • `		• • • 1							:	-	٠.	
. 7	• • • • •			•.								1	
	• ! • •		• .									44	
7	• • •									:			٨.
7 4												74	ų.
5 / T								•		•	•	1:	
												ţ	٠,
1						•				•		<u> </u>	, ;
* *										•		•	· .
		<u>.</u>											ž
* 1												•	-
,												_	i
1										·•		·	
, .		<u>    i                                </u>											
lement (X)	z x,	Z X	¥	<b>7</b> 1	No. Obs.				of Hours with		170		
Rel. Hum.						= 0 F	± 32 F	≥ 67 F	± 73 F	▶ 80 F	• 93 F	T	otal
Dry Bulb						<u> </u>	<u> </u>						~
Ter Bulb		·						<u> </u>					
Dew Point	•		1	1				1					_

USAFETAC FOLM 0.26.5 (O.L.A.) RESTER PREVIOUS EDITIONS OF THIS YORK ARE DISCOURTED

AFETAC FORM 0.26-5 (OL.A) REVIEW REPROVEDITIONS OF THIS RIBM ARE OBJUSTED

Dry Bulb

AND COLD ATTEMAK WANCH TAC TTO SENSO ACCUMAN

> 727 - 554 4/121 - 3 227 - 572 227 - 572

4218FT

73904

47.15.347 71.4 7.947 59.1 7.581 48.211.512

÷. ,	CANTED AND IC	4-51		
STAT: ON	STATION NAME	YEARS	<b>,</b> • · · · ·	MÖNTH  1 2 ' U = 1 L  HOURS (L. S. T. '
Temp.	WET BULB TEMPER	RATURE DEPRESSION (F)	TOTAL	TOTAL
(F)	0 1-2 3-4 5-6 7-8 9-10 11-12 13-14	15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - = 31	D.B. W.B. Dry Bulk	Wer Bulb Dew Poir
		• • • • • • • • • • • • • • • • • • • •		
	1 4.1	1 • 2 0 • 5 2 • 1 • 4 • • • • • • • • • • • • • • • •		1
			-	
	·	<del>-</del>		
			•	•
				•
			• • • • • •	
	e e la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya del companya de la companya del companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la companya de la com			
-	, !			

No. Obs.

912 912 **PSYCHROMETRIC SUMMARY** 

+67 F +73 F +80 F +93 F

44.4

70.7

WET BULB TEMPERATURE DEPRESSION (F)

FETAC FORM 0.26-5 (OLA) REVISE MERKUS EDITIONS OF THE

of office on

USAFETAC

RAE TETATTERTY
LITAT
TITOTORY

しい とりまりごと きこ

PS	Y	Cŀ	1R	O۱	۸ET	RI	C	SU	M۸	۸А	R

STATION NAME F. 6 . WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 . 2 3 . 4 5 . 6 7 - 8 9 . 10 11 . 12 13 . 14 15 . 16 17 . 18 19 . 20 21 . 22 23 . 24 25 . 26 27 . 28 29 . 30 . 31 D.B. W.B. Dry Bulb Wet Bulb Dew Po 714..16..19.411.1 7.1 1.5 1.1 2x X x x 37510 45. 16.721 5760 72.1 7.634 4.556 57.7 7.221 Element (X) Rel. Hum. 010 ± 32 F ≥ 67 F = 73 F → 80 F 10F 819 Dry Bulb 73.0 45.5 Wer Bulb 419 17.1 2139 13 39776 48.611.476 219

ij

STATION	<u> </u>	STATION NAME		·····	74-57		<del></del>	EARS				MONT	<u> </u>
3.234		JIANUA RAME					·			to a lit	i	HOURS (	·
Temp.			VET BULB	TEMPERATU	RE DEPRESSION	(F)				TOTAL		TOTAL	
(F) 0	1 - 2 3 - 4 5	-6 7-8 9.	10 11 12	13 - 14 - 15 -	16 17 - 18 19 - 2	20 21 - 22 23	. 24 25 - 20	5 27 - 28 29	30 + 31	D.S. W.S.	Dry Bulb	Wet Bulb D	lew P.
,					. 1			<del></del> -					
,			• 1		-	-					1		
7		+				-+ -	•	•	•			•	-
• • 7				. :						1			
<del></del>	• .		<del></del>	.1				•			1		
2.7				- 1							٠.		
7 7			7				• •					11	~ -
A	• 1		,	.1 .							7:	3.7	
			(		1 .1		•	•	•				
	2.1.2	. 1. 1.	· ·		4						'	F 3	,
· – · · ·			(		• • • • •			•				44	
, .			•	•,	• ;						•		
1								-			71 -	• . <u>7</u>	
- 57	1 1 7	• • • • • • • • • • • • • • • • • • • •	• • ;							-			
		• , •	• , • • •	. • 1 .			•					1.5	
/ ६:	. 7 2 J	• • • • •	• • • •							•	-	52	). (
		• • •	•							. 4.∠ .	٠.	74	
	!•?	• , • , ,	• •							**		€7	
4 4		• / • • •	·					• = •	-		1 .	7.4	
	• 2 1 •	• 4	, 1							1.5	1.	34	4
	• • • •	• ; • • • • •	• •	<b>.</b>						<u> </u>		<u> </u>	5
47 a	1	• 1									,	. 1	•
<u>/ 4  </u>										<u>.</u>		14	
	• :	• }									•	٠,	
	•									. 1.	ì.	٤.	. 🚣
												-	1
													i
/ Ti													1
· ' ·				<b></b>				<b></b>				<b>-</b>	
		• . • .		<del></del>		·		+				•	
/ 7													
•		• <u>5 1 2 • 7 1 3 •</u>	5.	3.3 1.	3 .F4	·		+			767		7,
										753		743	
				<u> </u>									
Element (X)	2 <sub>X</sub> '	z <sub>x</sub>	X	₹ <sub>A</sub>	No. Obs.				f Hours with	Temperat	ur <b>o</b>		
Rel. Hum.	10736	55635		4.542	763	10F	± 32 F	≥ 67 F	≥ 73 F	• 80 F	93 F	Te	Dta!
Dry Bulb	7 7 3 1 7 2	47757		7.837	753	ļ	<b>1</b>	32.5	9.□	• 6	-		÷
Wer Bulb	2474125	43735		7.841	763	+	1	9.1	. 4				5
Dew Point	3351671	33797	50.8	7.173	763	1	4.0	7.7					

USAFETAC FORM 0.26 \$ (OLA) BESTE METALS EDITORS OF THIS KNAM ARE ORDERED

4

WET BULB TEMPERATURE DEPRESSION (F) 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 - 15 - 16 17 - 18 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 29 - 30 = 31 D.B. W.B. Dry Bulb Wer Bulb Dew Pol +644 - 21 - 5 7 - 5 4 - 1 2 - 4 - 3 Element (X) Mean No. of Hours with Temperature 74.512.292 58. 8.156 53.7 8.367 49.010.053 5 32 F 3<u>6 .2</u> : 1:17:69 21.43 502

BEVISED PREVIOUS EDITIONS OF THIS PURM ARE GROUPETE

SEARIT FRALE

41731 4454 11

108m 0 26-5 (OLA) Heristo

USAFETAC FOLL S. 24 6

1.70 1.70 (1.57 (1.65) 1.70 (1.57)

#### PSYCHROMETRIC SUMMARY

WET BULB TEMPERATURE DEPRESSION (F) 0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 - 15 - 16 17 - 18 19 - 20 - 21 - 22 23 - 24 25 - 26 27 - 28 - 29 - 30 - 2 31 D.B. W.B. Dry Bulb Wei Bulb Dem Po 1.1 Mean No. of Hours with Temperature

OBM 0.26-5 (OLA) REVISED MEYKOUS EDITIONS OF THIS FORM

JSAFETAC PORT A 24 6 10:

STAT SH			STATION NAME					•	EARS		. : -		MONT
												н	OURS
Temp				VET BULB	TEMPERATU	JRE DEPRESSIO	N (F)				TOTAL	τ0	TAL
F .	0 t.	2 _ 3 · 4 _ 5	. 6 7 . 8 9 .	10 11 - 12	13 - 14 15 -	16 17 - 18 19 -	20 21 - 22 2	3 - 24   25 - 26	27 - 28 29	- 30 * 31	U.S. W.S. Dry	Bulb Wet	Buit D
	•			•				•	•	•	• •		-
L .													
1		1 . 1	. 11. 1	, ;		4.0	. •	• · · i					
			-• •	-		÷ .		- •			_47	4 7	<u> </u>
İ													
ŀ			•			• .				-			
	•		•	•		• • - • •		•					
	_												
·	•	•						-	-			-	-
	•		•	•	+						* · ·		-
-	• •			-							• · · • ·		•
		1											
						<del></del>							
····	• -	· · · · · ·										•	· · · ·
		1											
•	•	1			*					•		•	•
									<del></del> -		·		
	·				<del></del>	<del></del>	<del></del>		•	· <del> </del>	<del></del>	• -	
					<del></del>		<del></del>		• • • • • • • • • • • • • • • • • • • •		·	•	•
L							<u> </u>						
Element (X)	ž <sub>X</sub> ,		Z X	¥	•	No. Obs.					h Temperature		
Rel. Hum.		13977 1377?	254598	61.4	19.381	4708	= 0 F	± 32 F	≥ 67 F	• 73 F	<del></del>	93 F	T
Dry Bulb Wet Bulb			376813		0.352	4798	+	1.1		174.5	45.7		
Dew Point	122	3641 22501	259 <b>913</b> 236293		8.571	4798 4798	<del> </del>	2.6 53.8	52.1 31.5	4.7	+		

											HOURS	S. T.
Temp.			ET BULB TEMPERAT						TOTAL _		TOTAL	
(F)	0 1 - 2 3 - 4 5	6 7-8 9-	10 11 - 12 13 - 14 15	- 16 17 - 18 19 - 20	21 - 22 23	- 24 25 - 26	27 - 28 29	- 30 • 31	D.B. W.B. (	by Bulb 1	Wet Bulb	Dew F
,	• ,								•			
	• .						+				3.	
									1.	ì	:	
· <del>-</del>	<u> </u>								:	<u> </u>	14	
	• •								:	1	1 🛦	i
	•	• •							<u>. i.</u>			1
	• '•1 •+	•							-	-		
	• • •	• "								• .	Ĩ÷.	
	1 • ' •	•	•								17	
	. [•4.)•'.	• . •		· · · ·				•	· .	- · .	- <del>-</del>	1
/	• • • • •	• • • •	, ^						,		٦,٢	
		•1. • . •	`			· ·					~	٠
, 1 <u>-</u>	• 3•1 1•7 1	• 7 • 7							~ ?		7 4	:
		• • • • • • • • • • • • • • • • • • • •						-		-	17	
. ′ -	· [1.2][1.2][1.	• ₹							• 5		7 ]	1
· · · .	1.7.7.4	• • • • • • • • • • • • • • • • • • • •									4 6	
•	• 1.4 2.6	• • • ?							₹ •	± 4	33	-
,	.•4,1•5,2• , :	• • .							?;.		₹₫.	
7 3	• " ?• 1•	• •							~ ;	_ 7	1.	
, · · ·		•								- 1	<u> </u>	
A 47 .	7. 11.1								2		- 77-	4
<i>'</i> .									y	į.	26	
,,	1.!										1 4	
1 : .	1.										ر با	
7 3	•									•	7	1
21 11	• ^ _								1		_	:
1 1		, ,		•	•			*** *	•			1
1 1												
11 .	* * * * * * * * * * * * * * * * * * * *									•	•	
/ 1·	: 1											
		• •									•	
	.31 .732.41	2 2 . 6										
•	• • • • •								547	•	47	
											•	
ement (X)	Z x'	ZX	Ÿ Ta	No. Obs.			Mean No.	of Hours wit	h Temperatu	7.		_
I. Hum.	75764	45-36	77. 11.200	543	10F	± 32 F	≥ 67 F	# 73 F	- 80 F	. 93 =	1	Total
y Bulb	1 ? 8 3	25762	47.411.744	543		0.0	3.0			•	•	٠
et Bulb	11/5213	24782	44.711.262	543		14.7	1.			•		
w Point	1018620	22451	41.312.934	543		27.5	n n	<del></del>	<del>+-</del> ·	•	•	

USAFETAC FORM 0.26-5 (QLA) REVER METONS EDITORS OF THIS KNIM ARE CIRCUTED

												#3 J		HOURS .	-5 -
Temp.							URE DEPRESSIO					TOTAL		TOTAL	_
(F)	0 1	- 2 :	1 - 4 5	-6 7 - 8	9 - 10 11 - 1	2 13 - 14 15	- 16 17 - 18 19 -	20 - 21 - 22 23	- 24 25 - 20	27 - 28 29	30 + 31	D.B. W.B.	Dry Bulb	Wet Bulb	D P
. 7				• .	• 1		. :								
••				• . • 1 .	_ • <b>'</b>	<u>*</u> `	• '								
•				• •	• •	• 1	• "					1 -			
		•	<u>•                                    </u>	• !	<u> </u>			<u>:</u>							
. ,		• '	• -	• • 1	• •	•	• 1					. ;			
<b>4</b>		!	• `	• <u>*                                   </u>	.1• • .	<del></del>	<u>• !</u>					:			<u>.</u>
	:	. 1	• 1	• 1 •		• •	•7							•	
		• 1	• 1	• 4	• • • • • • • • • • • • • • • • • • • •	•	•1, •1,						; ;	6 1	ذ
	• ! :	• 1	• 4 1	• •	1.	• 1	• -					Ĺ		+5	,
		• •	• 1	• <u> </u>	<u>. 1 • 4 • .</u>	• <u>f</u>	•:					<u></u> .	<u> </u>		4
	• 1 1	• 1	• 1	• 1 • 7	1	• 3	• 1						,	Ü	•
		• .	· <u>1</u>	• <u>1•</u> .	1.2.1.		• 🖒							4 1	. <u>:</u>
/		• 1	• `	• 1•2	1	• 1						٠.	_	1-1	_
, :	. :	• 1	• 1	• [1•3]	1.	· . • ' .							7.4	11 9	
*		• 1	- 4 1	. 1.	1.4	• 1						.5	*. *	- b	
* * *		• _	•1	• [ . ] • ] .	1	• 1								15.	<u>.</u>
. 4		• 1	•	•2 1•2	• ~ •							1	7.1	7.9	4
1, 4		•	• [	• .1• .	•									. St.	
7 1		• '	• 7 1	• •	• :									÷ 7	
				• 7					••••			. !	1		
		• 7	• _ 1	• 0								1	1.	ع (	-
- <del>1</del> <del>7                                </del>	<u>.</u>	•		<u>• 4 1</u>	·							<u>.</u>		<u>:-</u> _	
7 3		•!:	,	• :								<del>-</del>		· · · · · · · · · · · · · · · · · · ·	٠,
			• ;									1	2	<u>;</u>	;
		į													
														t,	
1 1				· ·				····		<del>-</del>		•			
		-													i
															1
, ,															
,		••				<del></del>		<del></del>			-+				
, i															
		<del>,</del> .		<del> </del>	<del></del>	<del></del>	1 44 01	1		M M-		· <del></del>			
lement (X) lel. Hum.	ž,	K'		Σχ	<u> </u>	•,	No. Obs.	+	- 33 -		of Hours wit				
			+-		<del></del>		+	± 0 F	± 32 F	≥ 67 F	≥ 73 F	- 80 F	· • • • • • • • • • • • • • • • • • • •	• • • • • •	
ry Bulb			+		<del></del>	+	+	+	<del> </del>	<del> </del>			<del></del>		
er Bulb	•		+-				<del> </del>	+	<del> </del>	<del> </del>		•		- +	
ew Point									1		<u>i</u>				

STATION			· · · · · · · · · · · · · · · · · · ·		TON NAME				- '-		·			YEAR	5	···		. •		₩0	- 1
Temp. (F)		1 - 2	3 - 4	5 - 6 7	8 9.	WET BUI	LB TEMP	PERATU 14_15	RE DE 16 17	18 19	20 21 -	22 23	. 24 25 -	26 27	- 28 29	30	. <b>3</b>	OTAL	Dry Bulb	TOTAL Wer Built	
					-																
	. •	j. • j	• •	• • 1	• •	•	•	•		•				*	-	٠		. ;	• 1	٠ .	
					- · <del></del> -			-	_			_		<b>-</b>							
					-	-							•	-		٠	-				-
			-		-	-				-	-										
															,						
	-		•		•	•	*														
	-																				
-	-	• -	•	•		-		*	•	-	•	-		•		-					•
										-	_	_	•								
			•	- · ·							- • • •		·· •	-						•	
										•	<b>-</b>										
	-		•	٠			•	- •		-	•	•		•	-			-			
			-				·														
					-			<u> </u>						- 4	·•			•		-	
ement (X)		Σχ'		z,		¥		·,	No	Obs.				M	een No.	of Hour	with	Tempera	ur#	<del></del>	
I. Hum.		36 5	147		4145		13.			67		0 F	: 32		+67 F 1 4 • 7	• 73		• 80 F	. • • • 3		Toro
y Bulb et Bulb	•	72	354		3427		1 9.			867	-		1.		3.7	+	• · · · ·		•	•	
w Paint	•	1746		ز	71)?			538		357	1		23.	<u>-</u> +-	3.5	<b>+-</b>			•	•	

USAFETAL FORM 0.26 5 (OL.A) BETTE MENGE BRITONS OF THE PLAN ARE CANOLITY

STAT ON	STATION NAME				**	ARS				MON	
								- ,		HOURS .	. :
Temp	we	T BULB TEMPERATE	RE DEPRESSION	( <b>F</b> )				TOTAL		TOTAL	_
(F' 0	1 - 2 3 - 4 5 - 6 7 - 8 9 - 1	3 11 - 12 13 - 14 15 -	16 17 - 18 19 - 20	21 - 22 23	. 24 25 - 26	27 - 28 29	. 30 = 3	D.B. W.B. 0	77 3ulb 1	rer Buit	O
		• .				***************************************		_ <del>-</del>			_
• '			1		•		•	•			
•					. :						
<del>-</del> ; , ·		1.			. 1		-			-	
		1	11.5	- 1							
	7				*		-		•		
		16.1.		. 1				•		•	
				. • • .	•			· · · · · · · · · · · · · · · · · · ·		• 7 .	
		3.6								; ·	
	· · · · · · · · · · · · · · · · · · ·	$-\frac{1}{2}$				•	- •		2 -	<u>.</u>	٠
2 4		1.7	5							2 *	
:-	· · · · · · · · · · · · · · · · · · ·	• - <u>-1</u> •/	• • • • • • • • • • • • • • • • • • • •	• • -							,
,		• 1•' 1•	•							<b>4</b> _	
	• • • • • •	<b></b>							•	, in .	
		1.						- 41		٤	
	• • • • • • • • • • • • • • • • • • • •	1.5							٠.		
		• • • 1	_							i +.	
			1					3 .	41.	´ t	
	• • • • • • • • • • • • • • • • • • • •	• •1						1 '	1	u į	
	• <u></u>	_*. <u>_</u> _*		<b>.</b>							
	•1 •	• `						1	1 2	7.	
	·	·								4 12	_
·					. ~						,
_ ' . :	• †							:	•	1.5	
· , , ,											
* * :											
, ' -				<b>.</b>				<u>.</u> .		٠.	
1											
7 2			-					-			
. 1								_			
, ,											
· · · · · · · · · · · · · · · · · · ·				·	·						_
Element (X)	Σ <sub>χ</sub> , Σ <sub>χ</sub>	<u> </u>	No. Obs.		-			vith Temperatu		_	_
Ref. Hum.				: 0 F	± 32 F	≥ 67 F	* 73 F		. • •3 •	. '	1
Dry Bulb			·		<del> </del>	+	+				
Wet Bulb		<del></del>			<del></del>	·	<b>+-</b>				
Dew Point			'		1	!					

STATION					STATIC	M NAME									YEA	~ 3						MON	
																			+ 7		•	HOURS .	. ; . ;
Temp									MPERAT										TOTA			TOTAL	_
(F	. 0	1 - 2	3 - 4	5.	6 7.	8 9-	10 11	- 12 13	- 14 15	- 16 17	- 18 19	- 20 21	- 22 23	- 24 25	- 26	7 28 2	9 - 30	<b>a</b> 31	D.8. W.	B. D.,	Bulb	at Bu b	D٠
, ,																							
1			•	•	•	•	•		_	•			•	•									-
			• • •													-	-				-		
	-	•	٠,.	· ·, •		: <u>;</u> = ,	7.	- 1 -	. 5 1 1		• •		• • • •	•									
<u> </u>				٠						-	-												
																						-	-
1																_							
		•	•		•	•	•			•	•	•											•
	-	•		•			-		- •		•		*	•	-								
		•	÷		-			•			• -		-		-								
							-				· -						-			-			
							•													-	_		
	•	•		•	•	• •	•		- •	•		•		•			•	•		•			
		•	•	•	-			•	. •	•	*	•	•	•	•	-	÷				٠		
		٠	•	•	•		+			• -		•					-						
			-	<b>.</b>			-	. +					-		•					- •			
			-		-•			<b></b>					•									-	
Element (X)		Σ χ <sup>2</sup>			ZX		¥		* <u>*</u>	N	Obs.	1				Mean No							
Rel. Hum.		23	<del>y</del>	, <del>+-</del>	41	047			· 5:6	<u> </u>	<u>₽6€</u>		: 0.F	+ 1.32	F_+	≥ 67 F		73 F	. 80	F .	• 63 €	'	T o
Dry Bulb		240	2 3	+		45			-235	<del> </del>	956			+		36 • 1		7•	4.9				_
Wet Bulb Dew Paint		15				925 [ 59 ]		714	-785	<del></del>	366			26	• 🗼	1.5				- *			

### PSYCHROMETRIC SUMMARY

WET BULB TEMPERATURE DEPRESSION (F) 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 21 D.B./W.B. Dry Bulb Wer Bulb Dew Point Mean No. of Hours with Temperature

FORM 0.26-5 (OL.A) INVISEMENTALS REPROVED OF THIS FORM ARE CIRCLETT

USAFETAC FORM D. 24

	<u> </u>					74-17								<u>.</u>
STATION			STATION NAME					YE	MS		9; 1		MONT	
													HOURS I.	. S. Y.
Temp.				YET BULB	TEMPERATU	RE DEPRESSION	(F)				TOTAL		TOTAL	
(F)	0 1.	2 3 4 5	-6 7-8 9-	10 11 - 12	13 - 14 - 15 -	16 17 - 18 19 - 2	0 - 21 - 22 - 23	- 24 - 25 - 26	27 - 28 29 -	30   > 31	D.B./W.B. D	ry Bulb 1	Ver Bulb D	Dew F
			. •		•		•	· <del>···</del> - · ·			· -		·	
		***											-	-
1	• •	7.4	. 1 . 1 .	1 " •	17.31".		1.1							1
				•	•		-•	• · •	•	•			1.5 €	
	•						<b>.</b>						_ •	
	•								•	+		-		
•	•		•	•					•	•			·	
				-										
•	•	•	• •	-		- <del> </del>	_+		→	<b></b>			•	
	-			-+	·									-
•	••	*	•			<b>*</b> ***********************************	1							
•	•				+···									
•	•		• •	·	·	* · *		- · <b>-</b>	•	-		*	•	
	. •						<del> </del>		<del></del>				•	
	-		•				<del></del>				•			
		• • =			+	·	·						-	
						I :								
Element (X)	Σχ		ZX	¥	•	No. Obs.	<u> </u>		Mean No. a	f Hours wif	h Temperatu	r•		
Ref. Hum.	<u> </u>	3 7 - 71117	35852		37.767	321	= 0 F	± 32 F	≥ 67 F	• 73 F	▶ 80 F	93 F	T	0101
Dry Bulb Wet Bulb	<del></del> <del></del>	· 71117 3/3545	52427 43414	63*1 52*9	9.224	821 820	<del> </del>	• 7	30.2 5.8	18.1	1 • 4	+	+	
Dew Point	15	67220	35376		14.311	823	<del>                                     </del>	27.4	2.1		<b></b>	<del>-</del>	- +	;

USAFETAC FORM 0.26.5 (OL.A). HENTE MENCOS EDITORS OF THIS NORM ARE CALLUETE

STATION	STATION NAME	YEARS		MONTH
			bit . i I	HOURS .
Temp.	WET BULB TEMPERATURE DEPR	RESSION (F)	TOTAL	TOTAL
(F)	0 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 1	8 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29	. 30: + 31 D.B./W.B. Dry Bulb	Wet Buib De
			,	
·	· · · · · · · · · · · · · · · · · · ·		<u>1:</u>	
₹			· 5 **	4
<u> </u>	•1 • 1•? • •1 •1 •1 •1			<u> 1 </u>
	- 1.6 .7 Tel leg 1.7 .6 .4			1.4
· / ·	1.4 1.2 1.2 1.4 4		<u>-</u>	<u>, , , , , , , , , , , , , , , , , , , </u>
	7.7 1.1 2.1 .7 .5 1.1 .3	•		7.7
	1.7 1.7 1.4 .7 1.4			
			•	ن . 
- <del></del>	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		· · · · · · · · · · · · · · · · · · ·	<u>نود.</u> س ت
,			1	47
L	• 1 1• 1• 1• 1• 1• 1• 1• • 1 • 1 1• 1• 1• 1• 1• 1• 1• 1• 1•			43
. 47	• 1 • 1 • 2 1 • 9 1 • 2 • 1 • 1			4
4	2 2 1 2 2 2		· · · · · · · · · · · · · · · · · · ·	. 3# - 42
4 / 4	• 7 1 • 2 1 • • • • • • 7		, , , , , , , , , , , , , , , , , , ,	47
, , · ·			7 1	- : <u></u>
12.7	• 5 • • • 1 • • 1 • • 1		$1$ $\stackrel{-}{\downarrow}$ $\stackrel{-}{1}$ $\stackrel{-}{\parallel}$	5.3
	. 1,		17 17	4.
_ / 25	•1 • ' • 1		: :	14
1	• 1			15
/ 31	• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·		1.
	• •		1 1	:
· · <del>',</del> ·= · ·				•
, 2:				
, j. <del>- (</del> + -				
~ 7		<del></del>		
:	i i i			
· · · / · i · · ·				•
1 / 11			1	
•	· 10.722.72?.217.71?. 6.7 27		7.	
		<u> </u>		725
Element (X)	$\Sigma_{\chi^2}$ $\Sigma_{\chi}$ $\chi$ $\sigma_{\chi}$ No. C		of Hours with Temperature	
Rel. Hum		25 ± 0 F = 32 F × 67 F	≥ 73 F → 80 F → 93	F To
Dry Bulb		25 . 10.4	1.1	
Wet Bulb		3.7 2.6	<del> </del> -	i
Dew Point	14504:1 31795 42.012.699 7	25 21.1 2.1		

WET BULB TEMPERATURE DEPRESSION (F) TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 Z<sub>X</sub>, ?/21752 No. Obs. X Mean No. of Hours with Temperature 72.015.315 51.10.255 46.717.313 .. 7426 586 1 3070 Dry Bulb 34763 4.1 3.4 586 1572.35 32759 686

FORM 0.26-5 (OLA) REYSTO MEYHOUS EDITIONS OF THIS FORM ARE OLDIGITED AND 64

or IC SAT

USAFFTAC FOLL 0.34

#1 0.000% PANCH | THO | 47 00 0 388 FIELVIAL

### PSYCHROMETRIC SUMMARY

										6 4		HOURS . S	ς,
Temp.	0 1.2 3.4	5 - 6 7 - 8		TEMPERATUR			. 24 . 25 . 24	27 . 28 29	. 30 . 11	TOTAL D.B. W.B.	Dry Bulk	TOTAL	
<del>,</del> ,			7 . 19 . 11 . 12	4		1	23 - 20	27 - 20 27	- 50 - 51				-
1				,	•					1,			
· -, -, ·	• •			.1 .!		•	•		•				
1 17				. 4	.1	1				7			
<del>-, -</del>			•	- 1	<del></del>	<del></del>	<del></del> -	*		·· · · · · · · · · · · · · · · · · · ·			
. •	•					. 1	-			1	1		
7		· · · · · · · · · · · · · · · · · · ·	4			- 1				- 1-1-			
.*	• '			.4 .7	,	1				• ; ,	,	٠. له	
		,		TI .			•		•	· · · · · ·	* * .	129	
.*	1.1 .				~					٠. ن	164	1 7.	
*****				•		<u>: - · · · · · · · · · · · · · · · · </u>			• • •		,		
	.1 1.4 1.2	1.2 .		4	,					1.	1	3 5 1	1
	. 1.2 .		<del></del>	2	· · · · · · · · · · · · · · · · · · ·				•		•		1.
7	.1 1. 1.		?	1.5	. "					27	. 7		ì
, , , .	•1 • 1 1•	• • 1	. 6 1.	1.	, = .		-		•				•
	. 1.2 .	•5 •5	. 4	. 4						1		231 .	
. /	1.11.	,	7 - 7	. 1	•	• • • •	•	• •	- •	- 51.50	-	~ 3 ~	`
٠.	. 7 1.	١ د	, 7	• • •						74.5	·	7.	
1.7		1.2	~ :: <u></u>	• 1	· · · · · · ·		•	• •		•	1 ;		1
Ų	• 1. 1.2	• •€	• • 1							16		د با د	1
47 47 7	1.1		1	· · · · · · · · · · · · · · · · · · ·						1-5	1 .	. <u>5 - 3</u>	•
* 4 }	1.3		• 7							177	1.7		•
	• • • •	• 4	• 1										?
$x = t_{ij}$		2								3 6	٠.		
	***	• • 1	·	+						· · · · · · ·			
7 12	• • •	.1 .								. 94.	4.1		1
1 71 7		•	• •	<del></del>	<del>-</del>				+	4	4 -		• •
1 .	• • • • •									٠.			1
,	• • • •		+			<del></del>		•		<del>-</del> -	1 -		1 8
/ ~	•	: :									•		1
7 3	•	<del>-</del>	• •		+	<del></del>				·i	1		1
27 1										1	1		
					<del></del>			<del></del>	<del></del> -	+· <del>-</del> +			ī
1		<del></del>			· 								- (
lement (X)	2 x,	z <sub>X</sub>	¥	<b>*</b> ,	Ne. Obs.			Meen No.	of Hours wit	h Temperati	170		
lel. Hum.		+				2 0 F	2 32 F	≥ 67 F	+ 73 F	* 80 F	• 93 F	7010	e i
Dry Bulb		+		<u>.</u>			L				<b></b>		
Vet Bulb	·	<u> </u>											
Dew Point		i	1 [	1 -					i		,		

USAFETAC FOLM 0.26-5 (OL.A). HEYSTO MEYBOUS BOSTOMS OF THIS KNAW AND OBSOUTED

ев потектероко на год тъс питопо Бломато мал

### PSYCHROMETRIC SUMMARY

STAT-ON				•	STATION NAME						E AR 3			,		MONTH	
													• !		HOU	RS To S	
Temp.						WET BULB	TEMPERATU	RE DEPRESSION	( (F)				TOTAL		TOT	AL	_
(F)	٥	1 · 2	3 - 4	5 - 6	7 - 8 9 -	10 11 - 12	13 - 14 - 15 -	16 17 - 18 19 - 1	20 21 - 22 23	- 24 25 - 26	27 - 28 29	30 + 31	D.B. W.B	Dry Bulk	Wet B	ulb Dew	P
. •																	
				-										-			<u>-</u>
1																	
			•								<del></del>				<b></b>		
					<del>, , , ,</del> ; .				· · ·					4 7	-	4	
	•	•	4 .	1 7 • 1	11.11	•	• • • •		•	•			<u>4</u> 1.7		451		
							· ···		- *					-	٠,٠	٠.	
		•						··· <del>·</del>		• •			-				
		•	•										-	•	•	- ~	
				•				• • • • • • • • • • • • • • • • • • • •		•	•	*	•			-	
		•		•	•	•	*	•							•	. •	
	•	•	•	· ·			•				•		•		•	•	
			-	!													
				·										<b>.</b>	<b>.</b>		
					+ -												
																-	
		•	•	•		·	<del></del>	<del></del>								-	
		-	<b>-</b> -	<b>.</b>					<b></b>		<del></del>		•		-	•	
-		•	•		·			-+	<del></del>		<del></del>			•		•	
Element (X)		Z X '		•	z x	X	<b>₹</b>	No. Obs.	<del>†</del>		Mean No.	f Hours wif	h Temper	ture.			_
Rel. Hum.	•	1 37	72. 7	<del></del> -	274857		21.417	4537	= 0 F	: 32 F	≥ 67 F	• 73 F	- 80 F		F	Tota	ı f
Dry Bulb	-	1526			257357		11.29	4507	<del>                                     </del>			58.5	4.	•	•		٠,
Wet Bulb	—	1157			224941	49.9	7.137	4507	†	30.7			•		•-		•
Dew Point		: 76	9733	+	199244		3.510	4507	<u> </u>	199.0	12.3		<del></del>				7

BEVISED PREVIOUS EDITIONS OF THIS KORM ARE OBSOLETE

108M 0.26.5 (OLA)

USAFETAC HORM

THE CLIMATELES AND AND THE TOTAL CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CON

## **PSYCHROMETRIC SUMMARY**

								<u> </u>			S * .≠ 		HOURS (	5 1
Temp.	·					URE DEPRESSIO					TOTAL		TOTAL	
(F)	0 1 - 2		7 - 8	9 - 10 11 - 12	13 - 14 15	- 16 17 - 18 19 -	20 21 - 22 23	- 24 25 - 26	27 - 28 29	· 30 * 31	D.B. W.B. D	ry Bulb	Wet Builb D	•- F
		• •												
		• .								-			t .	
	•	,											7	
<del>-,</del>	<del></del>	·									<del></del>		<del>'-</del>	
	* *	• • •									. !		44	
		•		- •							- <del></del>	<u> </u>		
												•	1 -	
			•	• •		• •						*	14	
, .				•							. 7	5 7	1	4
1.		1 -	,-	, -							4 1	<b>-</b>	1:	
1	1.	. 1.	•	•							,		1 4	1
1 9 1	4				+		<del></del>					<del>-</del>	<del></del>	
S. 4. 1		1.1	. 3								•		, ,	-
1 41 1		3. 4	• •			•			• • • •		• • • • • •		, -	
	1.	1.5 1.1	• -										• [	
, · , ·	• 4 <sup>*</sup> 3 • 2 *	1. 1.	- <u>.</u> ; -	•			** ** **				<del></del> -			
	• 3•"	2.5 1.5									·, 🖫	i t		
· / • • ·	. '2.4'	1.	• 4	•	•								7	
.7 1	7.1	~ · ·									: 7	5 °	٠	
	1	7.5	- +										- r	
1	1.										7	1	~ <u>;</u> :	
,		1.)										•	71	
7731	- 4 <u>2 - 4 !</u>		* *								1:	1.	· ·	_:
37 31	1.1	• 4									5		2.5	-
( )	1.7				•								1	
	1												4	
		+					·				<del></del> .	_ 4	1	
/ 1													<u> -</u>	
<del></del>			<del>-</del>				<del></del>		·		•			
, ,														
· ·				<del>-</del>							<del></del>		-	
,										1				
lement (X)	Z x'		Z x	<u> </u>		No. Obs.	<del></del>		Mana No.	d Maura mit	h Temperatu			
lel. Hum.			<u></u>	<del></del>		NO. 001.	± 0 F	± 32 F	≥ 67 F	≥ 73 F	* 80 F	93 F	To	tal
Dry Bulb				+	<del> </del>		+	+	+	<del></del>				
Ver Bulb				+	<del></del>		<del>                                     </del>	<del>                                     </del>	<del> </del>		+		<del></del>	
Dew Point				<del></del>	<del></del>		+	† · · · · ·	<del>                                     </del>		<del>+</del>			
				<del></del>				<del></del>						_

USAFETAC FORM 0.26-5 (O.L.A) BEVISTO MEVIOUS EBITIONS OF THIS PLABM ARE ORDICITED

١,

WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 
 WET BULB TEMPERATURE DEPRESSION (F)
 TOTAL
 TOTAL
 TOTAL
 TOTAL
 TOTAL
 D.8. W.B. Dry Bulb Wer Bulb Dew
 Mean No. of Hours with Temperature
+ 67 F | + 73 F | + 80 F Element (X) No. Obs. 1208 77.5 4.41 21563 4 - 11.84 20704 33.711.079 17920 33.714.311 737776 743457 : 32 F 29 • 1 532 532 Rel. Hum. Dry Bulb 43455 5.37 Wet Bulb 36.7

PORM 0.26-5 (OL.A). REVISE MEHOUS EDITORS OF THIS FURM ARE CIDE LETTE.

55 5 5 1 1 1 1 BX

USAFETAC FOR 0 26.5

WET BULB TEMPERATURE DEPRESSION (F) TOTAL : 32 F Dry Bulb

- 30 WIC 1-45

ã

0.26.5 (OL

STATION					STATI	ON NAME									YE ARS						; ~ (	- 1 I .
											00000	201 (5)									HOURS	
Temp (F)							WET BUL	12 13	14 15	. 14 17	. 18 19	. 20 21	. 22 23	. 24 25	26 27	28.29	. 10 .	11 D.	OTAL B. W.B. D	er Bulh	TOTAL	L Ib Des P
							10 1111	12 13.		10 17								-	<del>-</del>			
									_													
,																						
		_	. 1 }		· -i				<del></del> _	• 1				· · -		- •						
																			1			,
							-	-	•						•	*	•					
		•	•	•	•	+	•			•	•	-	•	•	•	•			•			
																	-	-				-
				•	•	٠	+	٠		•		•		•		•						-
								-	•	٠	-	•					•			-		
	•		·	•	·		•	-	•	•				•			•	-	•	·		
	- +			-						·	· ·			- · <del>-</del> · -					-			
	•	•	•	•	•	•		•	•	•	•	٠	•	•	•	•	•	•	•	•		•
																	-					
	•	٠	•	•	•	•	•		- •		- •					-				•		•
																		-	•			
	•	•	• •	•			-•								•				•			
Element (X)		ZX	,		ZX		T		*,	No	Obs.	1_					·		empera v	*		_
Rel. Hum. Dry Bulb	•	,	432	1 7 · · · ·		4457	47.	117.	911	<del></del>	337		: 0 F	32	<del>,</del>	67 F	+ 73	<u> </u>	* 80 F	. • 93 °		Total
Wer Buib	•	1	ī 25	7	₹	. 127		217		+	F 3 7	<del>-</del>		17.	1	1.5				• • •	••	-
Dew Point	• •	1.	777	75		y31 3	35.	14.	521	+	337	-+		42.		. 9	<del></del>			<u> -                                   </u>	•	

STATION		STATION NAM	AE.	74-	<u> </u>	Ý	EARS				Mo	4 T H
											HOURS .	, u
Temp.	<del></del>	·	WET BULB TE	PERATURE DEP	ESSION (F)				TOTAL		TOTAL	
(F)	0 1 - 2	3 - 4 5 - 6 7 - 8 9	- 10 11 - 12 13	- 14 15 - 16 17 - 1	8 19 - 20 21 - 22 23	1 - 24 25 - 26	27 - 28 29	30 + 31	D.B. W.B.	ry Bulb	Wet Bulb	De -
			• '	,								
. ' 7 .		• •	. •									
*		•	• ` • `									
L- :		<u>• · · · · · · · · · · · · · · · · · · ·</u>	• !				<del>-</del>			. <u></u> .	-	-
',		• • •	• • • •	• !					1	• "		
<b>├</b> ·		· • • • • • • • • • • • • • • • • • • •	•	• · · ;					+ · · · · ·	e * .		
١ ,				•					-			
	•				· . · · ·	•		-			* !	
	•	1 1		. 7	•				7	7.	1.7	
	1		.=1=; *: 1 *: .	• 1 •	<del></del>						1	•
	٠.	1	1	.7 .4 .1					ц	5, 44		
1	1.		. 1	. 4 . 1			•				15	
	. 1 1.1	1 7		• 2							٠.	
, ,	• 1 • 1	• * • *		• 7 • 1						\$ 1	¥ .	
	• .		· •	• 7							· •	
· · ,	• 1 I • -	• 1.1		• 4					ار ا ال	-	4	
			7•7.1•	• ?					<del>-</del>	<del></del> :	• :	
1	•		1." 1."						± 4	u	٠.	
	- i		,						+ <u>57</u> -		· · -', ·	-
,	• •	.1	1.1 .1								7 4	
<del></del> -	<del>-</del>	<del></del>	• ′	<del></del>	·				<u></u> -			•
7.7.		• *	• >								24	
7 7 77	•	• -	• 1							5 T	4.	
		•				<b>.</b>		_			<b>.</b>	
		• .							=		1 >	
·			_•		<del></del>					-	, i	
[											•	
=											•	
i de la companya di seriesa di seriesa di seriesa di seriesa di seriesa di seriesa di seriesa di seriesa di se											1	
, ; -		· · · · · · · · · · · · · · · · · · ·					•		<b></b>			
Element (X)	Z x'	ZX	¥	σ <sub>g</sub> No. (	be.	•	Mean No.	of Hours wil	h Temperatu	70		
Ref. Hum.			1 1	<u> </u>	± 0 F	± 32 F	€ 67 F	a 73 F	→ 80 F	. 93 F		Tota
Dry Bulb		• • • • • • • •				1				<del></del>		
Wet Bulb										•		
Dew Point			1	'	1	1	•					

STAT TH		STATION NAME			YEARS		MONTH
						; · .	iu m_i_m HOURS . S. ₹
Temp	· · -	WET BULB	TEMPERATURE DEPRESSIO	N (F)		TOTAL	TOTAL
F 0	1 2 3 4	5 - 6 7 - 8 9 - 10 11 - 12	13 - 14 15 - 16 17 - 18 19 -	20 21 - 22 23 - 24 25 -	26 27 - 28 29 - 30 = 31	D.B. W.B. Dry 8.	ib Wer Bulb Dew Po-
•	•						
			7. 7. 7.	<u> </u>			
						-	
			•				=
						•	
						-	_
		•			w	· · · · · · · -	
		. —					
				• •			
				• • •	•		•
		• •					
ement :XI	2 g'	2 g g	Mo. Obs.	1	Mean No. of Hours wi	th Temperature	
el Hum	7 3553±	4.2.4	42.526 525	: 0 F : 32	F + 67 F = 73 F		93 ° Total
ry Bulb et Bulb	- 75311 - 1 39571		10.741 035	7.	1 3.5	<u> </u>	
er Bulb ew Point	- 1,5-1,4-		15.49 335	++ 46.			•

STATION	11111	STATION NAME			- '		·· - · <del>v</del> i	EARS	-			MONT	<u>.</u>
										•		HOURS	· .
Temp.			ET BULB	TEMPERATI	URE DEPRESSIO	N (F)				TOTAL		TOTAL	
	0 1 2 3 4	5 - 6 7 - 8 9 -	10 11 - 12	13 - 14 15	16 17 - 18 19 -	20 21 - 22 23	24 25 26	27 - 28 29	30 + 31		y Buib		• . F
,		•											
, ,			•										
			• •										
		<u> </u>	<u>,</u>	<u>• 1</u>	<u> </u>							-	
	•	•	•	• • •		,				,	•		
<del></del>			•	. • 7 . •	· • · · . •	• • • • •	•		-			1 .	
				,		,						,	
					s. s		*		•	· ·			•
				1. 1.		•				**	- 4	×	·
: .	•	.11.	•	T: 1 .			•				-		
	• •		1.	1.4 !	4			-		• :	7 °		?
•	1.	• • • •	1.	1.4 1.	, 7					1	1	•	
		• • • • • • • • • • • • • • • • • • • •	Ì • .	1.4	. 1						-		
		• 4 1 •	· 1.3	• 5							-	ч.	:
		. • . • . • . •		. •									
· · ·		1. 1.	1.	• `								·· 'y	
			a - † • • = =	·		• •		• • •	-	- , • .			-
7 41	^ • J	1 1.											
* , * * * *	• • •	. • • • • • • • • • • • • • • • • • • •	• i	*				• •		1	1		
	<b>.</b>											+ ,	
	•	.7	7								•	. 4	
			1		<del></del>						-	ے لا آ	. :
												4	-
· .												1.4	
													٠.
· / • · ·		• • • • • • • •						•	· · -				
100													
. ;			-								-	•	
				<b></b>			·	· ·	<b></b>				
' !													;
/ !	<del></del>	<del></del>		<del></del>		<del>,</del>		<del> </del>	<del></del>				
Element (X) Rel, Hum.	Z x'	Σχ	<u>¥</u>		No. Obs.	1 0 F	± 32 F	Mean No. c ≥ 67 F	# 73 F	h Temperatur ⇒ 80 F	• • 93 F	T.	otol
Dry Bulb		<del></del>		1	<del> </del>		- 32 -		- /3 /				•
Wet Bulb		<del></del>		<del>!                                    </del>		<del> </del>		<del></del>				•	
Dew Point		+		<del>• · · · · · · · · · · · · · · · · · · ·</del>		<b>†</b>		<del> </del>		•		•	

USAFETAC FORM 0.26.5 (OL.A). REVIEW REVIEWS EDITIONS OF THIS POINT ARE CALCULATED.

STATION		• •			5TAT:O	N NAME				:				+	YEAR	s							MONTH	
312.54					3.4	, unne													<b>.</b> .			HOUR		
Temp.							YET BU	L8 TEM	PERAT	URE DE	PRESSI	ON (F)							TOTA	L _		TOTA	. L	_
(F)	0	1 - 2	3 - 4	5 - 6	7 -	8 9.	10 11	12 13	14 15	. 16 17	- 18 19	- 20 21	. 22 יז	24 25	26 27	28 29	- 30	* 31	D.B. W	.B. D.	Bulb	We+ 8.	.≀E De	•
						•		•	•							•	-		•	-	-			
														-		_			-					
	i				Ti.	71.	775		,	• •	•	•					-							-
																			?			i		
		•								•		•					-		*					
,														_			-							
					-	-				٠	•													
			_																					
		-				•	•					+	•	•	•	•	-		-	٠				
												-						_					-	
		•			•	•-										-			•	٠				
											- •													
		•			•			• -					•		•	•								
	. <b>.</b>						- •												-					
		- 4			•	-	•									·			-	•				
		-										• • •			_	· - • ·			•					
lement (X)		Σχ'			ZX		¥		·,	N	o. Obs.					lean Na					,			_
Ref. Hum.		24 24 3	<u> </u>			734	49.	143	13	ļ	707		: 0 F	: 32		≥ 67 F		73 F	. 80	F	• 93		To	**
Dry Bulb Wet Bulb	•	24 3 1167	اد د ج		4	62-		9		<del></del>	792	+-		ts •		13.3 2.6		4 • ?	+	•		• -		
Dew Point		1122	<u> </u>	<b>.</b>		<u> रेडे</u> प		2 5		<del> </del>	792			47.		. 4			<del></del>			•		

USAFETAC NOM 0 26 5 (OLA) 11-16 MINNOS IDRIANS OF THIS MAIN ARE CASCILLED

9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 - 21 D.B. W.B. Dry Bulb NORM 0.26-5 (OL A) Meen No. of Hours with Temperature

WET BULB TEMPERATURE DEPRESSION (F)

**PSYCHROMETRIC SUMMARY** 

TOTAL

STATION	· -				STATIO	N NAME				4-6 /			76	ARS					₩C	) to T H
3.41134					3.2	N NAME													1 ,	
																			HOURS	. 5.
Temp.							ET BULE	TEMPER	ATURE	DEPRESSIO	N (F)						TAL		TOTAL	
<u>(F)</u>	0	1 - 2	3 - 4	5 - 6	7.	8 9.	10 11 - 1	2 13 - 14	15 - 16	17 - 18 19 -	20 21 - 22	23 - 24	25 - 26	27 - 28 29	30 • 3	31 0.8	W.B. 0	y Bulb	We. Bulb	Dew.
		5 - 5	2 .	,	Ti.	i 😽	· · · · · · · · · · · · · · · · · · ·	11.5		• 1	٠	•		+	٠	•				7,
									•							,	: 1		711	
		•	•	•		• -	=				•			-			_		_	-
																-				
					+					•				- •						-
		-	•			÷ ·								•	-			*	-	-
				•	•	•	•			•	•	-		-						-
•		•	•		. •	• •	•	• •		•	•	•		•	-	*				
			•	•	•	•	•													
		-										<b>.</b>		<u></u>						-
				į																
	-	· ·	•	+														··- ·- •		
		-	+			•						-	•		~ -	•	-	•		•
•		•	•	•	•	4 .		+		- • •	•	•		•	•	•	•			
			. 4																_	_
			1	i		i														
		<b>-</b> :	+		· 				· ·	<del>.</del>										-
		•		i			<del>-</del>								<del>-</del> i					
lement (X)		Z g'		+	ž x		X.	7,	$\neg \neg$	No. Obs.	<del></del>			Mean No.	of Hours	with Te	mperatur			
el. Hum.			115	<del>,</del>		425		19.32		711	: 0	F :	32 F	≥ 67 F	× 73		80 F	• 93 F		Tatal
ry Bulb			374-			415		9.55		711	1		3.0	3.5	1.	7			•	
et Bulb :			315			643	43.1	10.06	3	711			3.9	1.2					- +	
em Point		134	5431	,	?5	327	35.6	14.20	4	711		14	3.6	• 3						

USAFETAC NOW 0 26 5 (OLA) II-110 MENGUN IONOMS OF THIS MINE AND CONSISTE

STATION		STATION NAM	Œ				٧	EARS				MON
										· · · · ·	:	71 10-1 HOURS (C
Temp.			WET BULB	TEMPERAT	URE DEPRESSIO	N (F)				TOTAL		TOTAL
(F)	0 1 - 2 3 -	4 5 6 7 8 9	- 10 11 - 12	13 - 14 - 15	16 17 - 18 19 -	20 21 - 22 2	3 - 24 25 - 26	27 - 28 29	- 30 + 31	D.B. W.B. D	ry Bulb	Wer Bulb (
		,								٠,	4	
4,										. 4	٠.	4 _
	• ' •	•								1 ,	1.	5
. / .	. • •	.1									11.	7
,							•			1	1	13
	. · · · •	• 1 • * *									:	1
	11.		•		. 1		•	•	•		` `	. s
-	•: 2• •	• 1 • 4	• 1							·		17
	./ 1.	•		•	· i							74
* * t	.1 1.2 1.		. 7	. 1							. ?	-, -
7	•	7 7 1.7	•	. 1					•			` ¿.
1 47	.1 . 1.	7 .7 2.2	. 4								•	7 [
7.6	1. 1.	1.5 1.6	· •		•			,	•	4	4	3 3
47.4	3.3.1.	2 2.1 1.								1	. 1	3.7
1 4		1.5	-				•			4.5		ح ن
1. 7. 1	. 1.7 1.		• 1							4 -	٠.	4
		1 1. 1. 1. 3	•	• •			٠		•		11	a E
· •:	1. 1.	1.0.7								4 i	41	4 2
हिप नार		31.3	•	• •		• •	•	•	•	1	7 1	F
7 31	1.5 1.	"								₹1	34	
7	riisti.						<b></b> -	•		<del></del>	· - <del></del> -	- 4
,	1.									14	1 4	٠.;
7 7 .		<del></del>								·		``\
, ~		. •								4,	:3	5.
िहरू का				<del></del>			•	• • •		<del>-</del>		
	_ 1									1	1	4
アクネー			•	• •		- •	· •	• •	. •	• -	₹.	1
. / 1												-
71	+		··	<del></del>								· · · - <del></del>
1 / 11												
}÷ ~		-+	<del>+</del>	<del></del>	~ <del></del>	<del></del>		•		<del></del>		
, ,												
,				+		<del></del>				<del></del>		_
,		1						1	ĺ			
Element (X)	2 x2	Σχ	X		No. Obs.	<u> </u>		Meen No.	of Hours wil	h Temperatu	70	
Ref. Hum.						= 0 F	s 32 F	≥ 67 F	≥ 73 F	> 80 F	▶ 93 F	T
Dry Bulb											<u></u>	
Wet Bulb										<u> </u>	<u> </u>	
Dew Point			1	!		1	1	1	I			

**PSYCHROMETRIC SUMMARY** 36 85 10 10 MC CATTON AND WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 0 1-2 3-4 5-6 7-8 9-10 11-12 13-14 15-16 17-18 19-20 21-22 23-24 25-26 27-28 29-30 = 31 1 .12 . .2 .. 13. " BEVISED MEYICOUS EDITIONS OF THIS FORM ARE ORSOLETE 7 - 20137 13 25 45 73.517.821 44.313.397 ZX No. Obs. Element (X) Mean No. of Hours with Temperature USAFETAC 47045 Rel. Hum. 569 : 32 F ≥ 67 F 29654 12.1 22.6 47.7 Dry Bulb 660 1.1 45.417.387 34.513.502 1163799 27029 569 Wet Bulb 119121 23096 550

0.26-5 (OL A)

٠į.

C HORM 0.26-5 (OL.A) REVISEO MENDUS EDITIONS OF THIS FORM ARE DESCUELTE

51 61 10 1 145

USAFETAC NORM 0.26-5 (O)

·'i

TOTAL SECULOS AC

STATION STATION NAME YEARS MONTH

										_											•	OURS I	. 5. 1.
Temp.					·	W	ET BU	LB TEM	PERAT	JRE DEI	PRESSIO	N (F)							TOTAL		Ť	OTAL	
( <b>F</b> )	0	1.	2 3 -	4 5 -	6 7 -	8 9.	10 11	12 13	14 15 -	16 17 -	18 19 -	20 21 -	22 23	- 24 25 -	26 27	- 28 29	- 30	31 D	.B. W.B	Dry E	Bulb We	+ Bulb	Dew Po
1 - 11																						َ ز	7
	-	•	•	•	٠	•	•	•		,	•	•		•	•	-	•			-	•	-	•
								-	• • • •				- •	• —									
	• • • •	•		1 0	. <u></u>						• •	,	-	-	•					-	- ·		
	. •	•	•	į	. i	, <u>i</u> 1 •	- '	• • • •	• . •	4. •	•	•					•	٠.	. 11/2	-		376	4 ' !
	-	•	. •	•	•		- •	· <del></del> ·					-	•		•	•	-	-	•	٠		
		٠	•	•	• • •	•							٠.	-		•		•		•			•
		•	•		•	÷	-				•										-		
	-			- •			•	-								•					=		
	•			•							🛨				٠		+				-	-	-
		•	٠			•	•									- **	-			•			·
		•			•		•			<del></del>			<del>-</del>	· · · - •		· · ·		•	-	•		<del></del>	
	•		•											•			• -	<u>.</u>		<b>.</b>	-		· · <del>-</del>
,	•			•			•				• •	٠		•				-			-		•
			+		•	÷									am <del>d</del> a e					•		<b>-</b>	
			- +			·			*						·-								
			•	•											-+								
Element (X)		2 x'		-	ž x	· · ·	¥		••	, No.	Obs.					en Ne.	of House	with.	Temper				
Rel. Hum.	•		3367	<del></del>	27.	7.7		722			376	+-,	0 F	: 32		± 67 F	• 73		- 80 F		93 F	,	Total
Dry Bulb	• · · · _ ·	11	736 /	; [	214			911			376	<del></del>		56.		17.6	13			+		+	744
Wet Bulb	•		9071		198			10			375	$\top$		123.		15.1	1	<del> +</del>		+ :		1	744
Dew Point	<b></b>		101s		151			614			376			366.		4.1	1			i		+	744

USAFETAC FORM 0.26-5 (OL.A) REVISIO MENOUS EDITORS OF THIS FORM ARE OBJUSTED

4

WET BULB TEMPERATURE DEPRESSION (F) TOTAL TOTAL 1 - 2 3 - 4 5 - 6 7 - 8 9 - 10 11 - 12 13 - 14 15 - 16 17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30 = 31 7737 1:37 1275 47
7911 2\*11 25:1 777
70 1 37:1 35:1 35:79 14:1
251 261 25:0 25:4
7747 1747 7:4 4 7:12
2347 2747 2747 2747 37:5
2350 2735 7:10 24:2
1907 1987 7:10 24:2
1,74 1074 2249 234\*
1773 1747 1101 2114
175 1757 2:22 2175
1667 1657 2:20 1003
1558 1551 2:33 1717
1395 1398 1631 14-7 13°5 1395 16A1 14~7 13°7 1307 15°15 15°7 1200 1230 1745 1629 1159 115- 1745 1646 No. Obs. Temperature Dry Bulb

AC 108M 0.26-5 (OLA)

BEVISED PREVIOUS EDITIONS OF THIS FOLM AND OBSOLETE

USAFETAC FORM

STATION	5	TATION NAME	YEARS		MONTH
				* £ ; ¯	HOURS S
Temp.		WET BULB TEMPERATURE	DEPRESSION (F)	TOTAL	TOTAL
(F)	0 1 - 2 3 - 4 5 - 6	7 - 8 9 - 10 11 - 12 13 - 14 - 15 - 16	17 - 18 19 - 20 21 - 22 23 - 24 25 - 26 27 - 28 29 - 30	. 31 D.B./W.B. Dry Bull	Wet Bulb Dew
	• • • • • • •	• . •		€ + 1 + + + + + + + + + + + + + + + + +	1334 15
	• • • • • • • • • • • • • • • • • • • •		and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of t	<u> </u>	1245 11
'		•		5 7 552	965 1 °
	· · · · · · · · · · · · · · · · · · ·	<u> </u>		t	345 17
	• • • • • • • • • • • • • • • • • • • •	•		* 1 2 3	753 10
				214 214	319 17
	• ! • ! •	•		1 1 11	10 د ب
			· · - · - · · - · · · - · · · · · · · ·	·	302 4
				7t 7	17e - 7
L,	•	· · · · · · · · · · · · · · · · · · ·		<u> </u>	- <u> </u>
	• , •				>4 €
	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		1	
1. '. '.	• •			,	13 4
					7 _ #
j	•			1 .	1 1
		• • • • • • • • • • • • • • • • • • • •	, the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the		1
1 .					i 1
		· · · · · · · · · · · · · · · · · · ·	<u></u>		<u> </u>
					· · · · - · - · · · · · · · · · · ·
$\vdash \neg \vdash \vdash \cdot$					<del></del>
1 , 1					
F- <del>/</del>	· · · · · · · · · · · · · · · · · · ·				
0					
7-11		· · · · · · · · · · · · · · · · · · ·			
1 /-11					
)-i	• • • • • • • • • • • • • • • • • • • •	•	**************************************		-
	. 14.214.212.91	3.17.29.18.1.6.1	3.9 2.1 1.0 .5 .7 .7 .7	9827°	157
· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	<u> </u>		35272
1	1 !			A 1	
	·····			• • • • • • • • • • • • • • • • • • • •	
[					
Element (X)	Z #'	Z <sub>X</sub> X $\sigma_A$	No. Obs. Mean No. of Mou	rs with Temperature	<del></del>
Rel. Hum.	· · - <del></del>	9549 61.723.827		3 F = 80 F = 93	F Total
Dry Bulb		3523 65.215.915	55.273 243.14513.53753	<del></del>	
Wer Bulb		59682 57.214.158	55272 530.52934.91729		• <del>7</del> 37
Dew Point		169555 50.117.478	55272 13.61698.51870.6 792		÷7
•					

LE PAU CLIMATOLOSY RANCH FAT IN SERVICE /FAC

#### MEANS AND STANDARD DEVIATIONS

PYHRULB TEMPERATURES DES E FROM HOURLY OBSERVATIONS

2 ; : HOENTIRE ANSE SO 74-84

STATION NAME FEB JUN SEP MAR MEAN 75. 4 .3 46.5 56.6 64.5 75.5 73.6 72.2 67.4 54.3 47.4 40.5 11.10 10.36210.077 7.891 6.465 5.160 3.773 3.742 6.179 8.97311.04411.849 70.5 54.3 47.4 40.5 5.0 TOTAL OBS 48... 5 4 6. o 27. £ 5 0. £59. 5 a 5. 842 81... 543 532 3305 MEAN 47.5 56.1 65.5 73.5 70.9 91.7 80.8 75.3 <sup>0</sup> 1 • 64.5 55.6 47 ... 64.4 -11 50 7.05712.923 9.05, 3.782 6.320 5.686 5.246 5.194 6.626 7.874 9.228 9.911 15.742 TOTAL OBS 929. 2.29. 900. 891. 5 7. 930. 912. 932 41.3 55. 62.7 71.4 76.0 83.8 86.6 86.0 FC.6 71.4 63.6 54.2 1 -14 50 9.99311.6981 .698 8.874 6.912 6.194 5.928 5.769 7.176 7.947 9.336 9.741 15.315 TOTAL OBS 8.59 2 D D. 24 934 905. 912. 971 895 912 566. MEAN 1..1 57.3 65. 72.8 79.2 84.1 16.7 85.8 PO.9 72.1 63.9 55.3 -17 S.D - 1J.03211.55 /1U.533 E.918 7.155 6.749 6.586 6.309 6.967 7.634 9.224 9.519 TOTAL OBS 791. 3 772 667 631 870. 814. à 24 219. 823 9755 MEAN #4.2 51.5 59.8 67.J 73.7 78.9 F1.4 3J.1 74.3 62.8 55.3 48.4 5 D 4.91311.31 9.763 8.591 6.891 0.191 5.922 5.536 6.233 7.887 9.512 9.5(3 TOTAL OBS 672 74**7**. 717 732 749 761 741. 753. <u>\_7.7 0.</u> 47.6 46.0 54.0 60.3 67.7 73.1 76.1 74.9 70.1 58.0 51.0 44.3 MEAN 1-23 SD 10.3831 .963 9.453 7.965 5.987 5.143 3.993 3.741 5.496 8.15610.25510.097 14.641 774 TOTAL OBS 625, 684, 616, 443, 493, 501, 500, 49L, 582, 686. 669. MEAN 5 D TOTAL OBS MEAN TOTAL ORS 44.1 5..3 58.4 66.4 73.4 78.6 51.4 30.4 75.1 64.4 57.1 48.9 11.17312.44211.3681..056 8.554 7.778 7.318 7.328 8.24010.35211.29011.216 S D

FORM 0-89-5 (OL A) USAF ETAC

HOURS

4576 4207 4724 4547 4612 4692 4759 4831 4644 4798 4537 4376

ß

TAC TO THE SERVICE YEAR TO THE SERVICE YEAR

#### **MEANS AND STANDARD DEVIATIONS**

ETHRULE TEMPERATURES DES F FROM HOURLY GERERVATIONS

n tigat		্ষাংশ্রত		r ' ON NAME			74-5	4		YEARS				
HRS (ST		JAN	FEB	MAR	APR	MAY	JUN	Jul	AUG	SEP	OC*		- DEC -	ANN A.
	MEAN S.D. TOTAL OBS				5.470	5.924 827.	5.272	70.u 3.277 359				44.7	36.	55.4 14.677 8304
- 1	MEAN 5 D TOTAL OBS	13 5 a87		7-11	7.935		5.070	3.37c		58.327 6.327	55.7 8.111 912	51 9.5511 867	42.2 1479 637.	57.1 14.579 10702
1 - 1 - 1 -	MEAN S.D. TOTAL OBS	. 58# 7•#6₹ 43•0	13.10	9.312	7.514	6.172	4.893		3.758	49.3 5.976 494	59.1 7.591 912	52.9 7. 951 566	45.9 10.006 835	59.2 13.51J 10697
17	MEAN S.D. TOTAL OBS	9.393	45.3 9.544 772	3.315	7.072	5.856 721	4.647	73.6 3.155 £14	73.5 3.515 \$24	59.2 5.534 730	7.221	53.9 6.911 e20	46.2 9.63£ 792.	*5.k 13.u32 \$755
5	MEAN S D TOTAL OBS	7.037.3	10.636	ø•60 <b>4</b>	7.353	ა•058		72.6 3.096	72.6 3.588 770	5.625	56.4 7.841 763	49.4 9.643) 725	43.1 156e 711-	*7.4 13.028 8826
. 27	MEAN S D TOTAL OBS	75.6 13.334 7.4	10.4:4	9.207	7.859	6.436	67.7 4.937 493		3.490	66.2 5.773 495	8 . 3671	46.7 10.3131 686	43.4 (0.34) (0.39)	73.3 14.454 5998
	MEAN 5 D TOTAL OBS													
  -  -  -  -	MEAN S.D. TOTAL OBS							·	··				-	
ALL	MEAN 5 D TOTAL ORS	73 10.314	42.9 10.634					72.5 3.522	72.3 4.033	57.5 6.23J		49.9 U.1371	43.5 43.5 4.721	57.2 14.158

USAF ETAC FORM 0-89-5 (OL A)

AND THE TOLINATOL POY - HANCH THE TATE OF SERVICE AND AD

### **MEANS AND STANDARD DEVIATIONS**

TE POSTAT TEMPERATURES OF A FROM HOMELY CONFINITIONS

? '_		N. P. T. Q. P.	J.C - 51				74 - 46	4						
%* <b>A</b> * 1 *4			5"A"	ION NAME						* 6 & 4				
HRS 157		JAN.	FEB	MAR	APR	MAY	JUN	JUL		>f 2	S :	N2.	16	4555 4, j
	MEAN		_								-			F 4
- '		144		13.2321						-		12.434]	. 4 - 711	
	TCTAL OBS	. 57.	4 c 5.	5 5 5.	5 t 5,	ê 2 7.	<b>3</b> 52.	£59.	577	642	31_	43د	532	9304
	MEAN	*)•2	3 .1	41.5	47.7	53.1	64.5	42.7	69.J	53.7	49.5	42.8	₹.	50.b
- 1	Y 19	14.5.4	14.46	13.4571	12.297	7.471	7.123	4.391	4.893	- 244	11.4731	13.5381	4.521	17.653
	"U"AL OBS	. F.7	3.7 0.	933	349,	9 ° 9,	9 T <u>D</u>	912.	935	891.	912	ċ67	237	10702
	MEAN	7 y • 4	2.7	46.0	40.3	56.5	63.2	67.c	60.5	52.€	49.3	41.7	34.5	49.5
1 -14	> 0	15.457	14.9 51	13.6661	2.456	832	7.348	4.819	5.193	3.111	11.5121	4.3481	15.545	17.838
	101A. OBS	534,	524,	93	3 39.	905.	932	912.	932	89 L	9 <b>1</b> 2.	:66	805	10687
	MEAN		32.2	40.4	45.€	56•2°	62.7	67.6	67.5	£2.4	48.5	41.3	34.2	46.0
- 1 -	5 D	15.576	14.6361	13.4771	12.276	5.831	7.442	4.631	5.196	A . 341	11.4761	4.3111	5.772	17.786
	TOTAL OBS	:35	772,	ô67 <u>.</u>	¢ 31.	791.	800.	514.	ė 24.	79	۵19.	320	<b>7</b> 92.	9755
	MEAN	2,.	33.6	41.8	47.1	57.4		66.7	65.9	64.1	En a	٠. د ي	75	57
_ `	5 D													17.151
•		773							773			7.25.		
		_	0,2,	171.	1 4 1.		<del>-</del>			.174.	193.		-	2013
	MEAN	29•7	33.5	42.0	48.7	58.8	54.5	68.3	68.7	53.€	49.8	41.7	34.5	48.5
1-23	SD	13.759	13.534	11.8731	13.489	6.495	6.366	3.719	4.248	6.817	10.0531	12.6021	3.55.2	17.131
	TOTAL OBS		625,						⊃ 0 <u>0</u> .					
•	MEAN					•			•	٠		•		*
	SD													
	TOTAL OBS	<del>.</del>		•									-	
•	MEAN				•	•		•		-	•	•	-	•
	5 D													
	TOTAL OBS											-	-	•
<b>A</b> 11	MEAN		32.9	41.4	47.1	57.S	63.8	68.j	 68.3	63.2	49.2	42.0	34.5	50 • 1
MOURS	S D	14.74												17.478
HC)UFS	101AL 085		42 7										4376	55272

USAF ETAC FORM 0.89 5 (OL A)

· i

	•			
STATION		STATION NAME	PERIOD	MONTH

#### CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENCY	OF RELATIVE	HUMIDITY GR	EATER THAN			MEAN	TOTAL NO OF
MONTH	(L S T)	10°4	20^-	30°-	40°.	50°.	60%	70°	80%	90	RELATIVE HUMIDITY	NO OF OBS
2	·	*	•	•		•						
	-"	•	•			<b>,</b>						-
	<del>-</del>	1 .	1	• • •	7	`•	•				•••	
	-11	1 •	1				•				•	
	1 -1	1 •	. • :	75.	-					•		
	1	1 .	4.			•		1.	! •	!		
		1	4.7	·1.	76	-1.				•		:
	2	1	1	7 <b>7.</b> 5		•	•		• ,			i
								•		•		
	<u>.</u>					<u> </u>	<u> </u>	•	· · · · · · · · · · · · · · · · · · ·	•	•	
_		I						· •	· •	•		
							:				1	
ro	TALS	1	7 to 6.	35.1	75.6		::.7			•		4

USAFETAC PORM 0-87-5 (OL A)

STATION STATION NAME

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENCY	OF RELATIVE	HUMIDITY GE	EATER THAN			MEAN . RELATIVE	TOTAL
MONTH	(L S T)	10%	20^,	30°-	40°:	50°÷	60%	70°:	80	90	HUMIDITY	NO OF OBS
<del>-</del>			•			•					-	
	.4		•	<del>-</del>	• •		-	•			· - ·	•
	<u>-</u>	1		15	. • •	•		· · ·	•			•
	- 1		, i	4.	7 . 7		<b>u</b> .		• •	•	· · · ·	
	1 -1	1 .	: •	77.	• .	· n. • .	` + • ·		: •1	••	•	
	-1 -	1		•	4:	: • •	•	1 •	11.	•••	•	
		i . •	• >	• f, •	<b>'</b> . • . ·	. `• '	i • 5	2	15.	• •	••:	
	1-7,		i	7.	•	14.7		7	1 73.	`• <i>'</i> •		
		·							: : <u>.</u>			
									: !	·		• , = = === =:
			i 						L			
			•								, 	<b>-</b>
	TALS	•	7.5		71	•	· . · 7	₹1.	•	, ,	7	٠.

0-87-5 (OL A)

STATION

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

PERIOD

	HOURS	•		PERCENTAG	E FREQUENCY	OF RELATIVE	HUMIDITY G	REATER THAN	·		MEAN	101AL
MONTH	A.S.T.)	10	20	30°r	40°s	50°:	60%	70*:	80 :	90	RELATIVE HUMIDITY	NO OF OBS
•		•	-	·								
		. •	•	•			•			•		
	• - -	1 •	1	1	•			7			·	
	1	1 .	J • 1		1	! !		1.1		•		
•	1	1	1.	77.			<u> </u>	1.	1			
•	-	1	4.1	57.	4.		•	1 :	•		٠ ١, •	
	+ - · · - · · · · · · · · · · · · ·	1 .	9.5	****		•	• • •		19.5	• •	••	
• • =	1~;		7 • (	₹0•.	· · · ·	1.7		4:		•	•	
	•	•	•						:			
• • •	•	• • • • •		•		:					•	
	<b>.</b>	•	:	<u> </u>	-	!				•		
•	•		•		•	<del> </del>	1			·		
10	TALS	, .		15.	70.0	• •	a 7 . 5	71	,			7.

USAFETAC 0-87-5 (OL A)

- ST-711 7-45

## **RELATIVE HUMIDITY**

STATION NAME

PERIOD

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENCY	OF RELATIVE	HUMIDITY GR	REATER THAN			MEAN - RELATIVE	TOTAL NO OF
MONTH	(LST)	10°•	20%	30°.	40°.	50°∙	60%	70°°	80%	90	HUMIDITY	OBS
	<del>-</del> (.		1			! !	1		İ			
	, <b>-</b>		i				  -  -		i i			
			1	-9.	17.5	11.5	7. • 1		10 e c		74.7	,
	-11	1 .		91.1	73.2	53 <b>.</b> ,	7 • .		15.7			·
	1 -i	1 7. 7 • 7	* t. •	59.0	45	; "• €		17.		• 1		·
		1. "."	<b>i</b> •	60.	₹9•1	15.4	1 * • .	14.5	1 •	:	\$ 	
	~;	1 2.0	· i • c	03.4	65.	47.0	72.00	.1.	14.	7.1		715
	1-03	1" "	1 0.3	28°•1.	1.20	11.	- 4.0	4,.	10.5		61.0	
	· ·									 <del> </del>	ļ	·
		ļ <u>-</u>									ļ	!
	<u> </u>											· •
101	FALS	1 :- 7	7.5	* * •	b3•*		9 <u>.</u>	3 .	19.9	7.0	٠	- بر ب

USAFETAC 0-87-5 (OL A)

٠.			٠.			-	c .~		
	_	_		_	 			-	

STATION

STATION NAME

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS	<del></del>		PERCENTAG	E FREQUENCY	OF RELATIVE	HUMIDITY G	EATER THAN			MEAN	TOTAL NO OF
MONTH	(LST)	10°6	20°∘	30%	40%	50%	60%	70°•	80%	901	- RELATIVE HUMIDITY	NO OF OBS
	/	1		1						! !		
	_										1	
			1	1 .	39.6	6.7	71	75.	1.	. : •		
	-11	1	1.5	77.1	50 • ×	60.5	47.4	31.	15.	1	1 50 .	
	1 -1.	1 - 1 - 1	7	⇒ <b>7</b> • :	د ه د	30.7	2.	1:.5	<b>b</b> •	i •	4	. š.
	117	1 (	79.1	J - 5	69.3	37.0	23	15.7		2.1	4	7:
	-2	1	49.9	y5.1	15.4	t.4 • ·	u7.7	37.4		t	1 -, • 4	
	,	1 - 2 - 1	1"5.6	,9.	28•4	7 a . 4	• •1	6 <b>1.</b> 5	~1.1		-u .	
										<u> </u>	· 	
											: i	
											! !	
to	TALS	1	.9.3	97.	22.1	07.2	4	33.0	25.7		46.4	5.1

0-87-5 (OL A)

		ैं <b>भ</b> = े	
STATION	STATION NAME	PERIOD	MONTH

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENCY	OF RELATIVE	HUMIDITY G	EATER THAN			MEAN	TOTAL NO OF
MONTH	(LST)	10%	20°	30%	40%	50°∘	60°	70°	80°:	90	HUMIDITY	OBS
	<del>-</del> '`	1			i i	1						
	_,					i						• • • • •
	*		11	1.02.	7 • 0	75.6	72.4	. 2 . 7	· 2 • 7		1	
	-11	1	175	19.5	93.1	74.6	¢, ′. • ∠	71.7	1,.7	1.5		, , ,
	1 ~i.	1 •		95.4	70.2	r = 4	74.64	•	٠٠٠	• /	1.	
	1/	1 • ?	9.4	92.	57.5	45.4	7 .1	14.7	7	1.4	41.	
	. <del>-</del> ." .	1	19.9	97	27.9	17.2	54.0	33.	15.6	4.1	10 a a	7.
	-3	15.50	175.3	79.5	29.4	07.5	٠7.4	5 - • ≎	41.0	A . *	7: •	ι,
											!	
	!											
												!
101	TALS	1 6.5	9.9	\$7.4	67.5	77.	5 t • 7	40.1	23.4	. 4	еч.	46.

0-87-5 (OL A)

TOTAL SCHOOL WAS A

## RELATIVE HUMIDITY

	L (121 - 11 - 10	74 - ·	e i
STATION	STATION NAME	PERIOD	MONTH

## CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENCY	OF RELATIVE	HUMIDITY GR	EATER THAN			MEAN	TOTAL
MONTH	(LST)	10%	20%	30%	40%	50%	60°	70%	80°.	90°-	RELATIVE	NO OF OBS
• *	·	: 				!		 				
					ļ 							
			1	11.7.	1 '0.00	00.5	27	₹ • "	7.1	1.1		
	-1 i	1.5.0	11000	150.	is • ./	27.3		J1 . '	15.4		55•·	- 1
	1 -1-	1 7."	!   1   U • U	17.7	ي. وت	56	* •3	17.	٠ . د	• 7	· · · ·	-1
	-17	1	170.7	y <b>5</b>	91.5	7.7 • 1	20.5	15.	9	1.4	т,	. 1
	<b>-</b> :	1. •	1' 0.0	20	94.5	12.3	52.2	41	. 1 . 7	3.	f c • :	1
	2.	3 . • -	170.	15.7.	170.0	4.50	71.00	75.0	45.7	11.4	-7	
		ļ	-							ļ		
<del></del>											<u></u>	
							-				ļ	ļ <u>.</u>
	<u> </u>								,			
101	TALS	•	1	300	93.4	77.6	12.2	45.5	27.5	6.0	57	-71

USAFETAC FORM 0-87-5 (OL A)

and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s

----

/4-

STATION

STATION NAME

PERIOD

MONTH

# CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENC	Y OF RELATIVE	HUMIDITY GR	EATER THAN			MEAN RELATIVE	TOTAL NO OF
MONTH	(LST)	10%	20%	30%	40%	50%	60%	70%	80°;	90:-	HUMIDITY	OBS
		<u>.</u>			<u> </u>						<b></b>	•
	-									:	-	
	<b>-</b> ·	1 "	1 1 1 . 1	137.	1 10 •	1	14.3	07.	79.1			
	-11	1	1 1202	100.1		٠	72.7	47.4	17.	1.:	. 4 .	,
	11-	1 1.6	1: 0.0	≠5 • ´	47,00	65.6	. • <sup>خ</sup> ,	11.	4.5	• 11	τ, • τ	
	1/	111.0	100.0	57.7	ಾಂ.7	f 1 • 1	13.9	16.4	<b>⇒•</b> /	1.		
_	· -2	17.7.0	176.5	99.7	07.4	95.6	74.9	51.5	ã <b>6</b> •.	'. • 7	i . 7 • 1	, -
	1-35	1	130.0	130.	173.0	99.6	57.2	:5•°	£2.€3	17.	-1	,
101	TALS	11.5	166.	99.7	75.5	€5•7	5° • 5	5	73.4	^ • ₹	1 7	9, 71

USAFETAC FORM 0-87-5 (OL

ر د از این از این از این از این از این از این از این از این از این از این از این از این از این از این از این ا است

.

----

SCHOOL SCHOOL

200 ( 1944 )

STATION NAME

PERIOD

MONTH

## CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS	•		PERCENTAG	E FREQUENCY	OF RELATIVE	HUMIDITY GI	REATER THAN			MEAN	TOTAL NO OF OBS
MONTH	(L S T.)	10%	20%	30%	40%	50%	60%	70%	80%	90°e	RELATIVE HUMIDITY	
	-			İ	1	1				i :	:	
	<b>-</b> ,			i		1						
	<b>-</b> :	175.0	170.0	1:	100.0	·4 • 7	7	91.7		[]   2 •2		
: 1	-11	1 • 7	1.2.2		97.1	67.0	7 . 7	46.0	٦.,	• 1	• •	٠ -
	1 -14	1 .:• *	110.0	.7.,	٠7. ي	67.5	". • c	10.	5.0	1.1	٠, .	٤^
	1 -1,	117.7	175.3	96.	61.0	50.7	*3.2	20.4	3.7	1.1	15.5	7.5
	: -;	1	٠٠٠٠	79.7	97.5	92•3	7:01	\$3.7	*3.*		71.	7 -
	1-23	1 7.5	100.0	3 uff • 0	39.5		06.1	₽5.º	(2.4	• -		<u> </u>
				ļ							· · · · · · · · · · · · · · · · · · ·	
											ļ	
		ļ										
TOT	ALS		100.0	03.0	73.9	F 7.4	4: •1	57.7	34.5	2.0	10.5	164

USAFETAC FORM 0-87-5 (OL A)

STATION STATION NAME PERIOD

#### CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS			PERCENTAG	E FREQUENCY	OF RELATIVE	HUMIDITY GR	EATER THAN			MEAN RELATIVE	TOTAL NO OF
MONTH	(L S T )	10. °	20°.	30%	40°	50%	60%	70%	80	90	HUMIDITY	OBS
	· –											
–	-				<del>!</del>	1		1				
	• · · · · · · · · · · · · · · · · · · ·	1	1	1.	1 `	7.	٠, •،		;.		70.7	
	-,1	1 .	15.	74.	.5.	67.4	5 ] • <b>1</b>	•	15.	•		71
	1 -1	1.00		36.3	67.0	30.4	1 - • 1		7.	•	47.	, 1
	17	17.0.1	· • I	3.1.1	:5.1	ייי:	15.2	3 <b>.</b> -	* • .	•	u * •	,
!	1 -7	1 %	1,7.0	· F • 5	94.00	F4.7	t •1	tų ∑ <b>,</b> ti	17.	i • 7	tu.	7
	1-23	1	1'	1 7.	. 4.	95 <b>.</b> 5	75.4	<b>5</b> 3.4	74.7		74.	
										 	: 	
											<u>.</u>	
TO	TALS	1.0.5	9.4	и.	2.3	€%•1	15.2	4 .	12.0	L, , i	-2	רי 7 ב

USAFETAC 0-87-5 (OL A)

STATION NAME STATION

PERIOD

#### CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

MONTH	HOURS			PERCENTAC	E FREQUENCY	OF RELATIVE	HUMIDITY G	REATER THAN			MEAN RELATIVE HUMIDITY	TOTAL NO OF OBS
MONTH	· (LST)	10%	20%	30°,	40°	50°∘	60°.	70°•	80°	90%		
•	-:_			•								
	-		•	<b>*</b> ··· -· -								
	+ 	1 2.5	1	1		u ، ۳	-1.7	7	4.			
	-11	1 •	V • 4		ر.ود	5 ₹•*	s ; • 1	37.		• ?	•	
	1 -1	1 3.7	₹5.4	7		:4.9	27.5	1 .	17	•		
	1 -17	1 %.5	15.0	75.,		37.7	2: .7	17.7	13.7	1.	1. 7	
	-: 1	1. 1.	19.9	¦ ųa.,	1.	77.5	11.7	37.7		• 1	•	
	: <del>-</del> 25	10 %	130.0	15.7	75.0	87.4	7 .	10.7	71.2		7 ~ •	
										1		,
	1											
TO	TALS	4 ~ . 5	0.6	91.	7 > • 7	67.2	7: • 7	41.	24 • 1	7.	- : •	4,7

USAFETAC FORM 0-87-5 (OL A)

The second of the second

74-

STATION

STATION NAME

PERIOD

## CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS	-		PERCENTAG	E FREQUENCY	OF RELATIVE	HUMIDITY GR	EATER THAN			MEAN	TOTAL NO OF OBS
MONTH	(L.S.T.)	10%	20°,	30%	40%	50%	60°•	70°:	80%	90	· RELATIVE HUMIDITY	
	,'							· -	!			•
				1				ļ				
	,-'.	1. •	1 '>•.	1.7.	1:.5	24 <b>a</b> 1	t • 1		• ·	4	77.	
 	-11	1: • 5	170.1	24.1	16.7	77.	r∓.y	41.	7.	. •	٠.	
	i -1.	1	14	7	Lo.,	87.5	7	24.	:7.	• :	1.	
	17	1	36.5	72.7	- i• s	₹7.2	7 • f	72.7	16	. 7	• •	
	-3	1	- 7.6	.7.	15.	7:.2	= 4 • t	37.	∴3•.	1 .		<i>i</i> :.
	1-73	1	79.9	354	24.0	-1.	£ v • 5	5 \$ • T	73.	1		*- y ·
!											!	
												i   
10	TALS	1 7.0	9.1	91.	7 3	e 5 • 5	f+ • b	41.	·	10.0	92.0	437.

USAFETAC FORM 0-87-5 (OL A)

STATION NAME

PERIOD

CUMULATIVE PERCENTAGE FREQUENCY OF OCCURRENCE (FROM HOURLY OBSERVATIONS)

	HOURS			PERCENTAG	E FREQUENCY	OF RELATIVE	HUMIDITY GI	REATER THAN			MEAN	TOTAL NO OF OBS
MONTH	(LST)	10°°	20%	30%	40%	50%	60°¢	70°∘	80%	90°e	HUMIDITY	
	_1	•	• 5	• 1	75•€		1 • ?	35.0	4.	• •		. ,
			7.5	,	73.4	•	4 7	31.	70.	,	; , <sup>,</sup> ,	
		1	15.6	, ,	73.3		и; •:	,	•	•	•	7 7.
		•	1.5	.₹•	ć:•>	៖ ស្_ដ	u •.	3		1 7	•	
		1	19.	53."	2 . • k	£ .•.	4 ي د	3 •	77.7	•	•	. 9s.
			6.5	77.1	97.5	77.5	7 7	u	* > • •	· · ·	64.	<u> </u>
		•	1: 0.0	J. • 1	4 . ز ب	73.0		45.	77.	•		: 1
		•	11000	,0 , "	25.0	77.	4 ~ • S	50.7	3.4	. 7	• /	•
			170.		٠,,,	- 4	r 1	53.7	34.3		•	6 ( )
		1	) <b>.</b> 4	) (4	3	0.0 • 1	5 i • •	ц . г			•	- ?
		1 7.0	10.5	91.	7 2 . 7	• 2	57	41.7	74.		٠. •	
		1	79.4	91.	7/1:	16.5	1 4 4 6	41.	3.0	12.0	•	4.2.7
τοτ	ALS	1. •5	9.1		11.7	ر٠.	6.4 · C	4	2000	•	f. 4. •	1517

OPERATING LOCATION "A" USAFETAC, ASHEVILLE NC

### PART 5

### PRESSURE SUMMARY

Presented in this part are two tables giving the means, standard deviations, and total number of observations of station pressure and sea-level pressure by month and annual for the local hourly observations corresponding to the eight 3-hourly synoptic times GCT. The same computations are also provided at the bottom of the page for all hours combined. All years of data available are combined in both of these tables, although the overall period is limited by service as indicated below.


NOTES: Station pressure not reported for all services until late in 1945.

Station pressure reported only at 6-hourly times for Air Force stations from Jan 64 - Jul 65.

METAR stations do not report Sea-level pressure.

- 1. Station pressure is presented in the table in inches of mercury.
- 2. Sea-level pressure is presented in millibars.

Provided below is a scale to convert station pressure values in inches of mercury or millibars to pressurealtitude in 1000's of feet. This scale is an enlarged model of the pressure-altitude scale in the Smithsonian Meteorological Tables.



TO TAL CLIMATCEDSY MANCH TOTALS AT TALESCH SERVICEMMAC

## **MEANS AND STANDARD DEVIATIONS**

STATION PRESSURE IN INCHES HE FROM HOUPLY GUSERVATIONS

	7.0	_ / 1 ; w ,	4,65 01	-			74-94	)						
STA" ON	•	STATION NAME								YEARS				
HRS LST		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OC1	NOV	DEC	ANN. AL
	MEAN													
	5 D													
	TOTAL OBS													
	MEAN													
	5 0													
	TOTAL OBS	•												
	MEAN													
	SD	27.35.	29.81.2	29.7562		,							29.244	
	TOTAL OBS	•21	• 215	.212	•193	•135	-113	.509	•371	•11 →		•159	•217	•164
		. 23.	. 204.	225.	22 <b>7</b> .	<b>3</b>	300.	3 C č.	312	297.	296.	223	222	3137
	MEAN		∂9•∪482	10 7701			. 7573				00 0 EZ :		25 25 -	20 615
	5 D	• 223		. 229 . 229	.193	•13o			•352	•11s	.162	.161 .161	•215	29.815
	TOTAL OBS	2 - 5					_ 300.		313.	297.		289.	279	
	•			<b>₽ 1</b> 2.	200.	# 12.4.	2.294	<i>4.</i> 4.7,	J 1 J.	271.	٦.	L L J.	211	3331
	MEAN	25.480	29 <b>.7</b> 992	29.737	79.7352	9.7122	9.7292	9.7572	. 7842	9.762	29 - 8 75 3	29.8163		29.77
1	S D	.271		.224	.175	.136	.118	.101	.092	.117	.159	.162	.217	.173
	TOTAL OBS	2:4							310					
	MEAN	24.7 1	29.7532	29.698	9.6902	9.6602	9.6902	9.7172	29.7442	9.714	29.775	29.787	9.8.2	29.735
	5 D	.214	.214	.217	·193	.139	•120	.102	·CoD	.116	•159	.156	• 2 " 9	-174
	TOTAL OBS	2 ି ଏ	274	3^9.	292.	245	250;	_ 256.	258.	. 247.	251.	2 <b>29</b> .	277	3252
								<b>+</b>						
	MEAN		29.778					_						29.749
	S D	• 2 0 9		.211	•17ê			-100		•113	.156	•156	• 2 î.4	•168
	TOTAL OBS	_ 24	. 224.	249.	239,	244.	249	253.	257.	. 247.	255.	241.	237	2941
	MEAN	<b>.</b>			+								-	
-	S D		23.618											29.779
,	TOTAL OBS	•214		-274				•106		-116	•1°4	•157	•2(4	• 1 5 4
	0141 063	. 22	. 25.	234.	220.	224,		234.	2.54.	229.	254.	222.	216.	2732
	MEAN	.,	29.8012			0 7111	9 7279	0 75#2					10 676	29.774
ALL	5 D	•21	•214		•189			247742 193		.120			•212	.172
HOURS	TOTAL OBS		1457										1509	19189

USAF ETAC FORM 0-89-5 (OL.A)

. .

-

-----

A SECTION SERVICE AS A SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF THE SECTION OF TH

## **MEANS AND STANDARD DEVIATIONS**

IN BEVOL PRESSURE IN MAS FROM HOURLY OBSERVATIONS

TO STATULE		NITHE	C FON NAME		~4-34									
HRS (51		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OC1	NOV	DE 1	AN*. 4.
	MEAN S D TOTAL OBS												-	
	MEAN S.D. TOTAL OBS													
:	MEAN S.D. TOTAL OBS		7.1 2	7.275	6.519	4.613	3 . £ 76		3.147	4.073	5.407	J • 9 6 1		1018.2 5.677 3137
t	MEAN 5 D !OTAL OBS		7.583	7.894	5 • 5 ° 5	4.732	3.994	3.478 3.478		4.765	5.65	_ <b>5 •</b> 6 € 8	7.495	1019.1 0.171 7567
	MEAN 5 D TOTAL OBS		7.527	1016.5 7.698 31.3		4.64	4.676	1016.9 3.444 . 3.444	3.148	4.011	5.549	3.3.3	1519.7 7.575 278-	1017.6 5.975 356d
· :	MEAN S. D. TOTAL OBS		7.4 7	7.423	6.229	4.600	4.071	1015.5 3.441 1 255		3.947	5.577	5.398		1016.3 6.079 3251
•	MEAN S.D. TOTAL OBS		7.198	7.212	5 • 178	4 - 4 ? 5	3 - 8 - 5	71015.6 3.383 253	2.981	3.877	5.418	5.444	1:19.4 7.085 237	1u16.d 5.811 2941
•	MEAN S.D. TOTAL OBS		6.967	7.001	6.1.6	4.242	3.889	11016.9 3.384 234	2.793	3.951	5.409	5.441		1017.8 5.69J 2732
ALL HOURS	MEAN S D TOTAL OBS	7.564		7.527	6.468	4.672	4.643	1.15.7 3.439	3.176	4.107	5.500	5.676	7.373	1317.7 5.965 5.188

